



US00D889150S

(12) **United States Design Patent** (10) **Patent No.:** **US D889,150 S**
Nightingale et al. (45) **Date of Patent:** **** Jul. 7, 2020**

(54) **SEAT FOR A VEHICLE**
(71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
(72) Inventors: **Hugo Nightingale**, Coventry (GB); **Jordan Gendler**, Coventry (GB)
(73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
(**) Term: **15 Years**
(21) Appl. No.: **29/716,084**
(22) Filed: **Dec. 6, 2019**

B60N 2/2222; B60N 2/2245; B60N 2/686; B60N 2/688; F16B 2/08; F16B 2/803; F16B 45/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D569,308	S	*	5/2008	Bergeron	D12/7
D591,645	S	*	5/2009	Murphy	D12/85
D614,998	S	*	5/2010	Fujita	D12/1
D619,045	S	*	7/2010	Fujita	D12/1
D629,219	S	*	12/2010	Xu	D6/333
D652,642	S	*	1/2012	Etienne	D6/356
D670,603	S	*	11/2012	Lepine	D12/7
D725,562	S	*	3/2015	Beaven	D12/187
D739,575	S	*	9/2015	Beaven	D26/28
9,126,689	B2	*	9/2015	Porter	B60N 2/01
D808,181	S	*	1/2018	Gay	D6/333

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP


(57) **CLAIM**

The ornamental design for a seat for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a seat for a vehicle according to the present invention.
FIG. 2 is a front left perspective view of the seat shown in FIG. 1.
FIG. 3 is a rear left perspective view thereof.
FIG. 4 is a rear right perspective view thereof.
FIG. 5 is a front view thereof.
FIG. 6 is a rear view thereof.
FIG. 7 is a left side view thereof.
FIG. 8 is a right side view thereof.
FIG. 9 is a top view thereof; and,
FIG. 10 is a bottom view thereof.

1 Claim, 10 Drawing Sheets



Related U.S. Application Data

(62) Division of application No. 29/637,010, filed on Feb. 13, 2018, now Pat. No. Des. 872,476.

(30) **Foreign Application Priority Data**

Aug. 29, 2017 (EM) 004170504

(51) **LOC (12) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**

USPC D6/334, 356, 360, 369, 370, 374, 376, D6/716, 716.1, 716.2, 716.3, 716.4, D6/716.5, 716.7, 366, 335, 342, 364, 375; D21/521, 533, 548; D12/133, 7, 85, 187, D12/400; D14/172
CPC A61H 2201/0149; B60N 2/06; B60N 2/20; B60N 2/22; B60N 2/58; B60N 2/68; B60N 2/80; B60N 2/643; B60N 2/888; B60N 2/859; B60N 2/1615; B60N 2/7035; B60N 2/42745; B60N 2002/0272; B60N 2205/35; B60N 2/44; B60N 2/56; B60N 2/206; B60N 2/366; B60N 2/933;

(56)

References Cited

U.S. PATENT DOCUMENTS

D817,652 S *	5/2018	Nunn	D6/356
9,969,304 B2 *	5/2018	Johnson	B60N 2/28
D839,622 S *	2/2019	Oyama	D6/356
D853,741 S *	7/2019	Turner	D6/356
D862,101 S *	10/2019	Song	D6/356
D867,800 S *	11/2019	Nightingale	D6/716.5
D870,476 S *	12/2019	Nightingale	D6/356
D875,642 S *	2/2020	Hodder	D12/400

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10