



US00D889257S

(12) **United States Design Patent**
Kukucka et al.

(10) **Patent No.:** **US D889,257 S**
(45) **Date of Patent:** **** Jul. 7, 2020**

- (54) **ANTI-SLIP MULTIDIRECTIONAL DRIVER BIT**
- (71) Applicant: **GRIP HOLDINGS LLC**, Brandon, FL (US)
- (72) Inventors: **Paul Kukucka**, Brandon, FL (US);
Thomas Stefan Kukucka, Brandon, FL (US)
- (73) Assignee: **GRIP HOLDINGS LLC**, Brandon, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/709,794**
- (22) Filed: **Oct. 17, 2019**

| | | | | | |
|----------------|---------|-------------|-------|-------------|-----------|
| 6,595,091 B2 * | 7/2003 | Williams | | B25B 13/48 | 81/176.15 |
| 6,698,315 B1 | 3/2004 | Wright | | | |
| 6,698,316 B1 | 3/2004 | Wright | | | |
| D489,589 S * | 5/2004 | Wiljanen | | D8/21 | |
| D494,031 S * | 8/2004 | Moore, Jr. | | A63B 53/047 | D15/140 |
| D522,821 S | 6/2006 | Hsieh | | | |
| 7,131,840 B2 | 11/2006 | Constantino | | | |
| 7,174,811 B2 | 2/2007 | Wright | | | |
| D542,109 S * | 5/2007 | Lebron | | D8/70 | |
| D577,795 S * | 9/2008 | Smith | | D23/262 | |
| D581,777 S * | 12/2008 | Huang | | D8/397 | |
| D588,887 S * | 3/2009 | Lehman | | D8/29 | |
| D627,039 S * | 11/2010 | Yu | | D23/260 | |
| D653,096 S * | 1/2012 | Lucio | | D8/86 | |
| D660,111 S * | 5/2012 | Laurie | | D8/29 | |

(Continued)

Related U.S. Application Data

- (63) Continuation-in-part of application No. 16/107,842, filed on Aug. 21, 2018, which is a continuation-in-part of application No. 15/601,864, filed on May 22, 2017, now abandoned.
- (51) **LOC (12) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/397**
- (58) **Field of Classification Search**
USPC D8/397, 394, 382, 349, 86, 29; 411/427, 411/374; 81/121.1, 461; 433/141
CPC B25B 15/001; B25B 27/0035; B60B 3/16
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

| | | | | | |
|----------------|--------|-----------|-------|-------------|------------|
| 6,019,019 A * | 2/2000 | Hobbs | | B25B 15/001 | 81/177.2 |
| 6,273,658 B1 * | 8/2001 | Patterson | | B60B 3/16 | 301/37.374 |

FOREIGN PATENT DOCUMENTS

WO 2017031333 2/2017

Primary Examiner — Cynthia R Underwood


(57) **CLAIM**

The ornamental design for an anti-slip multidirectional driver bit, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an anti-slip multidirectional driver bit showing my new design;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a front elevated view thereof;
 FIG. 4 is a rear elevated view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a right elevated view thereof; and,
 FIG. 8 is a left elevated view thereof.
 The broken lines showing of an attachment body in FIGS. 1-8 are included for the purpose of showing environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,327,739 B2 * 12/2012 Kubota B21D 39/04
81/121.1

8,640,575 B2 * 2/2014 Huang B25B 15/008
81/436

D713,715 S * 9/2014 Kury D8/397

D738,714 S * 9/2015 Kuhmichel D8/397

D761,630 S * 7/2016 Li D8/29

D769,690 S 10/2016 Campbell, II

D787,909 S * 5/2017 Hsu D8/86

D795,398 S * 8/2017 Decaria D23/260

D813,026 S * 3/2018 Wright D8/397

D814,259 S * 4/2018 Feuerstein D8/29

D814,913 S * 4/2018 Baiz D8/387

D821,842 S * 7/2018 Hsu D8/86

D827,406 S * 9/2018 Su D8/86

D833,247 S * 11/2018 Huang D8/86

D840,797 S * 2/2019 Bentley D8/397

D841,454 S * 2/2019 Schuit D8/397

D858,245 S * 9/2019 Lundh D8/86

D859,944 S * 9/2019 Kukucka D8/29

D859,946 S * 9/2019 Kukucka D8/29

D859,947 S * 9/2019 Kukucka D8/29

D861,474 S * 10/2019 Kishida D8/397

D862,210 S * 10/2019 Orikawa D8/367

2004/0065376 A1 * 4/2004 Kristofferson F01M 11/0408
138/89

2013/0047797 A1 2/2013 Lukes

2014/0060260 A1 * 3/2014 Kluhsman, Jr. B25B 27/0035
81/121.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8