



US00D889260S

(12) **United States Design Patent** (10) **Patent No.:** **US D889,260 S**
Hiltser et al. (45) **Date of Patent:** **** Jul. 7, 2020**

(54) **CLOSURE FOR A CONTAINER**

(71) Applicant: **H.J. Heinz Company Brands LLC**,
Pittsburgh, PA (US)

(72) Inventors: **Balint Hiltser**, Lent (NL); **Guus Lueb**,
Bennekom (NL)

(73) Assignee: **H.J. Heinz Company Brands LLC**,
Pittsburgh, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/674,603**

(22) Filed: **Dec. 21, 2018**

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/449**

(58) **Field of Classification Search**

USPC D3/10, 13, 17; D6/672, 677; D7/300,
D7/317, 321, 387, 388.391, 392, 396.1,
D7/396.6, 397, 398, 401.1, 403, 509, 538,
D7/610, 619.1, 629, 672, 677, 601, 602,
D7/624.1, 705, 708; D9/434, 435, 436,
D9/438, 439, 440, 441, 442, 446, 447,
D9/449, 451, 452, 453, 454, 455, 550,
D9/560, 566, 516, 544, 573, 614, 618,
D9/623, 686, 705, 708, 715-720, 730,
D9/750, 751; D20/21, 31, 41, 42;
D21/3, 621; D23/206, 259, 260;
D24/121, 127, 199, 224; D28/4, 5, 73,
D28/76, 91.1
CPC B65D 83/06; B65D 2501/00; B65D
2501/0009; B65D 1/00; B65D 1/02;
B65D 1/0223; B65D 23/00; B65D
50/041; B65D 53/02; B65D 41/34; B65D
21/0223; B65D 47/265; B65D 2525/283;
B65D 2251/0087; B65D 2251/0018;
B65D 2251/0028; B65D 2251/009; B65D
43/0225; B65D 25/28; B65D 51/18;
B65D 2203/00; B65D 83/0038; B65D
43/02; B65D 85/36; B65D

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,111,059 A 11/1963 Marsh
4,869,399 A 9/1989 Dubach
(Continued)

FOREIGN PATENT DOCUMENTS

DE 20112974 9/2002

Primary Examiner — Jennifer Rivard

Assistant Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Fitch, Even, Tabin &
Flannery LLP

(57) **CLAIM**

The ornamental design for a closure for a container, as
shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a closure for a container
in accordance with our new design shown in a closed
configuration;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof, the right side
elevation view being a mirror image thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top perspective view of the closure of FIGS. 1-6
shown in an open configuration;

FIG. 8 is a front elevation view thereof;

FIG. 9 is a rear elevation view thereof;


FIG. 10 is a right side elevation view thereof, the left side
elevation view being a mirror image thereof;

FIG. 11 is a top plan view thereof; and,

FIG. 12 is a bottom plan view thereof.

The broken lines depict portions of the closure that form no
part of the claimed design.

1 Claim, 10 Drawing Sheets



US D889,260 S

Page 2

(58) **Field of Classification Search**

CPC 81/18; B65D 81/38; A45D 2040/0043;
A45D 2040/0062; A45D 40/04; A45D
34/04; A45D 33/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D339,065 S * 9/1993 Forsyth D9/447
D385,791 S * 11/1997 Forsyth D9/440
D441,144 S * 4/2001 Vanoncini D28/82
6,357,634 B1 3/2002 Evans
D476,892 S * 7/2003 Martin D9/447
6,616,012 B2 9/2003 Dark
6,659,308 B1 12/2003 Kelder
D511,685 S * 11/2005 Choi D9/449
D531,035 S * 10/2006 Pugne D9/453
D542,132 S * 5/2007 Pugne D9/449
D594,747 S * 6/2009 Moretti D9/435
D604,159 S * 11/2009 Pugne D9/449
7,637,402 B2 12/2009 Romanov
D607,726 S * 1/2010 Wisniewski D9/449
D609,092 S * 2/2010 Laib D9/449
D609,568 S * 2/2010 Mazurkiewicz D9/449
D624,414 S * 9/2010 Benoit-Gonin D9/449
D625,146 S * 10/2010 George D7/392
D627,641 S * 11/2010 Mazurkiewicz D9/449
D628,887 S * 12/2010 Groubert D9/449
D628,888 S * 12/2010 Groubert D9/449
D628,889 S * 12/2010 Groubert D9/449
D628,890 S * 12/2010 Groubert D9/449

D628,891 S * 12/2010 Groubert D9/449
D628,892 S * 12/2010 Groubert D9/449
D628,893 S * 12/2010 Groubert D9/449
D631,347 S * 1/2011 Rudolph D9/446
7,874,466 B2 1/2011 McConville
D634,198 S * 3/2011 Groubert D9/449
D640,556 S * 6/2011 Bragg D9/449
D673,048 S * 12/2012 Waite D9/447
8,376,195 B2 2/2013 Dubach
8,424,728 B2 4/2013 Dubach
D712,263 S * 9/2014 Humm D9/449
D712,264 S * 9/2014 Humm D9/449
D721,535 S * 1/2015 Chapman D7/396.2
D742,229 S * 11/2015 Wisniewski D9/449
D766,085 S * 9/2016 Smith D9/449
D789,737 S * 6/2017 Eyal D7/300.1
D794,458 S * 8/2017 Lloyd D9/449
D809,387 S * 2/2018 Tran D9/449
D809,388 S * 2/2018 Tran D9/449
D834,413 S * 11/2018 Tran D9/449
D842,107 S * 3/2019 Bardet D9/449
2004/0245290 A1 12/2004 Hagihara
2005/0279781 A1 * 12/2005 Pugne B65D 47/0804
222/556
2009/0294447 A1 * 12/2009 Mazurkiewicz ... B65D 47/0814
220/260
2010/0230438 A1 9/2010 Sardo, Jr.
2012/0080450 A1 4/2012 Dzierzk
2012/0199582 A1 8/2012 Cai
2015/0014370 A1 1/2015 Kiel
2015/0307238 A1 10/2015 Richards
2019/0168932 A1 * 6/2019 Jevtic B65D 47/0847

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

