

(12)

United States Design Patent

Thai

(10)

Patent No.:

US D889,262 S

(45)

Date of Patent:

** Jul. 7, 2020

(54) **TOPPER FOR BUBBLE SOLUTION CONTAINER**

(71) Applicant: **Placo Bubbles Limited**, TST East, Kowloon (HK)

(72) Inventor: **Douglas Thai**, Kowloon (HK)

(73) Assignee: **Placo Bubbles Limited**, Hong Kong (HK)

(**) Term: **15 Years**

(21) Appl. No.: **29/695,031**

(22) Filed: **Jun. 14, 2019**

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/451**; D21/620

(58) **Field of Classification Search**
USPC D9/600, 434–454; 206/457, 494, 459.5, 206/527, 540; 229/116.1; 215/381–384, 215/400; D7/514–520, 539, 544, 571, D7/594, 599, 604, 613, 619.2, 623, 625, D7/628–630, 391–392.1, 396.2; D3/270–271.8; D21/401, 620
CPC B65D 67/00; B65D 81/36; B65D 81/60; B65D 81/368; B65D 37/00; B65D 5/42; B65D 5/4208; B65D 77/00; A63H 33/10; A63H 33/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D179,226 S * 11/1956 Starnes D7/613
D283,038 S * 3/1986 Knight D21/620
4,854,908 A * 8/1989 Shively A63H 3/16
D700,254 S * 2/2014 Lo D21/620

D700,255 S * 2/2014 Lo D21/620
D700,666 S * 3/2014 Lo D21/620
D704,284 S * 5/2014 Carlson D21/620
D707,310 S * 6/2014 Carlson A63H 3/16
D783,370 S * 4/2017 Su A63H 3/16
D835,731 S * 12/2018 Rub D21/620
D862,171 S * 10/2019 Bullo D21/620
D869,575 S * 12/2019 Shi D21/620
D872,645 S * 1/2020 Lachyani Abiri D21/620

* cited by examiner

Primary Examiner — Sandra L Morris
(74) Attorney, Agent, or Firm — Raymond Sun

(57) **CLAIM**

The ornamental design for a topper for bubble solution container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the topper for bubble solution container.

FIG. 2 is a front view of the topper for bubble solution container of FIG. 1.

FIG. 3 is a rear view of the topper for bubble solution container of FIG. 1.


FIG. 4 is a left view of the topper for bubble solution container of FIG. 1.

FIG. 5 is a right view of the topper for bubble solution container of FIG. 1.

FIG. 6 is a top view of the topper for bubble solution container of FIG. 1; and,

FIG. 7 is a perspective view of the topper for bubble solution container of FIG. 1, with the broken lines shown herein forming no part of the claimed design and showing one environment in which the topper for bubble solution container is used.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG.7