



US00D889290S

(12) **United States Design Patent**
Yokoyama et al.

(10) **Patent No.:** **US D889,290 S**

(45) **Date of Patent:** **** Jul. 7, 2020**

(54) **TESTER FOR ANTISTATIC WRIST STRAP**

CPC A61N 1/10; A61N 1/14; A61N 1/16; H05F
3/00; H05K 13/0084
See application file for complete search history.

(71) Applicant: **Hakko Corporation**, Osaka-shi, Osaka
(JP)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(72) Inventors: **Tetsuo Yokoyama**, Osaka (JP); **Kaori
Fujie**, Osaka (JP)

D476,245 S * 6/2003 Tanaka D10/75
D712,762 S * 9/2014 Glaser D10/75
D796,977 S 9/2017 Yokoyama
10,517,197 B2* 12/2019 McGhee H05K 9/0001

(73) Assignee: **HAKKO CORPORATION**, Osaka
(JP)

* cited by examiner

Primary Examiner — Antoine Duval Davis

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Squire Patton Boggs
(US) LLP

(21) Appl. No.: **29/682,066**

(57) **CLAIM**

The ornamental design for a tester for antistatic wrist strap,
as shown and described.

(22) Filed: **Mar. 1, 2019**

DESCRIPTION

(30) **Foreign Application Priority Data**

Sep. 3, 2018 (JP) 2018-019208

FIG. 1 is a perspective view of a tester for antistatic wrist
strap;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.


(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/75**

The broken lines depict portions of the tester for antistatic
wrist strap in which the design is embodied that are not
considered part of the claimed design.

(58) **Field of Classification Search**
USPC D10/75

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7