



US00D889396S

(12) **United States Design Patent**
Choi et al.

(10) **Patent No.:** **US D889,396 S**
(45) **Date of Patent:** **** Jul. 7, 2020**

(54) **BATTERY**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si, Gyeonggi-do (KR)

(72) Inventors: **Jaewon Choi**, Seoul (KR); **Yeonsu Kim**, Seoul (KR); **Hyounsub Choi**, Goyang-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Gyeonggi-Do (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/671,545**

(22) Filed: **Nov. 28, 2018**

(30) **Foreign Application Priority Data**

Aug. 29, 2018 (KR) 30-2018-00403339

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102–106, 110, 118–119, 184
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M
2/0212; H01M 2/1061; H01M 2/1022;
H01M 2/1055; H01M 2/1066; H01M
2/105; H01M 2/204; H01M 2/1016;
H01M 2200/00; H01M 10/4257; H01M
10/0436; H01M 10/48; H01M 10/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D545,759 S * 7/2007 Ino D13/103
D555,086 S * 11/2007 Zhang D13/103
D597,932 S * 8/2009 Aglassinger D13/103

D604,694 S * 11/2009 Aglassinger D13/103
D610,082 S * 2/2010 Sweeney D13/103
D610,537 S 2/2010 Sweeney
D633,036 S 2/2011 Murray
D679,651 S * 4/2013 Stratford D13/103
D682,192 S * 5/2013 Corbin D13/103
D718,705 S * 12/2014 Naksen D13/103
D780,687 S * 3/2017 Taniguchi D13/103
D780,688 S * 3/2017 Elder D13/103
D812,555 S * 3/2018 Schoch D13/103
D829,646 S * 10/2018 Tse D13/103
D849,681 S * 5/2019 Howell D13/103

FOREIGN PATENT DOCUMENTS

EM 001039192-0001 11/2008
EM 001361083-0001 2/2013
JP D1283014 S 10/2006

* cited by examiner

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a battery, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a bottom perspective view thereof; and,
FIG. 9 is another front perspective view showing an environment of use.
The even-dash broken lines depict portions of the battery and environmental structure which form no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D889,396 S
APPLICATION NO. : 29/671545
DATED : July 7, 2020
INVENTOR(S) : Jaewon Choi et al.

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (30) Foreign Application Priority Data:

Delete "30-2018-00403339" and insert --30-2018-0040339--

Signed and Sealed this
First Day of September, 2020



Andrei Iancu
Director of the United States Patent and Trademark Office