



US00D889560S

(12) **United States Design Patent** (10) **Patent No.:** **US D889,560 S**
Child et al. (45) **Date of Patent:** **** Jul. 7, 2020**

(54) **RIDE-ON TOY**
 (71) Applicant: **Wildchild Design Pty. Ltd.**, Kuranda (AU)
 (72) Inventors: **Christiane Doris Child**, Kuranda (AU); **Dion Child**, Cairns North (AU)
 (73) Assignee: **Wildchild Design Pty. Ltd.**, Kuranda, Queensland (AU)
 (**) Term: **15 Years**
 (21) Appl. No.: **29/651,442**

| | | | | |
|--------------|---------|------------|-------|---------|
| D418,554 S * | 1/2000 | E. | | D21/613 |
| D431,054 S * | 9/2000 | Cheng | | D12/108 |
| D444,825 S * | 7/2001 | Child | | D21/428 |
| D445,460 S * | 7/2001 | Lee | | D21/428 |
| D541,885 S * | 5/2007 | Lensvelt | | D21/592 |
| D587,322 S * | 2/2009 | Child | | D21/427 |
| D606,596 S * | 12/2009 | Kruger | | D21/425 |
| D648,906 S * | 11/2011 | Byrne | | D21/613 |
| D652,456 S * | 1/2012 | Child | | D21/428 |
| D672,995 S * | 12/2012 | Diaz | | D21/611 |
| D711,971 S * | 8/2014 | Child | | D21/428 |
| D724,674 S * | 3/2015 | Child | | D21/428 |
| D725,196 S * | 3/2015 | Child | | D21/426 |
| D733,809 S * | 7/2015 | Hengel | | D21/611 |
| D770,786 S * | 11/2016 | George, II | | D21/611 |

(22) Filed: **Aug. 15, 2018**
 (30) **Foreign Application Priority Data**
 Mar. 21, 2018 (AU) 201811719
 (51) **LOC (12) Cl.** **21-01**
 (52) **U.S. Cl.**
 USPC **D21/428; D21/611**
 (58) **Field of Classification Search**
 USPC D21/412, 414-417, 419, 424, 426-429, D21/611
 CPC A63G 19/00; A63G 19/02; A63G 19/04; A63G 13/00; A63G 13/10; A63G 15/00; A63G 15/04
 See application file for complete search history.


* cited by examiner
Primary Examiner — Cynthia M. Chin
 (74) *Attorney, Agent, or Firm* — Shook, Hardy & Bacon LLP

(56) **References Cited**
 U.S. PATENT DOCUMENTS
 D55,839 S * 7/1920 Badgley D21/425
 3,848,869 A * 11/1974 Morrison A63G 13/06
 280/1.22
 D246,738 S * 12/1977 Nakao D21/611
 D275,975 S * 10/1984 Ciganko D21/415
 D397,964 S * 9/1998 Bratton D12/108

(57) **CLAIM**
 The ornamental design for a ride-on toy, as shown and described.

DESCRIPTION
 FIG. 1 is a perspective view of the ride-on toy of the present invention;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a right side elevation view thereof, the left side being a mirror image thereof;
 FIG. 4 is a front elevation view thereof; and,
 FIG. 5 is a rear elevation view thereof.
 A bottom view has been omitted, as it forms no part of the design.
 The evenly spaced broken lines are for the purpose of illustrating portions of the article that form no part of the claim.

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.