



US00D889758S

(12) **United States Design Patent** (10) **Patent No.:** **US D889,758 S**
Van Curen et al. (45) **Date of Patent:** **** Jul. 7, 2020**

(54) **ANIMAL TRAINING TRANSMITTER**

(71) Applicant: **E-Collar Technologies, Inc.**, Garrett, IN (US)

(72) Inventors: **Greg Van Curen**, Fremont, IN (US); **Ho-Sung So**, Seoul (KR)

(73) Assignee: **E-Collar Technologies, Inc.**, Garrett, IN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/683,627**

(22) Filed: **Mar. 14, 2019**

(51) **LOC (12) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199; D10/104.1**

(58) **Field of Classification Search**
USPC D30/199, 155; 119/718-721, 712, 905, 119/908, 859; D10/104.1, 106.1, 104.2, D10/106.3, 65, 70; D14/137, 496, 218, D14/159, 226; 340/573.3, 573.1, 384.2, 340/825.76, 538.15, 538.16, 539.11, 340/539.14, 539.15, 539.16, 539.17, 340/539.18, 539.19, 572.7, 572.8, 572.9, 340/573.2, 573.4; D13/168; D24/186
CPC .. A01K 15/021; A01K 15/022; A01K 15/023; A01K 15/029; A01K 15/04; A01K 15/00; A01K 15/02; A01K 15/006; A01K 27/009; A01K 29/005; A01K 29/00; A01K 11/008
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D375,696 S * 11/1996 Seki D10/104.1
D376,114 S * 12/1996 Seki D10/104.1
D380,694 S * 7/1997 Seki D10/104.1
D380,695 S * 7/1997 Seki D10/104.1

D400,115 S * 10/1998 Yaron D10/104.1
D408,396 S * 4/1999 Tyneski D14/137
D440,509 S * 4/2001 Greene D30/199
D446,780 S * 8/2001 Sedan D14/137
D451,896 S * 12/2001 Kim D14/137
D452,012 S * 12/2001 Phillips D24/186
D460,367 S * 7/2002 Apotheloz D10/70
D460,368 S * 7/2002 Apotheloz D10/70
D462,916 S * 9/2002 Fleetwood D10/104.1
D472,826 S * 4/2003 Sanoner D10/70
D482,009 S * 11/2003 Robertson, Jr. D14/137

(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Taylor IP, P.C.

(57) **CLAIM**


The ornamental design for an animal training transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an animal training transmitter according to the present invention;
FIG. 2 is a front view of an animal training transmitter according to the present invention;
FIG. 3 is a rear view of an animal training transmitter according to the present invention;
FIG. 4 is a left side view of an animal training transmitter according to the present invention;
FIG. 5 is a right side view of an animal training transmitter according to the present invention;
FIG. 6 is a top view of an animal training transmitter according to the present invention; and,
FIG. 7 is a bottom view of an animal training transmitter according to the present invention.

The animal training transmitter of this design is made of metal and synthetic resin. The animal training transmitter of this design transmits a control signal to allow a wirelessly connected receiver to generate a stimulation with an aim of training an animal. The animal training transmitter of this design is mainly used to train a dog.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D482,630	S	*	11/2003	So	D30/199
D496,347	S	*	9/2004	Choi	D14/191
D510,046	S	*	9/2005	Li	D10/106.1
D558,703	S	*	1/2008	Kwong	D14/137
D624,838	S	*	10/2010	Chen	D10/78
D649,135	S	*	11/2011	Hocherman	D14/159
D676,136	S	*	2/2013	Arimitsu	D24/186
D685,757	S	*	7/2013	Liu	D14/155
D697,626	S	*	1/2014	Laplante	D24/186
D702,355	S	*	4/2014	Laplante	D24/186
D738,357	S	*	9/2015	Khairudin	D14/226
D740,950	S	*	10/2015	Osness	D24/186
D774,935	S	*	12/2016	Liu	D10/104.1
D805,701	S	*	12/2017	Li	D30/199
D806,881	S	*	1/2018	Corrigan	D24/186
D835,860	S	*	12/2018	Li	D30/199
D859,340	S	*	9/2019	Siponen	D14/137
D867,322	S	*	11/2019	Yan	D14/155
2009/0102668	A1	*	4/2009	Thompson	A01K 15/023 340/573.3

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

