

US00D890004S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,004 S**
Nie et al. (45) **Date of Patent:** **** Jul. 14, 2020**

(54) **PIEZOELECTRIC ACCELEROMETER
SENSOR WITH SIDE OUTPUT AND BOLT
INSTALLATION**

(71) Applicant: **FATRI (XIAMEN) TECHNOLOGIES
CO., LTD.**, Xiamen (CN)

(72) Inventors: **Yongzhong Nie**, Xiamen (CN);
Tingfang Zeng, Xiamen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/666,790**

(22) Filed: **Oct. 16, 2018**

(30) **Foreign Application Priority Data**

Apr. 16, 2018 (CN) 2018 3 0154500

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/96; D10/98; D8/81**

(58) **Field of Classification Search**

USPC D10/96, 98; D8/27, 29, 70, 75, 81;
D15/140

CPC G01P 15/08; G01P 15/0802; G01P 15/09;
G01P 15/0915

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,591,861 A * 7/1971 Sonderegger G01L 1/16
310/344

4,075,525 A * 2/1978 Birchall G01L 1/16
310/329

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — W&K IP

(57) **CLAIM**


The ornamental design for a piezoelectric accelerometer sensor with side output and bolt installation, as shown and described.

DESCRIPTION

FIG. 1 is a top side view of a piezoelectric accelerometer sensor with side output and bolt installation;
FIG. 2 is a top-perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a right-side view thereof; and,
FIG. 7 is a bottom view thereof.

The broken lines are for purposes of showing environmental structure and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7