



US00D890086S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,086 S**
Örtlund et al. (45) **Date of Patent:** **** Jul. 14, 2020**

(54) **BACKPACK BATTERY**

(71) Applicant: **Changzhou Globe Co., Ltd.**,
Changzhou, Jiangsu (CN)

(72) Inventors: **Johan Örtlund**, Ödeshög (SE); **Longfei Yang**, Jiangsu (CN)

(73) Assignee: **Changzhou Globe Co., Ltd.**,
Changzhou, Jiangsu

(**) Term: **15 Years**

(21) Appl. No.: **29/641,874**

(22) Filed: **Mar. 26, 2018**

(30) **Foreign Application Priority Data**

Sep. 27, 2017 (CN) 2017 3 0463264

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102–110, 118–119, 184; D14/251,
D14/253, 432, 434
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M
2/0212; H01M 2/1061; H01M 2/1022;
H01M 2/1055; H01M 2/1066; H01M
2/105; H01M 2/204; H01M 2/1016;
H01M 2200/00; H01M 10/4257; H01M
10/0436; H01M 10/48; H01M 10/42;
H01M 10/44; H01M 10/46; H01M
10/425; Y02T 90/14; Y02T 90/122; Y02T
90/128; Y02T 90/163; H02J 7/025; H02J
7/0042; H02J 7/0044; H02J 7/0045; H02J
7/0003; H01F 38/14; H01R 13/6675;
B60L 11/182

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D417,429 S *	12/1999	Brezovar	D13/106
D549,644 S	8/2007	Hulden	
D579,870 S *	11/2008	Dunbar	D13/110
D654,863 S *	2/2012	Whiting	D13/107
D668,219 S *	10/2012	Zhao	D13/107
D686,985 S *	7/2013	Henderson	D13/107
D707,673 S *	6/2014	Lan	D14/253
D716,725 S	11/2014	Kaminsky et al.	
D725,031 S	3/2015	Tinius	
D772,806 S *	11/2016	Ritterling	B25F 5/02 D13/103
D776,611 S *	1/2017	Thompson	D13/103
D831,334 S *	10/2018	Alexiou	D3/218
D832,210 S *	10/2018	Janos	D13/110
D870,655 S *	12/2019	Vignau-Lous	D13/103
D872,686 S *	1/2020	E	D13/103
D875,734 S *	2/2020	Collins	D14/434

* cited by examiner

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Dorton & Willis, LLP

(57) **CLAIM**

We claim the ornamental design for a backpack battery, as shown and described.

DESCRIPTION

FIG. 1 is front perspective view of a backpack battery showing our new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

1 Claim, 8 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8