



US00D890238S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,238 S**
Lundbäck et al. (45) **Date of Patent:** **** Jul. 14, 2020**

(54) **JOINT FOR AN INDUSTRIAL ROBOT**
(71) Applicant: **ABB Schweiz AG**, Baden (CH)
(72) Inventors: **Daniel Lundbäck**, Västerås (SE); **Jeroen Derkx**, Enköping (SE); **Johan Ernlund**, Västerås (SE); **Stefan Danielsson**, Västerås (SE); **Mats Olov Olsson**, Västerås (SE)
(73) Assignee: **ABB Schweiz AG**, Baden (CH)
(**) Term: **15 Years**
(21) Appl. No.: **29/661,857**
(22) Filed: **Aug. 31, 2018**
(30) **Foreign Application Priority Data**

Mar. 2, 2018 (EM) 004735710-0003

(51) **LOC (12) Cl.** **15-99**
(52) **U.S. Cl.**
USPC **D15/199**
(58) **Field of Classification Search**
USPC D15/199; D21/578-583, 621, 622
CPC B25J 9/104; B25J 17/0275; B25J 17/0283;
Y10T 74/19; Y10T 74/20305; Y10T
74/20329; Y10T 74/20323; Y10T
74/20311; Y10T 74/20317; Y10T
403/32041
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D351,849 S * 10/1994 Cheung D15/199
6,084,373 A * 7/2000 Goldenberg B25J 9/08
318/568.11
6,550,346 B2 * 4/2003 Gombert G01L 5/166
250/208.6
D677,294 S * 3/2013 Long D15/199

8,525,460 B2 * 9/2013 Reiland B25J 9/1641
267/277
D740,371 S * 10/2015 Ries D21/333
9,375,841 B1 * 6/2016 Kemper B25J 13/085
D782,553 S * 3/2017 Goto D15/199
9,845,850 B2 * 12/2017 Claffee F16H 25/20
10,578,197 B2 * 3/2020 Claffee F16H 25/20
2002/0166403 A1 * 11/2002 Choset B25J 9/102
74/490.01
2011/0048650 A1 * 3/2011 Lawson B25J 15/0028
157/16
2011/0064554 A1 * 3/2011 Ito B25J 9/047
414/735
2011/0107611 A1 * 5/2011 Desforges G01B 7/008
33/502
2011/0265597 A1 * 11/2011 Long B25J 9/102
74/490.05
2011/0290060 A1 * 12/2011 Long B25J 9/103
74/490.01
2012/0085191 A1 * 4/2012 Long B25J 9/102
74/423

(Continued)

Primary Examiner — Patricia A Palasik
(74) *Attorney, Agent, or Firm* — Whitmyer IP Group LLC


(57) **CLAIM**

The ornamental design for a joint for an industrial robot, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a joint for an industrial robot in accordance with the new design;
FIG. 2 is a front side elevational view thereof;
FIG. 3 is a rear side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof; and,
FIG. 6 is a top plan view thereof.
The broken lines in the drawings depict portions of the joint for an industrial robot which form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0047771 A1* 2/2013 Liu B25J 19/0029
74/490.02
2013/0081502 A1* 4/2013 Long B25J 9/102
74/490.04
2013/0118286 A1* 5/2013 Long B25J 17/0283
74/490.01
2013/0125694 A1* 5/2013 Long B25J 11/0075
74/490.01
2013/0125696 A1* 5/2013 Long B25J 18/04
74/490.05
2013/0145891 A1* 6/2013 Long B25J 18/00
74/490.02
2014/0224057 A1* 8/2014 Tanaka B25J 9/102
74/490.05
2014/0366673 A1* 12/2014 Yamazaki B25J 9/0087
74/490.03
2015/0114162 A1* 4/2015 Kirihara B25J 19/0029
74/490.02
2016/0263749 A1* 9/2016 Ogata B25J 9/126

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6