



US00D890240S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,240 S**
Wilson et al. (45) **Date of Patent:** **** Jul. 14, 2020**

(54) **HEAD FOR A ROBOTIC DEVICE**
(71) Applicant: **Misty Robotics, Inc.**, Boulder, CO (US)
(72) Inventors: **Adam Wilson**, Boulder, CO (US); **Kyle Wheeler**, Boulder, CO (US); **Lenn Soderlund**, Boulder, CO (US)
(73) Assignee: **Misty Robotics, Inc.**, Boulder, CO (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/683,841**
(22) Filed: **Mar. 15, 2019**
(51) **LOC (12) Cl.** **15-99**
(52) **U.S. Cl.**
USPC **D15/199**
(58) **Field of Classification Search**
USPC D15/199; D21/578-583, 621, 622; D32/21
CPC B25J 5/007; B60B 19/006; B62D 57/024; H01F 7/0221; Y10S 901/01
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D421,989 S * 3/2000 Cheung D14/502
D445,546 S * 7/2001 Gafforio D29/107
6,263,513 B1 * 7/2001 Murakami A42B 3/0493
2/171.3
D461,935 S * 8/2002 Hahm D29/107
D485,948 S * 1/2004 Yi D29/107
D498,881 S * 11/2004 Yi D29/107
D526,092 S * 8/2006 Egger D29/107
D536,010 S * 1/2007 Takahashi D15/199
D541,353 S * 4/2007 Takahashi D21/578
D550,735 S * 9/2007 Takahashi D15/199
D621,551 S * 8/2010 Isobe D29/107
D626,578 S * 11/2010 Wiley D15/199


D639,353 S * 6/2011 Stibolt D21/578
D679,294 S * 4/2013 Tajik D15/14
D679,295 S * 4/2013 Tajik D15/14
D696,324 S * 12/2013 Takahashi D15/199
D719,620 S * 12/2014 Clerc B25J 5/007
D15/199
D794,692 S * 8/2017 Haranaka D15/199
(Continued)

Primary Examiner — Patricia A Palasik

(57) **CLAIM**
The ornamental design for a head for a robotic device, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of an embodiment of a head for a robotic device showing our new design.
FIG. 2 is a rear perspective view of the head for a robotic device of FIG. 1.
FIG. 3 is a top perspective view of the head for a robotic device of FIG. 1.
FIG. 4 is a right side view of the head for a robotic device of FIG. 1.
FIG. 5 is a left side view of the head for a robotic device of FIG. 1.
FIG. 6 is a front view of the head for a robotic device of FIG. 1.
FIG. 7 is a back view of the head for a robotic device of FIG. 1.
FIG. 8 is a top view of the head for a robotic device of FIG. 1.
FIG. 9 is a front bottom perspective view of the head for a robotic device of FIG. 1; and,
FIG. 10 is a back bottom perspective view of the head for a robotic device of FIG. 1.
The head for a robotic device in FIGS. 1-10 includes broken lines depicting environmental or unclaimed portions of the head for a robotic device that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D806,805	S *	1/2018	Takahashi	D21/578
D812,153	S *	3/2018	Belker	D21/659
D818,020	S *	5/2018	McGinn	D15/199
10,179,406	B2 *	1/2019	Dalibard	G05D 1/0214
D842,353	S *	3/2019	Lee	D15/199
D855,673	S *	8/2019	Sutherland	D15/199
D862,551	S *	10/2019	Chen	D15/199
D872,152	S *	1/2020	Xiong	D15/199
D873,353	S *	1/2020	Kataoka	D21/578
2004/0157704	A1 *	8/2004	Stork	B60W 10/02 477/166
2014/0010499	A1 *	1/2014	Suematsu	G02B 6/3885 385/65
2017/0166399	A1 *	6/2017	Stubbs	B25J 9/0096
2018/0186013	A1 *	7/2018	Xiong	B25J 17/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10