

US00D890366S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,366 S**  
**Kilian et al.** (45) **Date of Patent:** **\*\* Jul. 14, 2020**

(54) **ARCHITECTURAL FIXTURE**

(71) Applicant: **Arktura LLC**, Gardena, CA (US)

(72) Inventors: **Robert Kilian**, Venice, CA (US); **Chris Kabatsi**, Venice, CA (US); **Kevin Kane**, Los Angeles, CA (US); **John Johnston**, Los Angeles, CA (US)

(73) Assignee: **Arktura LLC**, Gardena, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/670,011**

(22) Filed: **Nov. 13, 2018**

(51) **LOC (12) Cl.** ..... **25-01**

(52) **U.S. Cl.**  
USPC ..... **D25/152**

(58) **Field of Classification Search**  
USPC ..... D25/138, 152, 153, 154, 155, 156, 100  
CPC ... E04B 9/34; E04B 9/345; E04B 9/36; E04B 9/363; E04B 9/366; E04B 9/00; E04B 9/0464; E04B 9/16; E04B 1/38; E04B 2/00; E04B 5/10; E04C 2/42; E04C 2/421; E04C 2/422; E04C 2/52; E04C 1/40; E04C 3/02

See application file for complete search history.

8,733,053 B2 \* 5/2014 Kabatsi ..... E04B 2/00  
160/131

9,038,326 B2 \* 5/2015 Bergman ..... E04B 9/366  
52/144

9,045,931 B2 \* 6/2015 Damen ..... E06B 9/04

9,096,998 B2 \* 8/2015 Harper ..... E04B 9/001

9,163,402 B2 \* 10/2015 Kabatsi ..... E04B 9/345

9,260,863 B2 \* 2/2016 Thun ..... E04B 9/34

9,353,521 B2 \* 5/2016 Waters ..... E04B 9/00

RE46,043 E \* 6/2016 Stackenwalt ..... E04B 9/0414

9,376,813 B2 \* 6/2016 Bergman ..... E04B 9/0435

9,663,949 B1 \* 5/2017 Caste ..... E04B 9/0428

9,832,907 B2 \* 11/2017 Pan ..... E04C 2/421

9,845,596 B2 \* 12/2017 Frantz ..... B32B 15/14

10,273,676 B2 \* 4/2019 Wyllie ..... E04B 2/7416

10,344,475 B1 \* 7/2019 Alnakkar ..... E04B 9/0464

10,662,647 B2 \* 5/2020 Kilian ..... E04B 9/0414

\* cited by examiner

*Primary Examiner* — Doris Clark  
 (74) *Attorney, Agent, or Firm* — Matthew J. Spark; Stefan J. Kirchanski; Zuber Lawler & Del Duca LLP

(57) **CLAIM**

The ornamental design for an architectural fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom, front, left perspective view of an architectural fixture, embodying the invention;  
 FIG. 2 is a front elevation view of the architectural fixture of FIG. 1;  
 FIG. 3 is a right side elevation view of the architectural fixture of FIG. 1;  
 FIG. 4 is a rear elevation view of the architectural fixture of FIG. 1;  
 FIG. 5 is a left side elevation view of the architectural fixture of FIG. 1;  
 FIG. 6 is a bottom plan view of the architectural fixture of FIG. 1; and,  
 FIG. 7 is top plan view of the architectural fixture of FIG. 1.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D249,069 S \* 8/1978 Polifka ..... D25/152

D260,040 S \* 7/1981 Maresca ..... D25/152


D305,070 S \* 12/1989 Dalton ..... D25/152

D330,259 S \* 10/1992 Nemchock ..... D25/152

7,198,388 B2 \* 4/2007 Pilby ..... E04B 9/00  
362/325

7,591,611 B2 \* 9/2009 Arellanes ..... E02B 3/108  
405/111

8,695,296 B2 \* 4/2014 Bergman ..... E04B 9/205  
52/243.1






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5



**FIG. 6**



**FIG. 7**