

US00D890514S

(12)

United States Design Patent
Downing

(10)

Patent No.: **US D890,514 S**

(45)

Date of Patent: **** Jul. 21, 2020**

(54) **POCKET RETAINING DEVICE**

(71) Applicant: **Tom Downing**, Fresno, CA (US)

(72) Inventor: **Tom Downing**, Fresno, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/682,494**

(22) Filed: **Mar. 5, 2019**

(51) **LOC (12) Cl.** **09-04**

(52) **U.S. Cl.**
USPC **D3/215**

(58) **Field of Classification Search**
USPC D3/215, 218, 318, 319, 328; D8/330,
D8/382, 388, 294; D21/839, 840
CPC A45F 5/02; A45F 5/022; A45F 2005/025;
H04B 1/385; H04B 1/3877
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

187,214	A	2/1877	Campbell	
514,454	A	2/1894	Feiner et al.	
763,014	A	6/1904	Neider	
803,464	A	10/1905	Beck	
889,969	A	6/1908	Rossuck	
926,401	A	6/1909	Freedman	
1,206,074	A	11/1916	Zweiner et al.	
1,692,712	A	12/1927	Tannebaum	
1,914,256	A *	6/1933	Holmes	 F16B 15/02 411/470
2,276,891	A *	3/1942	Stenersen	 B43K 25/02 24/11 F
2,320,455	A *	6/1943	Feig	 B43K 25/022 24/11 P
2,614,305	A	10/1952	Yeardley	
2,619,649	A *	12/1952	Brown	 A41D 27/20 2/252
2,628,395	A	2/1953	Richards	
2,775,804	A	8/1953	Ayoub	
2,652,873	A	9/1953	Barricini	

2,657,442	A	11/1953	Bedford, Jr.	
3,357,615	A	12/1967	Hill	
D230,218	S *	1/1974	Freiling et al.	 D21/840
3,983,602	A	10/1976	Barry	
4,237,583	A	12/1980	Sullivan	
(Continued)				

FOREIGN PATENT DOCUMENTS

CN	202094965	12/2011
FI	116448	11/2005
(Continued)		

OTHER PUBLICATIONS

English Abstract of CN202094965 obtained from:“<https://worldwide.espacenet.com/publicationDetails/biblio?CC=CN&NR=202094965U&KC=U&FT=D#>” on Feb. 16, 2019.
(Continued)

Primary Examiner — Steven J Czyz
(74) *Attorney, Agent, or Firm* — William K. Nelson


(57) **CLAIM**

I claim the ornamental design for a pocket retaining device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a pocket retaining device showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is rear elevation view thereof;
FIG. 4 is front elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a top plan view thereof.
The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D259,393 S * 6/1981 Kuru D8/380
D262,514 S * 1/1982 Gilbert D8/388
D270,133 S * 8/1983 Craig D8/1
D288,745 S * 3/1987 Fenton D6/300
4,650,069 A * 3/1987 Linton B43K 23/001
206/37
D292,060 S * 9/1987 Kerber D21/840
D295,730 S * 5/1988 Blackburn D11/181
D301,832 S * 6/1989 Hathaway D8/349
4,897,898 A 2/1990 Chapin
4,974,764 A 12/1990 Cantwell
5,038,985 A 8/1991 Chapin
D322,093 S * 12/1991 Eylers D19/197
D322,389 S * 12/1991 Harmon D8/371
5,188,318 A 2/1993 Newcomer et al.
D334,134 S 3/1993 Newcomer et al.
D339,738 S * 9/1993 Blancett D21/840
D340,857 S * 11/1993 Light D34/10
5,351,098 A * 9/1994 McDaniels A45F 5/022
24/3.3
5,520,230 A * 5/1996 Sumner, III A45C 1/06
150/137
D372,333 S * 7/1996 Pearson D27/144
D378,439 S * 3/1997 Gary D21/840
D379,283 S * 5/1997 Antinori 5/411
5,640,742 A 6/1997 White et al.
D380,947 S * 7/1997 Adams D21/840
5,829,103 A 11/1998 Allen
5,867,874 A 2/1999 Simpson
D434,303 S * 11/2000 DeCosta D8/349
6,141,838 A 11/2000 Cooper
6,168,061 B1 1/2001 Harrison
6,416,028 B1 7/2002 Miller et al.
6,477,744 B1 11/2002 Miles
6,568,576 B1 5/2003 Godshaw et al.
D480,555 S * 10/2003 Bledsoe D3/215
6,634,528 B2 10/2003 Hurtgam
D561,570 S * 2/2008 Kubota D8/381
D614,482 S * 4/2010 Hay D8/394
D619,355 S * 7/2010 Pedersen D3/218
7,997,773 B2 8/2011 Kraus et al.
D663,190 S * 7/2012 Mota D16/242
8,374,661 B2 * 2/2013 Fratti A45F 5/02
224/462
8,393,101 B2 3/2013 Knight et al.
D680,052 S * 4/2013 Lee D12/223
8,545,041 B2 10/2013 Brown
D695,173 S * 12/2013 Sperry D12/185
D715,627 S * 10/2014 Pan D8/371
8,944,388 B2 * 2/2015 Magno, Jr. F16L 33/24
248/56

9,021,667 B2 5/2015 Wasco
D735,554 S * 8/2015 Solberg D8/349
D750,473 S * 3/2016 Albo D8/371
D753,472 S * 4/2016 Pan D8/371
9,341,285 B2 5/2016 Magno, Jr. et al.
9,402,483 B2 8/2016 Kaalberg
9,879,801 B2 * 1/2018 Wittmann F16L 3/04
9,924,787 B2 * 3/2018 Jackson A45F 5/022
D818,357 S * 5/2018 Cummings D8/394
10,208,780 B1 * 2/2019 Mangone, Jr. F16B 13/063
D844,473 S * 4/2019 Maulder G01K 1/14
D10/103
D860,762 S * 9/2019 Gibson D8/354
10,470,508 B2 11/2019 O'Connor et al.
2004/0237262 A1 12/2004 Arnone
2005/0223525 A1 10/2005 Wartian et al.
2005/0255898 A1 11/2005 Huang
2009/0095751 A1 4/2009 Hamlin
2009/0159471 A1 6/2009 Koppe
2010/0031476 A1 2/2010 Coldiron
2010/0193559 A1 8/2010 Van Huyssteen et al.
2012/0192925 A1 8/2012 Grushkowitz et al.
2013/0327804 A1 12/2013 Putnam
2014/0317887 A1 10/2014 Santilli
2015/0115008 A1 4/2015 Griffith
2015/0195392 A1 7/2015 Nissenbaum
2016/0058168 A1 3/2016 Reed
2017/0280863 A1 10/2017 Simon

FOREIGN PATENT DOCUMENTS

KR 200233150 10/2001
KR 19980019031 10/2001
KR 20150083984 7/2015

OTHER PUBLICATIONS

English Abstract of FI116448 obtained from:“<https://worldwide.espacenet.com/publicationDetails/biblio?CC=FI&NR=116448B&KC=B&FT=D#>” on Feb. 16, 2019.

Google English Translation of KR200233150 obtained from:“<https://patents.google.com/patent/KR200233150Y1/en?q=KR200233150>” on Feb. 16, 2019.

Google English Translation of KR19980019031 obtained from:“<https://patents.google.com/patent/KR19980019031U/en?q=KR19980019031>” on Feb. 16, 2019.

English Abstract of KR20150083984 obtained from:“<https://worldwide.espacenet.com/publicationDetails/biblio?CC=KR&NR=20150083984A&KC=A&FT=D#>” on Feb. 16, 2019.

* cited by examiner

FIG. 1




FIG. 2





FIG. 3



FIG. 4



FIG. 5






FIG. 6

FIG. 8




FIG. 7

