



US00D890707S

(12) **United States Design Patent**
Messadek

(10) **Patent No.:** **US D890,707 S**
(45) **Date of Patent:** **** Jul. 21, 2020**

(54) **MALE CONNECTOR**

(71) Applicant: **Karim Messadek**, Paris (FR)

(72) Inventor: **Karim Messadek**, Paris (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/672,664**

(22) Filed: **Dec. 7, 2018**

(30) **Foreign Application Priority Data**

Jul. 11, 2018 (FR) 2018-3335

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**

USPC **D13/146**

(58) **Field of Classification Search**

USPC D13/101, 107, 108, 110, 118, 120, 123,
D13/133, 146, 147, 154, 184, 199;
D14/155, 188, 217, 223, 240, 242, 357,
D14/385, 432-438, 435.1, 496

CPC G02B 6/36; G02B 6/38; G02B 6/3869;
G02B 6/389; H01R 13/504; H01R 13/52;
H01R 13/62; H01R 13/627; H01R
13/629; H01R 13/639; H01R 24/40;
H01R 24/66

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,175 S * 3/1976 Mouttet D13/133
D317,293 S * 6/1991 Brisson D13/133
D538,749 S * 3/2007 Sengupta D13/133
D574,783 S * 8/2008 Chawgo D13/133
D580,874 S * 11/2008 Amidon D13/133
D638,800 S * 5/2011 The D13/154
8,257,286 B2 * 9/2012 Meyer 285/328
D769,193 S * 10/2016 Willette D13/134

D818,582 S * 5/2018 Bow D24/129
D847,092 S * 4/2019 Kelley D13/133
D847,122 S * 4/2019 Messadek D14/217
D847,747 S * 5/2019 Rasmussen D13/133
D853,967 S * 7/2019 Shepard D13/133
D867,290 S * 11/2019 Wang D13/133
D868,001 S * 11/2019 Joniak D13/146
D872,694 S * 1/2020 Ishiguro D13/133
D873,220 S * 1/2020 Ishiguro D13/133
10,556,099 B2 * 2/2020 Takeuchi A61M 39/10

OTHER PUBLICATIONS

Enttec. 3 Pin Female to 5 Pin Male Connector. No date specified.
<https://www.enttec.com/product/accessories/lighting-adapter-connector/3-pin-female-to-5-pin-male/> (Year: 0).*

(Continued)

Primary Examiner — Darcey E Gottschalk

(74) *Attorney, Agent, or Firm* — Patentfile, LLC; Bradley C. Fach

(57)

CLAIM


The ornamental design for a male connector, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing the new, original, and ornamental design of a male connector;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top side plan view thereof; and,
FIG. 7 is a bottom side plan view thereof.

The broken lines shown in the drawings represent environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

TXM Store. AISG RET Control Cable Splitter—2FT—DIN Male to DIN Female/DIN Female—RETAISGMSPLITFF02F. No date specified. <https://www.txmstore.com/aisg-ret-control-cable-splitter-2ft-din-male-to-din-female-din-female-retaisg-m-split-f-f-02f/> (Year : 0).*

Swift Bridge Capital.Home Surveillance 8x F-Type Jack Female to RCA Plug Male Adapter Connector Coax Cable TV Antenna Home Surveillance Parts & Accessories. No date specified. <https://bit.ly/39wRIZ2> (Year: 0).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6