

US00D890794S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,794 S**
Lukanuski et al. (45) **Date of Patent:** **** Jul. 21, 2020**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH GRAPHICAL USER INTERFACE**

D575,795 S 8/2008 Nathan et al.
 D604,317 S 11/2009 Hoefnagels et al.
 D614,191 S * 4/2010 Takano D14/486
 D633,516 S 3/2011 Soegiono et al.

(71) Applicant: **General Electric Company**, Schenectady, NY (US)

(Continued)

(72) Inventors: **Mary Lukanuski**, San Ramon, CA (US); **Bruce Fenske**, San Ramon, CA (US)

OTHER PUBLICATIONS

United States Patent and Trademark Office, "Restriction Requirement", issued in connection with U.S. Appl. No. 29/510,167, dated May 13, 2016, 8 pages.

(73) Assignee: **General Electric Company**, Schenectady, NY (US)

(Continued)

(**) Term: **15 Years**

Primary Examiner — Philip S Hyder
Assistant Examiner — Cary M Robinson

(21) Appl. No.: **29/673,048**

(74) *Attorney, Agent, or Firm* — Hanley, Flight and Zimmerman, LLC

(22) Filed: **Dec. 11, 2018**

Related U.S. Application Data

(60) Division of application No. 29/591,823, filed on Jan. 24, 2017, now Pat. No. Des. 839,280, which is a continuation of application No. 29/510,167, filed on Nov. 25, 2014, now Pat. No. Des. 781,303.

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**; D14/491

(58) **Field of Classification Search**
USPC D14/485–495
CPC ... B60K 37/00; G06F 3/0481; G06F 3/04845; G06F 3/04817; G06F 17/212; G06F 19/3406; G06T 13/80; G06T 15/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,268 S 3/1998 Mason et al.
 6,822,639 B1 * 11/2004 Silverbrook G06Q 30/0207 345/173
 D556,768 S 12/2007 Morris

(57) **CLAIM**

The ornamental design for a display screen or portion thereof with graphical user interface, substantially as shown and described.


DESCRIPTION

A portion of the disclosure of this patent document contains material for which a claim for copyright is made. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the US Patent and Trademark Office patent file or records, but reserves all other copyrights whatsoever.

FIG. 1 is a front view of a first embodiment of a display screen or portion thereof with graphical user interface; and, FIG. 2 is a front view of a second embodiment of the display screen or portion thereof with graphical user interface.

The outer broken line illustrates the display screen or portion thereof, and the remaining broken lines illustrate portions of the graphical user interface. None of the broken lines form part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D681,660 S 5/2013 Matas
 D683,750 S 6/2013 Hally
 D701,235 S * 3/2014 Hatta D14/486
 D701,866 S * 4/2014 Pearson D14/485
 D703,225 S 4/2014 Hatta
 D705,242 S 5/2014 Bohmfalk et al.
 D709,521 S * 7/2014 Choi D14/491
 D718,324 S 11/2014 Lee et al.
 D726,213 S 4/2015 Milliotte et al.
 D735,749 S 8/2015 Francisco et al.
 D739,867 S * 9/2015 Faria D14/486
 D740,841 S * 10/2015 Yampolskaya D14/486
 D746,849 S 1/2016 Anzures et al.
 D751,106 S * 3/2016 Chetan D14/486
 D752,075 S 3/2016 Barcheck et al.
 D752,631 S 3/2016 Yun et al.
 D752,632 S * 3/2016 Seo D14/488
 D755,193 S 5/2016 Sun et al.
 D759,058 S * 6/2016 Looney D14/485
 D765,090 S 8/2016 Yang et al.
 D765,714 S 9/2016 Moon et al.
 D766,922 S * 9/2016 Osotio D14/485
 D768,658 S * 10/2016 Osotio D14/485
 D776,713 S * 1/2017 Small D14/491
 D781,303 S 3/2017 Lukanuski et al.

D785,003 S 4/2017 Yun et al.
 D806,722 S 1/2018 Gussev et al.
 D814,489 S * 4/2018 Ahmad D14/486
 D816,109 S 4/2018 Myllymaki et al.
 D819,659 S * 6/2018 Wada D14/485
 D826,252 S 8/2018 Suter et al.
 D847,192 S * 4/2019 Hu D14/488
 2010/0095240 A1 * 4/2010 Shiplacoff G06F 3/0484
 715/784
 2013/0145307 A1 * 6/2013 Kawasaki G06F 3/04886
 715/781
 2015/0234850 A1 * 8/2015 Brown, Jr. G06F 16/168
 715/723

OTHER PUBLICATIONS

United States Patent and Trademark Office, "Notice of Allowance", issued in connection with U.S. Appl. No. 29/510,167, dated Oct. 25, 2016, 18 pages.
 United States Patent and Trademark Office, "Notice of Allowance", issued in connection with U.S. Appl. No. 29/591,823, dated Sep. 11, 2018, 24 pages.
 United States Patent and Trademark Office, "Restriction Requirement", issued in connection with U.S. Appl. No. 29/591,823, dated Mar. 21, 2018, 5 pages.

* cited by examiner

CATH LAB EFFICIENCY MANAGEMENT - V1 Dr. BRADLEY

DASHBOARD THROUGHPUT PHYSICIAN ADMINISTRATOR ○

ADMINISTRATOR VIEW EDIT

CONFIGURE THE EFFICIENCY METRICS WIDGET

1.SET THE DATA RANGE FOR VIEWING METRICS. DEFAULT DATA RANGE SETTING IN MONTH (FIRST THROUGH LAST DAY)

WEEK MONTH

2.ENTER THE MINUTES BETWEEN TIMESTAMPS COMMON TO ALL PROCEDURES. EDIT TimestamP NAME(S)

FIRST CASE START	PATIENT ARRIVED	PHYSICIAN CALLED	PHYSICIAN ARRIVED	CASE START	LESION CROSSED	CASE END	HEMOSTASIS ACHIEVED	PATIENT TRANSFERRED	NEXT PATIENT ARRIVED
10	05	15	15						30

3.SET THE METRICS AND BASELINES COMMON TO ALL PROCEDURES.

CASE PHYSICIAN LAB PATIENT HEMOSTASIS TRANSPORT TURNAROUND

MOVE THE SLIDER TO SET THE TIMESTAMPS FOR CASE. THE DEFAULTS SETTING IS PATIENT ARRIVED THROUGH PATIENT

FIRST CASE START	PATIENT ARRIVED	PHYSICIAN CALLED	PHYSICIAN ARRIVED	CASE START	LESION CROSSED	CASE END	HEMOSTASIS ACHIEVED	PATIENT TRANSFERRED	NEXT PATIENT ARRIVED
<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>	<input type="range"/>

MOVE THE SLIDER TO SET THE BASELINES FOR CASE. THIS WILL DETERMINE THE ACCEPTABLE PERCENTAGE LEVELS.

0% 50% 100%

<input type="range"/>	<input type="range"/>
▲ CRITICAL	▲ WARNING
0 TO 39 %	70 TO 94 %
	✓ SUCCESS
	95 TO 100 %

SUBMIT - CASE RESET

FIG. 1

© General Electric Company, 2014.

CATH LAB EFFICIENCY MANAGEMENT - V1 Dr. BRADLEY

DASHBOARD THROUGHPUT PHYSICIAN ADMINISTRATOR VIEW EDIT

ADMINISTRATOR

CONFIGURE THE EFFICIENCY METRICS WIDGET

1. SET THE DATA RANGE FOR VIEWING METRICS. DEFAULT DATA RANGE SETTING IN MONTH (FIRST THROUGH LAST DAY)

WEEK MONTH

2. ENTER THE MINUTES BETWEEN TIMESTAMPS COMMON TO ALL PROCEDURES. EDIT TIMESTAMP NAME(S)

FIRST CASE START	PATIENT ARRIVED	PHYSICIAN CALLED	PHYSICIAN ARRIVED	CASE START	LESION CROSSED	CASE END	HEMOSTASIS ACHIEVED	CASE END	PATIENT TRANSFERRED	EDIT TIMESTAMP NAME(S)
10	105	15	15						30	

3. SET THE METRICS AND BASELINES COMMON TO ALL PROCEDURES.

CASE PHYSICIAN LAB PATIENT HEMOSTASIS TRANSPORT TURNAROUND

MOVE THE SLIDER TO SET THE TIMESTAMPS FOR CASE. THE DEFAULTS SETTING IS PATIENT ARRIVED THROUGH PATIENT

FIRST CASE START	PATIENT ARRIVED	PHYSICIAN CALLED	PHYSICIAN ARRIVED	CASE START	LESION CROSSED	CASE END	HEMOSTASIS ACHIEVED	CASE END	PATIENT TRANSFERRED	EDIT TIMESTAMP NAME(S)

MOVE THE SLIDER TO SET THE BASELINES FOR CASE. THIS WILL DETERMINE THE ACCEPTABLE PERCENTAGE LEVELS.

0% 50% 100%

CRITICAL 0 TO 39 %
 WARNING 40 TO 94 %
 SUCCESS 95 TO 100 %

SUBMIT - CASE RESET

FIG. 2

© General Electric Company, 2014.