US00D890796S

(12) United States Design Patent

Kouno et al.

(10) Patent No.: US D890,796 S
(45) Date of Patent: ** Jul. 21, 2020

(54) **MEASUREMENT DEVICE DISPLAY SCREEN WITH TRANSITIONAL GRAPHICAL USER INTERFACE**

(71) Applicants: **Yokogawa Electric Corporation**, Musashino-shi, Tokyo (JP); **YOKOGAWA TEST & MEASUREMENT CORPORATION**, Musashino-shi, Tokyo (JP)

(72) Inventors: **Ayako Kouno**, Musashino (JP); **Hisayo Ishikawa**, Musashino (JP); **Kouji Hayashi**, Musashino (JP)

(73) Assignees: **Yokogawa Electric Corporation**, Tokyo (JP); **Yokogawa Test & Measurement Corporation**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/674,782**

(22) Filed: **Dec. 26, 2018**

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**; D14/491

(58) **Field of Classification Search**
USPC D14/485–495
CPC ... B60K 37/00; G06F 3/0481; G06F 3/04845; G06F 3/04817; G06F 17/212; G06F 19/3406; G06T 13/80; G06T 15/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D556,768 S * 12/2007 Morris D14/487
7,844,915 B2 * 11/2010 Platzer G06F 3/04845
D726,744 S * 4/2015 Park D14/486
D727,339 S * 4/2015 Lee D14/486
D744,527 S * 12/2015 Sanderson D14/488
D750,644 S * 3/2016 Bhutani D14/485
D755,207 S * 5/2016 Moon D14/485
D755,222 S * 5/2016 Yamashita D14/487
D801,989 S * 11/2017 Iketsuki D14/485
D801,997 S * 11/2017 Kim D14/486
D804,521 S * 12/2017 Deets, Jr. D14/488
D826,958 S * 8/2018 Yamashita D14/485
D848,451 S * 5/2019 Baber D14/485
D851,664 S * 6/2019 Pitman D14/486
D862,515 S * 10/2019 Guzman D14/489
(Continued)

Primary Examiner — Philip S Hyder
Assistant Examiner — Cary M Robinson
(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a measurement device display screen with transitional graphical user interface, as shown and described.

DESCRIPTION

FIG. **1** is a front view of a measurement device display screen with transitional graphical user interface showing our new design separately in an example environment for completeness of illustration;
FIG. **2** is an enlarged screen view showing a first image thereof;
FIG. **3** is an enlarged screen view showing a second image thereof; and,
FIG. **4** is an enlarged screen view showing a third image thereof.
The outermost broken lines in FIG. **1** illustrate a measurement device and the remaining broken lines illustrate portions of the transitional graphical user interface. None of the broken lines form part of the claimed design.
The appearance of the transitional image sequentially transitions between the images shown in FIGS. **2-4**. The process or period in which one image transitions to another image forms not part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D865,782	S	*	11/2019	Pitman	D14/486
D875,122	S	*	2/2020	Ji	D14/486
D875,123	S	*	2/2020	Ji	D14/486

* cited by examiner

FIG. 1



FIG. 2


Marker
Event Analysis
Reference Trace
Section Analysis
Advanced Measurements
Wavelength
Power Range
Span Loss
Beam Loss
Average Power
Attenuation

FIG. 3


Wavelength
Band Width
Spike Loss
Beam Loss
Average Power
Attenuation

FIG. 4