



US00D890898S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,898 S**  
**Nibbelink et al.** (45) **Date of Patent:** **\*\* Jul. 21, 2020**


- (54) **DEVICE FOR PRODUCING NON-HYDRATED PURIFIED HYDROGEN PEROXIDE GAS**
- (71) Applicant: **Synexis LLC**, Kansas City, MO (US)
- (72) Inventors: **Garrett Nibbelink**, Overland Park, KS (US); **Brandon Lager**, Olathe, KS (US); **Pedro Bermudez**, Olathe, KS (US); **James D. Lee**, Kansas City, MO (US); **Douglas J. Bosma**, Armonk, NY (US)
- (73) Assignee: **Synexis LLC**, Kansas City, MO (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/635,531**
- (22) Filed: **Jan. 31, 2018**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 15/866,208, filed on Jan. 9, 2018, and a continuation-in-part of application No. PCT/US2018/012984, filed on Jan. 9, 2018, and a continuation-in-part of application No. 15/866,198, filed on Jan. 9, 2018, now Pat. No. 10,285,382.
- (51) **LOC (12) Cl.** ..... **23-04**
- (52) **U.S. Cl.**  
USPC ..... **D23/355**
- (58) **Field of Classification Search**  
USPC ..... D23/355-366, 352, 369, 332, 333, 335, D23/336, 342, 351; 422/120, 122; 55/356, 473, 504; 96/97; D14/188, 170, D14/172; 261/DIG. 17, DIG. 65, 261/DIG. 88, DIG. 31; D18/34.6  
CPC .. A61L 9/16; A61L 9/22; B01D 47/00; B01D 47/027; B01D 2221/02; B01D 2259/4508; B03C 3/155; B03C 3/368; F24F 3/16; F24F 13/20; F24F 13/28; F24F 2001/0096  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

3,364,037 A	1/1968	Mink et al.	
3,557,536 A *	1/1971	Ririe .....	B01D 46/10 55/482.1
4,045,525 A *	8/1977	Huggins .....	A61M 16/16 261/124
4,172,105 A *	10/1979	Miller .....	A61M 16/0833 128/204.14
D263,496 S *	3/1982	Kimball .....	D12/194
D264,375 S *	5/1982	Prikkel, III .....	D23/386
D295,674 S *	5/1988	Ogasawara .....	D23/365
D331,961 S *	12/1992	Ridolfi .....	D23/365
5,329,939 A *	7/1994	Howe .....	A61M 16/162 128/200.14
5,410,958 A	5/1995	Schritz	
D393,705 S *	4/1998	Dure .....	D23/365
D437,401 S *	2/2001	Ramos .....	D23/364
6,797,027 B2 *	9/2004	Stenersen .....	B01D 46/0023 429/410
D577,109 S *	9/2008	Smith .....	D23/358
D587,360 S *	2/2009	Sakairi .....	D23/365
D587,361 S *	2/2009	Sakairi .....	D23/365
7,971,862 B2 *	7/2011	Kanda .....	F22B 1/28 261/128
D651,702 S *	1/2012	Kathoefer .....	D23/366
8,168,122 B2	5/2012	Lee	
8,337,577 B1 *	12/2012	Moe .....	E21B 21/063 55/320
8,685,329 B2	4/2014	Lee	
D735,311 S *	7/2015	Horiguchi .....	D23/365
D735,312 S *	7/2015	Horiguchi .....	D23/365
D735,313 S *	7/2015	Horiguchi .....	D23/365
D754,312 S *	4/2016	Ellis .....	D23/355
D822,191 S *	7/2018	Sidawi .....	D23/366
2001/0046500 A1	11/2001	Jongsma et al.	
2004/0175391 A1	9/2004	Schasteen et al.	
2005/0044825 A1 *	3/2005	Bazzarella .....	B01D 45/16 55/356
2005/0051104 A1	3/2005	Wolfe	
2006/0210674 A1	9/2006	Ruff et al.	
2007/0210463 A1 *	9/2007	Koenig .....	B01D 63/02 261/100
2007/0245973 A1	10/2007	Huisinga et al.	
2009/0007853 A1	1/2009	Johnson et al.	
2010/0150958 A1	6/2010	Sheppard	
2013/0094999 A1 *	4/2013	Army .....	B01D 53/8675 422/120
2013/0116174 A1	5/2013	Hargis et al.	





2014/0238308 A1 8/2014 Foreman et al.  
 2015/0083051 A1 3/2015 Foreman et al.  
 2015/0313964 A1 11/2015 Cook et al.

## FOREIGN PATENT DOCUMENTS

EP	2 644 282	10/2013
WO	WO 2009/021108	2/2009
WO	WO 2010/093796	8/2010
WO	WO 2012/161685 A1	11/2012
WO	WO 2014/186805	11/2014
WO	WO 2015/026958	2/2015
WO	WO 2015/171633	11/2015
WO	WO 2016/172223	10/2016
WO	WO 2016/176486	11/2016

## OTHER PUBLICATIONS

- Adams, "Vector Abatement Plan—Darkling Beetles," *CAMM Poultry*, Chapter 10c: 10.c.1-10.c.12 (2003), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Agalloco et al., "Overcoming Limitations of Vaporized Hydrogen Peroxide," *Pharmaceutical Technology*, 37(9):1-7 (2013), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Bailey et al., "Effect of Hatching Cabinet Sanitation Treatments on Salmonella Cross-Contamination and Hatchability of Broiler Eggs," *Poult. Sci.* 75(2):191-6 (1996), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Bakst et al., "Impact of Egg Storage on Embryo Development," *Proceedings of the International Congress on Bird Reproduction* 125-131 (1999), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Bauer et al., "Output and Aerosol Properties of 5 Nebulizer/Compressor Systems with Arformoterol Inhalation Solution," *Respiratory Care*, 54(10):1342-1347 (2009), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Bergoug, "Effect of pre-incubation and incubation conditions in hatchability, hatch time and hatch window, and effect of post hatch handling on chick quality at placement," *World's Poultry Science Journal*, (2013), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Berrang et al., "Hatching Egg Sanitization for Prevention or Reduction of Human Enteropathogens: A Review," *J. Appl. Poul. Res.* 279-284 (2000), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Bialka et al., "Efficacy of Electrolyzed Oxidizing Water for the Microbial Safety and Quality of Eggs," *Poultry Science* 83:2071-2078 (2004), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Boerjan, "Programs for Single Stage Incubation and Chick Quality," *Avian Poultry Biology Reviews* 13:237-238 (2002), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Boerjan, "Incubation for Uniformity," *Aust. Poult. Sci. Symp.*, 18:174-181 (2006), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Boerjan, "A practical interpretation of 'physiological zero' in hatchery management," *Pas Reform Incubation Guide 5.2 or 6.0* (2016), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Bourassa et al., "Elevated Egg Holding-Room Temperature of 74° F. (23°C.) Does Not Depress Hatchability or Chick Quality," *JAPR: Research Report*, Poultry Science Association, Inc. (2003), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Butcher et al., "A Systematic Approach to Solving Hatchability and Chick Quality Problems," *IFAS Extension, University of Florida*, VM136:1-3 (2002), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Carver, "Internal Parasites," downloaded from [https://www.ces.ncsu.edu/depts/poulsci/tech\\_manuals/internal\\_parasites.pdf](https://www.ces.ncsu.edu/depts/poulsci/tech_manuals/internal_parasites.pdf) (2014), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Choi et al., "Reduction of *Salmonella enterica* on the surface of eggshells by sequential treatment with aqueous chlorine dioxide and drying," *Int. J. Food Microbiol.* 210:84-87 (2015), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Christensen et al., "Investigations into the survival of *Mycoplasma gallisepticum*, *Mycoplasma synoviae* and *Mycoplasma iowae* on materials found in the poultry house environment," *Avian Pathol.* 23(1):127-43 (1994), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Clark, "Two New Programs: Premises Identification and the National Animal Identification and the National Animal Identification System," *Avian Advice*, 7(2) (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Cornelison et al., "Effects of Water Acidification on Turkey Performance," *Avian Advice*, 7(2) (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Cox et al., "Bactericidal Treatment of Hatching Eggs I. Chemical Immersion Treatments and *Salmonella*," *J. Applied Poultry Res.* 347-350 (1998), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Cox et al., "Bactericidal Treatment of hatching Eggs II. Use of Chemical Disinfectants with Vacuum to Reduce *Salmonella*," *J. Applied Poultry Res.* 321-326 (1999), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Cox et al. "Bactericidal Treatment of Hatching Eggs IV. Hydrogen Peroxide Applied with Vacuum and a Surfactant to Eliminate *Salmonella* from Hatching Eggs," *J. Appl. Poult. Res.* 9:530-534 (2000), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Cox et al., "*Salmonella* penetration of egg shells and proliferation in broiler hatching eggs—a review," *Poult. Sci* 79(11):1571-4 (2000), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Cox et al., "Bactericidal Treatment of Hatching Eggs V: Efficiency of Repetitive Immersions in Hydrogen Peroxide or Phenol to Eliminate *Salmonella* from Hatching Eggs," *J. Appl. Poult. Res.* 11(3):328-331 (2002), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Decuypere et al., "The Endocrine Interface of Environmental and Egg Factors Affecting Chick Quality," *Poult. Sci* 86(5):1037-42 (2007), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- DeLoach et al., "Northern fowl mite, *Ornithonyssus sylviarum* (Acari: Macronyssidae) ingests large amounts of blood from white Leghorn hens," *J. Med. Entomol.* 18:374-377 (1981), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Elibol et al., "Effect of Egg Weight and Position Relative to Incubator Fan on Broiler Hatchability and Chick Quality," *Poultry Science*, 1913-1918 (2008), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- "Epidemiologic and Other Analyses of HPAI-Affected Poultry Flocks: Jun. 15, 2015 Report," (2015), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Ernst, "Hatching Egg Sanitation: The Key Step in Successful Storage and Production," ANR Publication 8120 (2004) available on the Web at [anrcatalog.ucanr.edu/pdf/8120.pdf](http://anrcatalog.ucanr.edu/pdf/8120.pdf), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Ernst, "Common Incubation Problems: Causes and Remedies," ANR Publication 8127 (2004), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Fasenko, "Egg Storage and the Embryo," *Embryo Symposium*, 1020-1024 (2001), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- French, "Managing the Incubation Environment in Commercial Hatcheries to Meet the Requirements of the Embryo," *Proceedings of the International Congress on Bird Reproduction* 179-185 (1999), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- "Hatchery Production 2015 Summary," *USDA ISSN:1949-1976* (2016), in U.S. Appl. No. 15/866,198 and 15/866,208.
- Henderson et al., "On-Farm Egg-Holding Temperatures for Commercial Broiler Breeders," *Avian Advice* 8(1):3-6 (2006), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Huff et al., "Bacteriophage: A Replacement for Antibiotics?," *Avian Advice* 7(2) (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Hughes et al., "Chlorination/Acidification Affects *Salmonella* Contamination," *Avian Advice* 11(2) (2009), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Humphrey et al., "Numbers of *Salmonella enteritidis* in the contents of naturally contaminated hens' eggs," *Epidemiol. Infect.* 106(3):489-496 (1991), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Humphrey et al., "*Salmonella enteritidis* Phage Type 4 Isolates More Tolerant of Heat, Acid, or Hydrogen Peroxide Also Survive Longer on Surfaces," *Applied and Environmental Microbiology* 61(8):3161-3164 (1995), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Hsieh et al., "Hydrogen peroxide treatment of eggshell membrane to control porosity," *Food Chem.* 141(3):2117-2121 (2013), in U.S. Appl. Nos. 15/866,198 and 15/866,208.



- Ipek et al., "Broiler Chick Quality and Scoring Methods," *Journal of Agricultural Faculty of Uludag University*, (2013), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Jones et al., "What are Bacteriophages?" *Avian Advice* 7(2) (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Kahnert et al., "Decontamination with vaporized hydrogen peroxide is effective against *Mycobacterium tuberculosis*," *Lett. Appl. Microbiol.* 40(6):448-52 (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Kim et al., "Inactivation of *Salmonella* on Eggshells by Chlorine Dioxide Gas," *Korean J. Food Sci. Anim. Resour.* 36(1):100-108 (2016), U.S. Appl. Nos. 15/866,198 and 15/866,208.
- McDougald, Protozoal Infections. In: Diseases of Poultry (ed. Saif YM), Iowa State Press, pp. 973-1026 (2003), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Mitchell et al., "Reducing Airborne Pathogens, Dust and *Salmonella* Transmission in Experimental hatching Cabinets Using an Electrostatic Space Charge System," *Poultry Science* 81:49-55 (2002), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Molenaar, "Evaluation of Chick Quality, Which Method Do You Choose?" *Hatch Tech B.V.* (2011), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Mu et al., "Biphasic regulation of H<sub>2</sub>O<sub>2</sub> on angiogenesis implicated NADPH oxidase," *Cell Biol. Int.* 34(10):1013-1020 (2010), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Mueller-Doblies et al. "A comparison of the efficacy of different disinfection methods in eliminating *Salmonella* contamination from turkey houses," *J. Appl. Microbiol.* 109(2):471-479 (2010), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Naas et al., "Estimating the Impact of Environmental Conditions on Hatching Results Using Multivariable Analysis," *Brazilian Journal of Poultry Science* 10(4):215-222 (2008), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Oosterik et al., "Disinfection by hydrogen peroxide nebulization increases susceptibility to avian pathogenic *Escherichia coli*," *BMC Res. Notes.* 8:378 (2015), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Padron, "Egg dipping in hydrogen peroxide solution to eliminate *Salmonella typhimurium* from eggshell membranes," *Avian Dis.* 39(3):627-30 (1995), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Park et al., "Inactivation of *Salmonella enterica* in chicken feces on the surface of eggshells by simultaneous treatments with gaseous chlorine dioxide and mild wet heat," *Food Microbiol.* 62:202-206 (2017), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Parkhurst et al., "Incubation and Hatchery Management," *Poultry Meat and Egg Production* 65-66 (1988), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Parks, "The Relationship Between Saturated Hydrogen Peroxide, Water Vapour and Temperature," *Pharmaceutical Technology Europe* (2004), U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Patterson et al., "A respiratory chain controlled signal transduction cascade in the mitochondrial intermembrane space mediates hydrogen peroxide signaling," *PNAS* E5679-E5688 (2015), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Payne et al., "Evaluation of Litter Treatments on *Salmonella* Recovery in Poultry Litter," *Avian Advice* 7(2) (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Poultry—Production and Value 2015 Summary, *USDA* ISSN:1949-1073 (2016), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Proudfoot et al., "Care of Hatching Eggs Before Incubation," *Agriculture Canada, Publication 1573/E* (1990), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Reijrink et al., "Influence of prestorage incubation on embryonic development, hatchability, and chick quality," *Poultry Science* 88:2649-2660 (2009), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Reijrink et al., "Influence of egg storage time and preincubation warming profile on embryonic development, hatchability, and chick quality," *Poultry Science* 89:1225-1238 (2010), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Reijrink et al., "Influence of air composition during egg storage on egg characteristics, embryonic development, hatchability, and chick quality," *Poultry Science* 89:1992-2000 (2010), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Reijrink et al., "Influence of egg warming during storage and hypercapnic incubation on egg characteristics, embryonic development, hatchability, and chick quality," *Poultry Science* 89:2470-2483 (2010), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Russell, "The Effect of Electrolyzed Oxidative Water Applied Using Electrostatic Spraying on Pathogenic and Indicator Bacteria on the Surface of Eggs," *Poultry Science* 82:158-162 (2003), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Sander et al., "Effect of hydrogen peroxide disinfection during incubation of chicken eggs on microbial levels and productivity," *Avian Dis.* 43(2):227-33 (1999), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Sheldon et al., "Hydrogen peroxide as an alternative hatching egg disinfectant," *Poult. Sci.* 70(5):1092-8 (1991), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Soares, et al., "Reduced productivity among confined laying hens infested by *Allopsoroptoides galli* (Mironov, 2013)," *Poult. Sci.* 95(4):819-22 (2016), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Spray Sanitizing Hatching Eggs from the North Carolina Cooperative Extension Service available on the Web downloaded from [www.ces.ncsu.edu/depts/poulsoci/tech\\_manuals/spray\\_sanitizing.html](http://www.ces.ncsu.edu/depts/poulsoci/tech_manuals/spray_sanitizing.html) (2018), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Strother, "Poultry pest management," Publ. No. ARN-483. Alabama Cooperative Extension System. Auburn University (2008), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Summers, "Hydrogen Peroxide H<sub>2</sub>O<sub>2</sub>," *Poultry Industry Counsel Fact Sheet #12, Hydrogen peroxide Poultry Industry Council of Canada* (1991), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler et al., "Arkansas Turkey Growers Face Variety of Challenges," *Avian Advice* 6(1) (2004), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler et al., "Mortality Patterns Associated with Commercial Broiler Production," *Avian Advice*, 6(1):1-3 (2004), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler et al., "Odor and Air Emissions From Poultry Facilities," *Avian Advice* 6(1) (2004), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler et al., "Odor—An Emerging Concern for Producers," *Avian Advice* 8(1) (2006), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler, "Factors Affecting Turkey Flock Performance," *Avian Advice* 8(1) (2006), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler, "Farm Animal Welfare Issues Affect Poultry Producers," *Avian Advice* 8(1) (2006), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler, "A 100-Flock Comparison of Broiler Feed Ticket Weights and On-Farm Feed Weights at the ABRF," *Avian Advice* 11(2) (2009), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tabler et al., "Poultry Litter Production and Associated Challenges," *Avian Advice* 11(2) (2009), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Tona et al., "Effects of Egg Storage Time on Spread of Hatch, Chick Quality, and Chick Juvenile Growth," *Poultry Science* 82:736-741 (2003), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- "U.S. Broiler and Egg Production Cycles," NASS Factor Finders for Agriculture, United States Department of Agriculture, Washington, DC (2005), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- van de Ven et al., "Significance of chick quality score in broiler production," *Animal* 6(10):1677-1683 (2012), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Vezzoli et al., "The effect of northern fowl mite (*Ornithonyssus sylviarum*) infestation on hen physiology, physical condition, and egg quality," *Poult. Sci.* 95(5):1042-9 (2016), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Walker, "Parasite Control in Poultry," *Melbourne Bird Veterinary Clinic* (2015), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Walls et al., "Effects of Incubation Delay on Viability and Microbial Growth of Wood Duck (*Aix sponsa*) Eggs," *The Auk* 128(4):663-670 (2011), in U.S. Appl. Nos. 15/866,198 and 15/866,208.
- Wan et al., "Differential Gene Expression Patterns in Chicken Cardiomyocytes during Hydrogen Peroxide-Induced Apoptosis," *PLoS One* 11(1):e0147950 (2016), in U.S. Appl. Nos. 15/866,198 and 15/866,208.



Warin, "Embryonic Development," Ceva Animal Health Asia Pacific Newsletter, issue 7 (2006), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Watkins et al., "Water Sanitation: Evaluation of Products," *Avian Advice* 6(1) (2004), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Watkins et al., "Broiler Water Consumption," *Avian Advice* 11(2) (2009), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Wells et al., "Disinfection of eggshells using ultraviolet light and hydrogen peroxide independently and in combination," *Poult Sci.* 89(11):2499-505 (2010), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Wells et al., "Hatchability of Broiler Breeder Eggs Sanitized with a Combination of Ultraviolet Light and Hydrogen Peroxide," *International Journal of Poultry Science* 10(4):320-324 (2011), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Whistler et al., "Biocidal Activity of Ozone Versus Formaldehyde Against Poultry Pathogens Inoculated in a Prototype Setter," *Poultry Science* 68:1068-1073 (1989), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Willemsen et al., "Critical Assessment of Chick Quality Measurements as in Indicator of Posthatch Performance," *Poultry Science* 87:2358-2366 (2008), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Wilson, "Hatching Egg Sanitation," University of Florida, IFAS Extension, PS22 (2003), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Wineland et al., "Microbiological Monitoring for a Hatchery QA Program," *Poultry Science Facts from North Carolina State University at Raleigh/Extension Poultry Science* (1992), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Wineland, "Contamination of Hatching Eggs," *Poultry Science Facts* #21 (1996), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Zhang et al., "A Highly Sensitive and Selective Hydrogen Peroxide Biosensor Based on Gold Nanoparticles and Three-Dimensional Porous Carbonized Chicken Eggshell Membrane," *PLOS One* 1-14 (2015), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

Zheng et al., "Airborne bacterial reduction by spraying slightly acidic electrolyzed water in a laying-hen house," *Journal of the Air & Waste Management Association* 63(10):1205/1211 (2013), in U.S. Appl. Nos. 15/866,198 and 15/866,208.

\* cited by examiner

*Primary Examiner* — Nathan M Johnston  
(74) *Attorney, Agent, or Firm* — Arnold & Porter Kaye Scholer

(57) **CLAIM**

The ornamental design for a device for producing non-hydrated purified hydrogen peroxide gas, as shown and described.

#### DESCRIPTION

FIG. 1 is a perspective view of one embodiment of a device for producing PHPG.

FIG. 2 is a second perspective view of the device of FIG. 1.

FIG. 3 is a front view of the device of FIG. 1.

FIG. 4 is a back view of device of FIG. 1.

FIG. 5 is a right hand side view of the device of FIG. 1.

FIG. 6 is a left hand side view of the device of FIG. 1.

FIG. 7 is a top view of the device of FIG. 1.


FIG. 8 a bottom view of the device of FIG. 1; and,

FIG. 9 is an exploded view of the device of FIG. 1 showing a filter, a fan unit, an adapter, and a DHP gas generating assembly for ease of illustration.


The broken lines show portions of the design that form no part of the claimed design.

Also, in reference to "perspective," "front," "back," "side," and "top" in the Figure Descriptions are not necessarily meant to require any specific orientation of the article as viewed. A device for producing PHPG according to the claimed design may be used in any orientation.


**1 Claim, 9 Drawing Sheets**



**FIG. 1**




**FIG. 2**




**FIG. 3**






**FIG. 4**






**FIG. 5**




**FIG. 6**






**FIG. 7**



**FIG. 8**





**FIG. 9**