



US00D890929S

(12) **United States Design Patent** (10) **Patent No.:** **US D890,929 S**  
**Cantrell** (45) **Date of Patent:** **\*\* Jul. 21, 2020**

(54) **SUPRAPUBIC REGION COMPRESSION PLATE** 7,828,719 B2 \* 11/2010 Michaely ..... A61F 5/41 600/41

(71) Applicant: **David Wayne Cantrell**, Trinity, AL (US)

8,109,569 B2 2/2012 Mitchell  
 8,360,957 B2 1/2013 Kuri  
 (Continued)

(72) Inventor: **David Wayne Cantrell**, Trinity, AL (US)

**FOREIGN PATENT DOCUMENTS**

(\*\*) Term: **15 Years**

CA 2100370 1/1994  
 CA 2503233 7/2006  
 (Continued)

(21) Appl. No.: **29/681,399**

**OTHER PUBLICATIONS**

(22) Filed: **Feb. 25, 2019**

Oxford Living Dictionaries, definition of bar, printed from <https://en.oxforddictionaries.com/definition/bar>, Jun. 25, 2018.

(51) **LOC (12) Cl.** ..... **24-03**

(52) **U.S. Cl.**  
 USPC ..... **D24/171**

*Primary Examiner* — Charles D Hanson  
 (74) *Attorney, Agent, or Firm* — Bryan Cave Leighton Paisner LLP

(58) **Field of Classification Search**  
 USPC ..... D24/155, 171  
 CPC ..... A61F 5/00; A61F 5/40; A61F 5/41; A41B 9/02

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a suprapubic region compression plate, as shown and described.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

- 4,203,432 A 5/1980 Koch
- 4,440,183 A 4/1984 Miller
- 4,488,541 A 12/1984 Garcia
- 4,724,829 A 2/1988 Knapps
- D343,455 S \* 1/1994 Osbon ..... D24/143
- 5,728,043 A 3/1998 Yong
- 6,139,515 A 10/2000 Ito
- 6,251,067 B1 \* 6/2001 Strickholm ..... A61F 5/41 600/39
- 6,547,717 B1 \* 4/2003 Green ..... A61F 5/41 600/38
- D480,145 S 9/2003 Slutterback
- 6,793,620 B1 \* 9/2004 Droznin ..... A61F 5/41 600/39
- 6,849,041 B2 \* 2/2005 Astin ..... A61F 5/40 600/38
- 7,341,553 B2 3/2008 Egretier
- D611,143 S \* 3/2010 Williams ..... D24/143

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a suprapubic region compression plate;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a left side elevational view thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a bottom plan view thereof; and,  
 FIG. 8 is a front elevational view showing the design of FIG. 1 in an alternate environment.  
 The broken lines appearing in the drawings represent unclaimed environment and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

8,764,629 B2 \* 7/2014 Braud ..... A61F 5/41  
600/39  
8,974,369 B2 3/2015 Tomlinson, Jr.  
D747,072 S \* 1/2016 Torger ..... D2/700  
D763,547 S \* 8/2016 Astin ..... D2/712  
9,713,348 B2 \* 7/2017 Astin ..... A41B 9/026  
10,213,332 B1 2/2019 Cantrell  
D859,667 S \* 9/2019 Motteli ..... D24/190  
2009/0209807 A1 \* 8/2009 Kozak ..... A61F 5/41  
600/38

FOREIGN PATENT DOCUMENTS

CN 2751792 1/2006  
DE 202015002335 6/2015

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8