



US00D891094S

(12) **United States Design Patent** (10) **Patent No.:** **US D891,094 S**  
**Dumas** (45) **Date of Patent:** **\*\* Jul. 28, 2020**

(54) **CLUTCH BAG**

(56) **References Cited**

(71) Applicant: **HERMES SELLIER (Société par actions simplifiée)**, Paris (FR)

U.S. PATENT DOCUMENTS

(72) Inventor: **Pierre-Alexis Dumas**, Paris (FR)

D831,344 S	*	10/2018	Zeller	.....	D3/232
D834,309 S	*	11/2018	Heyman	.....	D3/232
D834,310 S	*	11/2018	Kirkwood	.....	D3/232
D836,908 S	*	1/2019	Chiuri	.....	D3/232
D847,499 S	*	5/2019	Dumas	.....	D3/232
D848,145 S	*	5/2019	Dumas	.....	D3/232
D852,496 S	*	7/2019	Brazzel	.....	D3/232
D865,357 S	*	11/2019	Metzger	.....	D3/232
D866,959 S	*	11/2019	Dumas	.....	D3/232
D867,754 S	*	11/2019	Gonzalez	.....	D3/232

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/506,890**

(22) Filed: **Jan. 18, 2019**

(Continued)

(80) **Hague Agreement Data**

*Primary Examiner* — Khawaja Anwar

Int. Filing Date: **Jan. 18, 2019**

Int. Reg. No.: **DM/201332**

Int. Reg. Date: **Jan. 18, 2019**

Int. Reg. Pub. Date: **Jun. 14, 2019**

(57) **CLAIM**

The ornamental design for a clutch bag, as shown and described.

(51) **LOC (12) Cl.** ..... **03-01**

**DESCRIPTION**

(52) **U.S. Cl.**

USPC ..... **D3/232**

(58) **Field of Classification Search**

USPC ..... D3/232-246

CPC ..... A45C 11/00; A45C 13/08; A45C 13/26;

A45C 1/06; A45C 2009/007; A45C

2011/002; A45C 7/0063; A45C 11/08;

A45C 11/182; A45C 11/32; A45C 11/321;

A45C 11/325; A45C 11/326; A45C 11/38;

A45C 13/008; A45C 13/02; A45C

13/023; A45C 13/083; A45C 13/1046;

A45C 13/262; A45C 13/28; A45C 13/36;

A45C 15/00; A45C 1/02; A45C

2001/026; A45C 2001/086; A45C

2003/002; A45C 2005/037; A45C

2005/148; A45C 2011/003; A45C

2013/1061; A45C 2013/267; A45C

2200/20; A45C 3/00; A45C 3/001; A45C

3/08; A45C 5/02; A45C 5/03; A45C 5/14;

A45C 5/146; A45C 7/0045; A45C

7/0068; A45C 9/00

See application file for complete search history.

1. Clutch bag

FIG. 1.1 is a perspective view of a clutch bag, showing my new design;

FIG. 1.2 is a front elevation view thereof;

FIG. 1.3 is a rear elevation view thereof;

FIG. 1.4 is a side elevation view thereof;

FIG. 1.5 is another side elevation view thereof;

FIG. 1.6 is a top plan view thereof;

FIG. 1.7 is a bottom plan view thereof; and

FIG. 1.8 is a perspective view showing in condition of usage.

The clutch bag is rectangular with the lower corners cut obliquely; it has a closing flap that extends from the rear face and falls in a T-shape on the front face; the lower part of the flap that extends over the front face of the clutch bag has a central opening; two straps fixed to the back of the clutch bag pass through openings fixed on the front so that the clutch bag can be locked; in the closed position, the said straps surround the lower part of the closing flap which falls back on the main front face of the clutch bag.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D873,561 S \* 1/2020 Hubbell ..... D3/232  
D873,562 S \* 1/2020 Chiuri ..... D3/232

\* cited by examiner

1.1




1.2




1.3



1.4



1.5




1.6





1.7



1.8

