



US00D891095S

(12) **United States Design Patent** (10) **Patent No.:** **US D891,095 S**  
**Dumas** (45) **Date of Patent:** **\*\* Jul. 28, 2020**

(54) **CLUTCH BAG**

(71) Applicant: **HERMES SELLIER (Société par actions simplifiée)**, Paris (FR)

(72) Inventor: **Pierre-Alexis Dumas**, Paris (FR)

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/506,902**

(22) Filed: **Jan. 18, 2019**

(80) **Hague Agreement Data**

Int. Filing Date: **Jan. 18, 2019**

Int. Reg. No.: **DM/201336**

Int. Reg. Date: **Jan. 18, 2019**

Int. Reg. Pub. Date: **Jun. 14, 2019**

(51) **LOC (12) Cl.** ..... **03-01**

(52) **U.S. Cl.**

USPC ..... **D3/232**

(58) **Field of Classification Search**

USPC ..... **D3/232-246**

CPC ..... **A45C 11/00; A45C 13/08; A45C 13/26;**

**A45C 1/06; A45C 2009/007; A45C**

**2011/002; A45C 7/0063; A45C 11/08;**

**A45C 11/182; A45C 11/32; A45C 11/321;**

**A45C 11/325; A45C 11/326; A45C 11/38;**

**A45C 13/008; A45C 13/02; A45C**

**13/023; A45C 13/083; A45C 13/1046;**

**A45C 13/262; A45C 13/28; A45C 13/36;**

**A45C 15/00; A45C 1/02; A45C**

**2001/026; A45C 2001/086; A45C**

**2003/002; A45C 2005/037; A45C**

**2005/148; A45C 2011/003; A45C**

**2013/1061; A45C 2013/267; A45C**

**2200/20; A45C 3/00; A45C 3/001; A45C**

**3/08; A45C 5/02; A45C 5/03; A45C 5/14;**

**A45C 5/146; A45C 7/0045; A45C**

**7/0068; A45C 9/00**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D847,497 S \* 5/2019 Cooke ..... D3/232

D848,732 S \* 5/2019 Nix ..... D3/232

D851,923 S \* 6/2019 Dumas ..... D3/232

D852,496 S \* 7/2019 Brazzel ..... D3/232

D854,821 S \* 7/2019 Vidal ..... D3/232

D855,974 S \* 8/2019 Vickery ..... D3/232

D858,978 S \* 9/2019 Dumas ..... D3/232

D862,072 S \* 10/2019 Dong ..... D3/232

D864,560 S \* 10/2019 Saxena ..... D3/232

D878,037 S \* 3/2020 Sasaki-Whalen ..... D3/226

\* cited by examiner

*Primary Examiner* — Khawaja Anwar

(57) **CLAIM**

The ornamental design for a clutch bag, as shown and described.

**DESCRIPTION**

1. Clutch bag

FIG. 1.1 is a perspective view of a clutch bag, showing my new design;

FIG. 1.2 is a front elevation view thereof;

FIG. 1.3 is a rear elevation view thereof;

FIG. 1.4 is a side elevation view thereof;

FIG. 1.5 is another side elevation view thereof;

FIG. 1.6 is a top plan view thereof;

FIG. 1.7 is a bottom plan view thereof; and

FIG. 1.8 is a perspective view showing in condition of usage.

The clutch bag is rectangular with one of the upper corners cut obliquely; the clutch bag has an upper opening on a mixed polygonal horizontal-oblique-vertical line having a zipper; on one of the main faces of the clutch bag, along the oblique line of the said opening there is a projecting pocket provided with a cover flap having a clasp.


**1 Claim, 8 Drawing Sheets**




1.1



1.2



1.3




1.4




1.5



1.6



1.7





1.8

