



US00D891229S

(12) **United States Design Patent** (10) **Patent No.:** **US D891,229 S**  
**Hohmann, Jr. et al.** (45) **Date of Patent:** **\*\* Jul. 28, 2020**

(54) **THERMAL BRICK SUPPORT BRACKET**

(71) Applicant: **Columbia Insurance Company,**  
Omaha, NE (US)

(72) Inventors: **Ronald P. Hohmann, Jr.,** Hauppauge,  
NY (US); **Richard Osmanski,** Port  
Jefferson Station, NY (US);  
**Christopher Mason,** Islip, NY (US)

(73) Assignee: **Columbia Insurance Company,**  
Omaha, NE (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/625,604**

(22) Filed: **Nov. 10, 2017**

(51) **LOC (12) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/354**

(58) **Field of Classification Search**  
USPC ..... D8/349, 353, 363, 366, 367, 368, 369,  
D8/371, 373, 380, 383, 354  
CPC ..... E04B 1/41  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D168,074 S *	10/1952	Symington	.....	D8/354
3,902,716 A	9/1975	Lewis		
D246,573 S	12/1977	White		
4,154,419 A *	5/1979	Breidenbach	.....	A47B 57/402 108/110
4,405,052 A *	9/1983	Spiros	.....	A47B 57/50 211/187
4,487,389 A	12/1984	Ziegler		
4,615,154 A	10/1986	Troutner		
D289,605 S *	5/1987	Lytle	.....	D8/381
4,685,255 A	8/1987	Kelley		
4,685,268 A	8/1987	Roy		

4,798,362 A	1/1989	Troutner		
5,011,402 A	4/1991	Hammond		
5,236,625 A	8/1993	Bardo et al.		
D339,735 S	9/1993	Brennan		
D368,218 S *	3/1996	Klein, III	.....	D8/354
D375,718 S *	11/1996	Lazzeroni	.....	D12/114
D408,721 S *	4/1999	Sartini	.....	D8/363
6,128,883 A	10/2000	Hatzinikolas		
6,672,690 B1	1/2004	Williams		
D495,588 S *	9/2004	Wurdack	.....	D8/367
D503,330 S *	3/2005	Murphy	.....	D8/354
6,886,662 B2 *	5/2005	Riley	.....	E04G 3/22 182/82
D550,540 S *	9/2007	Nawrocki	.....	D8/354
D633,779 S *	3/2011	Bennett	.....	D8/354
D635,449 S *	4/2011	Robinson	.....	D8/366

(Continued)

*Primary Examiner* — Keli L Hill

*Assistant Examiner* — Harold E Blackwel, II

(74) *Attorney, Agent, or Firm* — Stinson LLP


(57) **CLAIM**

The ornamental design for a thermal brick support bracket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a thermal brick support bracket in accordance with our new design;  
FIG. 2 is a front view of the thermal brick support bracket of FIG. 1;  
FIG. 3 is a rear view of the thermal brick support bracket;  
FIG. 4 is a left side view of the thermal brick support bracket, the right side view being a mirror image thereof;  
FIG. 5 is a top plan view of the thermal brick support bracket; and,  
FIG. 6 is a bottom plan view thereof.  
The broken lines in the drawings illustrating the elongated opening and ridges represent portions of the thermal brick support bracket which form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

## References Cited

## U.S. PATENT DOCUMENTS

D638,282 S \* 5/2011 Robinson ..... D8/366  
8,161,697 B1 4/2012 McDonald  
8,342,466 B2 \* 1/2013 Toshima ..... A47B 96/06  
248/220.21  
8,621,802 B2 1/2014 Spyrou  
8,955,263 B2 2/2015 Hatzinikolas  
9,021,767 B1 5/2015 Barrett, Jr. et al.  
9,316,004 B1 4/2016 Hatzinikolas  
D767,370 S \* 9/2016 Yato ..... D8/354  
D832,083 S \* 10/2018 Larsen ..... D8/354  
10,294,676 B2 \* 5/2019 Hatzinikolas ..... F16M 13/02  
D863,040 S \* 10/2019 Dedios-Shirley ..... D8/354  
D870,544 S \* 12/2019 Lai ..... D8/382  
2002/0020799 A1 2/2002 McSwain  
2004/0221535 A1 11/2004 Hatzinikolas  
2006/0053743 A1 3/2006 Hatzinikolas  
2012/0085046 A1 4/2012 Proctor  
2012/0125646 A1 5/2012 Hatzinikolas  
2012/0192504 A1 8/2012 Hatzinikolas  
2013/0139465 A1 6/2013 Kuryk et al.  
2013/0247483 A1 \* 9/2013 Hohmann, Jr. .... E04B 1/4178  
52/167.1  
2014/0054528 A1 \* 2/2014 Boggs ..... E04H 17/16  
256/24  
2014/0174014 A1 6/2014 Hatzinikolas  
2015/0059259 A1 3/2015 Hatzinikolas  
2015/0233122 A1 8/2015 Dickey et al.  
2016/0305113 A1 \* 10/2016 Hatzinikolas ..... E04F 13/0801

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

