



US00D891252S

(12) **United States Design Patent**
Cole

(10) **Patent No.:** **US D891,252 S**
(45) **Date of Patent:** **** Jul. 28, 2020**

- (54) **NAIL POLISH APPLICATOR BOTTLE**
- (71) Applicant: **Haecceity Holdings, LLC**, Chicago, IL (US)
- (72) Inventor: **Kendra Cole**, Chicago, IL (US)
- (73) Assignee: **HAECCEITY HOLDINGS, LLC**, Chicago, IL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/714,609**
- (22) Filed: **Nov. 25, 2019**
- (51) **LOC (12) Cl.** **09-01**
- (52) **U.S. Cl.**
USPC **D9/500; D9/521**
- (58) **Field of Classification Search**
USPC D9/434, 500, 503-505, 516, 521, 529, D9/549, 558, 682, 686, 688-691, 715, D9/719; D4/116; D19/162; D24/224; D28/7, 76
CPC B65D 1/00; B65D 1/02; B65D 1/0223; B65D 23/00; B65D 51/32; B65D 2501/00; B65D 2501/0009
See application file for complete search history.

D372,869 S *	8/1996	Mahlmann	D9/504
D484,058 S *	12/2003	Lerolle	D28/76
D503,244 S *	3/2005	Campbell	D28/76
D615,866 S *	5/2010	Lepoitevin	D9/504
D717,995 S *	11/2014	Thompson	A45D 34/04 D28/7

* cited by examiner

Primary Examiner — Dana Meyrow

(74) *Attorney, Agent, or Firm* — Barnes & Thornburg LLP; Mark J. Nahnsen

(57) **CLAIM**

The ornamental design for a nail polish applicator bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the top and right sides of a nail polish applicator bottle in accordance with my new design;

FIG. 2 is a right side elevational view of the nail polish applicator bottle of FIG. 1;

FIG. 3 is a left side elevational view of the nail polish applicator bottle of FIG. 1;

FIG. 4 is a top plan view of the nail polish applicator bottle of FIG. 1;

FIG. 5 is a bottom plan view of the nail polish applicator bottle of FIG. 1; and,


FIG. 6 is a cross sectional view cut down the center along line 6-6 of FIG. 3.

The broken lines in the drawings showing illustrate the portions of the nail polish applicator bottle that form no part of the claim.

1 Claim, 3 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D302,722 S *	8/1989	Baxter	D24/224
D304,997 S *	12/1989	Baxter	D24/224
D307,052 S *	4/1990	Baxter	D24/224
5,382,409 A *	1/1995	Baxter	B01L 3/5082 220/732
5,470,537 A *	11/1995	Siegel	B65D 23/001 422/562
5,536,476 A *	7/1996	Baxter	B01L 3/5082 220/732






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6