



US00D891352S

(12) **United States Design Patent** (10) **Patent No.:** **US D891,352 S**
Hurley, Sr. (45) **Date of Patent:** **** Jul. 28, 2020**

(54) **ANCHOR SPADE ATTACHMENT**
(71) Applicant: **Jed Murph Hurley, Sr.**, Cambridge, MD (US)
(72) Inventor: **Jed Murph Hurley, Sr.**, Cambridge, MD (US)

7,226,080 B2 6/2007 Humphries
D556,666 S * 12/2007 Mair D12/215
D607,397 S * 1/2010 Tung D12/215
D676,796 S * 2/2013 Wood D12/215
D763,775 S * 8/2016 Wood D12/215
D766,156 S * 9/2016 Hron D12/215
D792,319 S * 7/2017 B.V. D12/215
D827,547 S 9/2018 Ceccarelli

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/720,754**

WO 2001051874 A2 7/2001
WO 2012059710 A1 5/2012

(22) Filed: **Jan. 15, 2020**

(51) **LOC (12) Cl.** **12-06**

(52) **U.S. Cl.**
USPC **D12/215**

OTHER PUBLICATIONS

(58) **Field of Classification Search**
USPC D12/215, 300, 317, 14; D34/35, 28
CPC B63B 21/22; B63B 21/44; B63B 21/16;
B60P 3/12; B60P 3/125
See application file for complete search history.

Stabilizer Spades Gallery, [Visited Online Jan. 14, 2020], <https://www.millerind.com/galleries/stabilizer-spades>.

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Clese Moore, Jr.

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS


The ornamental design for an anchor spade attachment, as shown and described.

1,918,783 A 7/1933 Redding
2,177,677 A 10/1939 Staben
2,401,787 A 6/1946 McClure
2,519,364 A 8/1950 Fredholm
2,629,945 A 3/1953 Przybylski
2,634,941 A 4/1953 Eckert
3,620,393 A * 11/1971 Bubik B60P 3/125
414/563
D259,781 S * 7/1981 Holmes D12/215
4,407,626 A 10/1983 Bruckner
4,808,027 A 2/1989 Anderson
D306,424 S * 3/1990 Bruce D12/215
D311,161 S * 10/1990 Shindlebower D12/215
D383,724 S * 9/1997 Ireland D12/215
6,089,603 A 7/2000 Ackley
D444,440 S * 7/2001 Peabody D12/215
6,626,123 B1 * 9/2003 MacKarvich B63B 21/44
114/304
D481,001 S * 10/2003 Gaudron D12/215

DESCRIPTION

FIG. 1 is a front top left perspective view of an anchor spade attachment;
FIG. 2 is a rear bottom right perspective view thereof;
FIG. 3 is a front elevational view thereof, where the rear elevational view is identical thereto;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left elevational view thereof; and,
FIG. 7 is a right elevational view.
The broken lines in FIGS. 1-3 and 5-7 are included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0004346 A1 * 1/2004 Humphries B60P 3/12
280/763.1
2009/0263222 A1 10/2009 Kuriakose

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7