



US00D891888S

(12) **United States Design Patent** (10) **Patent No.:** **US D891,888 S**
Jepping (45) **Date of Patent:** **** Aug. 4, 2020**

(54) **PLIERS**

(74) *Attorney, Agent, or Firm* — Collard & Roe, P.C.

(71) Applicant: **Orbis Will GmbH + Co. KG**, Ahaus (DE)

(57) **CLAIM**

The ornamental design for pliers, as shown and described.

(72) Inventor: **Markus Jepping**, Ahaus-Alstaette (DE)

DESCRIPTION

(73) Assignee: **Orbis Will GmbH + Co. KG**, Ahaus (DE)

FIG. 1 is a front and left side perspective view of pliers, showing one embodiment of our new design;

(**) Term: **15 Years**

FIG. 2 is a rear view thereof;

(21) Appl. No.: **29/661,423**

FIG. 3 is a left side view thereof;

(22) Filed: **Aug. 28, 2018**

FIG. 4 is a front view thereof;

(30) **Foreign Application Priority Data**

Feb. 28, 2018 (EM) 001464507

FIG. 5 is a right side view thereof;

Mar. 2, 2018 (EM) 004735926

FIG. 6 is a top view thereof;

(51) **LOC (12) Cl.** **08-05**

FIG. 7 is a bottom view thereof;

(52) **U.S. Cl.**

USPC **D8/52**; D8/107

FIG. 8 is a front and left side perspective view of pliers, showing another embodiment of our new design;

(58) **Field of Classification Search**

USPC D8/4, 5, 14, 51, 52, 53, 54, 55, 56, 57, D8/58, 59, 60, 105, 107, 98

FIG. 9 is a rear view thereof;

CPC B25B 7/10

FIG. 10 is a left side view thereof;

See application file for complete search history.

FIG. 11 is a front view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D299,108 S * 12/1988 Brdnik D8/107

FIG. 12 is a right side view thereof;

D310,951 S * 10/1990 Monnet D8/52

FIG. 13 is a top view thereof;

D395,217 S * 6/1998 Start D8/107

FIG. 14 is a bottom view thereof;

D468,988 S * 1/2003 Goldmann, II D8/107

FIG. 15 is a front and left side perspective view of pliers, showing another embodiment of our new design;

D532,662 S * 11/2006 Chang D8/52

FIG. 16 is a rear view thereof;

D680,398 S * 4/2013 Ritter D8/52

FIG. 17 is a left side view thereof;

D730,707 S * 6/2015 Reedy D8/52

FIG. 18 is a front view thereof;

(Continued)

FIG. 19 is a right side view thereof;

FIG. 20 is a top view thereof;

FIG. 21 is a bottom view thereof;

FIG. 22 is a front and left side perspective view of pliers, showing another embodiment of our new design;

FIG. 23 is a rear view thereof;

FIG. 24 is a left side view thereof;

FIG. 25 is a front view thereof;

FIG. 26 is a right side view thereof;


FIG. 27 is a top view thereof; and,

FIG. 28 is a bottom view thereof.

The features shown in broken lines show portions of the pliers that form no part of the claimed design.

Primary Examiner — Cynthia R Underwood

1 Claim, 28 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,227,304	B2 *	1/2016	Bullard	B21D 53/44
D766,689	S *	9/2016	Ritter	D8/52
D793,195	S *	8/2017	Grass	D22/149
D823,084	S *	7/2018	Graykowski	D8/52
D849,500	S *	5/2019	Gupta	D8/107
D850,228	S *	6/2019	Moyer	D8/52
D876,192	S *	2/2020	Su	D8/52
2005/0034574	A1 *	2/2005	Hsien	B25B 7/02 81/415
2009/0049960	A1 *	2/2009	Heinsohn	B25B 7/08 81/416

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG.25




FIG. 26




FIG.27




FIG.28

