



US00D891963S

(12) **United States Design Patent** (10) **Patent No.:** **US D891,963 S**
Bullock (45) **Date of Patent:** **** Aug. 4, 2020**

(54) **COMBINED T-BARRIER CONNECTOR AND BARRIER**

(71) Applicant: **Highway Care Ltd.**, Herefordshire (GB)

(72) Inventor: **Adrian Bullock**, Herefordshire (GB)

(73) Assignee: **Highway Care Ltd.**, Herefordshire (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/663,795**

(22) Filed: **Sep. 19, 2018**

(51) **LOC (12) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/113.3**

(58) **Field of Classification Search**

USPC D26/28, 30, 31, 118, 2, 73, 74, 75, 24,
D26/26, 27, 37-50, 35, 36, 61, 62-64, 66,
D26/71, 76, 78, 138; D8/350, 351, 353;
D10/113.3, 104.1, 106.6, 107, 109.1,
D10/109.2, 113.2, 113.4, 114.1, 116.1,
D10/121

CPC H02G 3/14; H02G 3/081; H01R 31/06;
H01R 13/447; H01R 13/717; H01H 9/16;
H01H 9/18; H01H 23/04; H05B 37/0227;
H05B 37/0218; H05B 33/0803; E01F
15/0423; E01F 15/085; E01F 15/088;
E01F 15/0461; E01F 15/0476; E01F
15/0484; E01F 15/06; E01F 15/025;
Y10T 29/49826

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,625 S * 12/1976 Schmidt D25/121
6,254,063 B1 * 7/2001 Rohde E01F 15/0461
256/1

6,488,268 B1 * 12/2002 Albritton E01F 15/0461
256/13.1
D610,736 S * 2/2010 Klaus D26/76
D629,553 S * 12/2010 Gielen D26/76
8,177,194 B2 * 5/2012 James E01F 15/025
256/13.1
8,757,597 B2 * 6/2014 James E01F 15/06
256/13.1
8,833,026 B2 * 9/2014 Devos E04F 13/0894
52/582.2
D715,173 S * 10/2014 Sebastian Manzanares
D10/113.3
8,997,642 B2 * 4/2015 Stewart B29D 99/0003
100/35
D756,255 S * 5/2016 Hinebaugh D10/113.3
D756,256 S * 5/2016 Hinebaugh D10/113.3
D792,609 S * 7/2017 Smith D25/119
D795,112 S * 8/2017 Fenimore D10/113.3
D800,366 S * 10/2017 Cavaliere D26/75
D805,417 S * 12/2017 Thompson D10/121
D808,566 S * 1/2018 Goetz-Schaefer D26/76

(Continued)

Primary Examiner — Mark A Goodwin

Assistant Examiner — Benjamin M Weeks

(74) *Attorney, Agent, or Firm* — Gable Gotwals

(57)

CLAIM

I claim the ornamental design for a combined T-barrier connector and barrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new design for a combined T-barrier connector and barrier as shown in the drawings;

FIG. 2 is a top view thereof;


FIG. 3 is a bottom view thereof;

FIG. 4 is a front view thereof, the back view being a mirror image thereof;

FIG. 5 is a right view thereof; and,

FIG. 6 is a left view thereof.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D810,348	S	*	2/2018	Garrett		D26/90
10,047,488	B2	*	8/2018	Leonhardt		E01F 15/02
D832,494	S	*	10/2018	Antony		D26/138
D836,815	S	*	12/2018	Patterson		D26/76
D853,588	S	*	7/2019	Jackson		D25/119
D853,625	S	*	7/2019	Antony		D26/138
D855,862	S	*	8/2019	Verfueth		D26/76
D860,845	S	*	9/2019	Carey		D10/113.1
D861,196	S	*	9/2019	Apanovich		D25/164
D864,455	S	*	10/2019	Sullivan		D26/76
D869,047	S	*	12/2019	Bao		D26/76
D869,051	S	*	12/2019	Scarlata		D26/76
D869,052	S	*	12/2019	Johnson		D26/76
2010/0192482	A1	*	8/2010	James		E01F 9/635
						52/98

* cited by examiner




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6