

US00D892020S

(12) **United States Design Patent**
Grewer

(10) **Patent No.:** **US D892,020 S**

(45) **Date of Patent:** **** Aug. 4, 2020**

(54) **WHEEL**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley,
Coventry (GB)

(72) Inventor: **Dale Grewer**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley
Coventry (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/716,264**

(22) Filed: **Dec. 9, 2019**

Related U.S. Application Data

(62) Division of application No. 29/637,687, filed on Feb.
21, 2018, now Pat. No. Des. 872,672.

(30) **Foreign Application Priority Data**

Aug. 31, 2017 (EM) 004174720

(51) **LOC (12) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/209**

(58) **Field of Classification Search**

USPC D12/204-213; D21/563
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B
7/01; B60B 7/06; B60B 3/02; B60B 3/04;
B60B 3/06; B60B 3/10; B60B 1/00;
B60B 1/08; B60B 1/10; B60B 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D419,942 S * 2/2000 Lampkin D12/209
D460,396 S * 7/2002 Kember D12/209
D512,007 S * 11/2005 Sze D12/209

D560,585 S * 1/2008 Blasi D12/209
D593,018 S * 5/2009 Juergens D12/209
D617,710 S * 6/2010 Ectors D12/209
D618,152 S * 6/2010 Juergens D12/209
D756,876 S * 5/2016 Rueckheim D12/209
D757,624 S * 5/2016 Hammoud D12/209
D763,764 S * 8/2016 Dunford D12/209
D782,383 S * 3/2017 Owens D12/209
D791,036 S * 7/2017 Owens D12/209
D797,025 S * 9/2017 Khachatryan D12/209
D800,044 S * 10/2017 Ghobrial D12/209
D803,135 S * 11/2017 Bucher D12/209
D810,646 S * 2/2018 Heizmann D12/209
D853,931 S * 7/2019 Khachatryan D12/209
D854,998 S * 7/2019 Ma D12/209
D858,408 S * 9/2019 Kikuchi D12/209
D861,565 S * 10/2019 Khachatryan D12/209
D865,610 S * 11/2019 Interrante D12/209
D865,631 S * 11/2019 Lyu D12/209
D872,672 S * 1/2020 Grewer D12/209
D873,755 S * 1/2020 Buck D12/209

* cited by examiner

Primary Examiner — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans
LLP

(57) **CLAIM**

The ornamental design for a wheel, as shown and described.

DESCRIPTION

FIG. 1 is a front left perspective view of a wheel according
to the present invention;

FIG. 2 is a front right side view of the wheel shown in FIG.
1.

FIG. 3 is a front view thereof.

FIG. 4 is a left side view thereof, the right side being a mirror
image thereof.

FIG. 5 is a rear view thereof.

FIG. 6 is a rear left perspective view thereof; and,

FIG. 7 is a rear right perspective view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7