US00D892141S

(12) **United States Design Patent**
**Clifford et al.**

(10) **Patent No.: US D892,141 S**
(45) **Date of Patent: ** Aug. 4, 2020**

(54) **DISPLAY SCREEN WITH GRAPHIC USER INTERFACE FOR A SURGICAL CONSOLE**

(71) Applicant: **Stryker Corporation**, Kalamazoo, MI (US)

(72) Inventors: **Steven Thomas Clifford**, Byron Center, MI (US); **Anna-Karin Soederstroem**, Morgan Hill, CA (US); **Sarah Garcia**, San Jose, CA (US)

(73) Assignee: **Stryker Corporation**, Kalamazoo, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/693,229**

(22) Filed: **May 31, 2019**

**Related U.S. Application Data**

(63) Continuation of application No. 29/602,196, filed on Apr. 28, 2017, now Pat. No. Des. 854,549.

(51) **LOC (12) Cl.** ..... **14-04**
(52) **U.S. Cl.**
USPC ..... **D14/485**
(58) **Field of Classification Search**
USPC ..... D14/485–495
CPC .... G06F 17/211; G06F 17/212; G06F 3/1251; G06F 3/0481; G06F 2203/04807
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---|---|---|---|---|
| 5,868,618 | A | | 2/1999 | Netley et al. |
| 6,017,354 | A | | 1/2000 | Culp et al. |
| 6,329,778 | B1 | | 12/2001 | Culp et al. |
| 6,752,816 | B2 | | 6/2004 | Culp et al. |
| 7,217,269 | B2 | | 5/2007 | El-Galley et al. |
| D553,147 | S | | 10/2007 | Hally et al. |
| D592,675 | S | | 5/2009 | Bhat et al. |
| D597,101 | S | | 7/2009 | Chaudhri et al. |
| D599,368 | S | | 9/2009 | Kanga et al. |
| D599,812 | S | | 9/2009 | Hirsch |
| D603,416 | S | | 11/2009 | Poling et al. |
| D608,365 | S | | 1/2010 | Walsh et al. |
| D611,053 | S | | 3/2010 | Kanga et al. |
| D611,484 | S | | 3/2010 | Mays et al. |
| D611,485 | S | | 3/2010 | Marashi |
| D636,785 | S | | 4/2011 | Brinda |
| D637,197 | S | | 5/2011 | Ray et al. |
| D638,853 | S | * | 5/2011 | Brinda ..... D14/488 |
| D656,946 | S | | 4/2012 | Judy et al. |

(Continued)

OTHER PUBLICATIONS

Stryker Corporation, Instruments Division, "Consolidated Operating Room Equipment—Powered Instrument Driver REF 5400050—Instructions for Use", May 2005, pp. 1-38.

(Continued)

*Primary Examiner* — Daniel J Domino
(74) *Attorney, Agent, or Firm* — Howard & Howard Attorneys PLLC

(57) **CLAIM**

The ornamental design for a display screen with graphic user interface for a surgical console, as shown and described.

**DESCRIPTION**

The FIGURE is a display screen with graphic user interface for a surgical console or a portion thereof with a graphical user interface.

The broken lines showing an electronic device illustrate environmental subject matter, whereas the broken lines showing a display screen and elements of the graphical user interface illustrate portions of the article. No subject matter depicted in broken lines form part of the claimed design.

**1 Claim, 1 Drawing Sheet**



(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|---|---|---|---|---|---|
| D658,196 | S | * | 4/2012 | Wood | D14/486 |
| D658,667 | S | | 5/2012 | Cho et al. | |
| D661,312 | S | | 6/2012 | Vance et al. | |
| D667,838 | S | | 9/2012 | Magee et al. | |
| D670,308 | S | * | 11/2012 | Vance | D14/486 |
| D675,218 | S | * | 1/2013 | Arnold | D14/486 |
| D677,685 | S | | 3/2013 | Simmons et al. | |
| D680,125 | S | | 4/2013 | Chaudhri et al. | |
| D684,583 | S | | 6/2013 | Brinda et al. | |
| D696,264 | S | | 12/2013 | d'Amore et al. | |
| D696,265 | S | | 12/2013 | d'Amore et al. | |
| D696,266 | S | | 12/2013 | d'Amore et al. | |
| D700,205 | S | | 2/2014 | Hartley et al. | |
| D701,875 | S | * | 4/2014 | d'Amore | D14/487 |
| D702,698 | S | | 4/2014 | d'Amore et al. | |
| D704,206 | S | | 5/2014 | Jung | |
| D704,728 | S | | 5/2014 | d'Amore et al. | |
| D706,283 | S | | 6/2014 | Pedraza Padilla et al. | |
| D707,700 | S | | 6/2014 | d'Amore et al. | |
| D707,701 | S | | 6/2014 | d'Amore et al. | |
| D712,913 | S | | 9/2014 | Na | |
| D714,339 | S | * | 9/2014 | Hendrickson | D14/487 |
| D714,822 | S | | 10/2014 | Capua et al. | |
| D717,823 | S | * | 11/2014 | Brotman | D14/486 |
| D724,603 | S | | 3/2015 | Williams et al. | |
| D724,615 | S | | 3/2015 | Brinda et al. | |
| D725,138 | S | | 3/2015 | Brotman et al. | |
| D727,336 | S | | 4/2015 | Allison et al. | |
| D727,354 | S | | 4/2015 | Park et al. | |
| D731,537 | S | | 6/2015 | Jeong et al. | |
| D731,538 | S | * | 6/2015 | Lee | D14/488 |
| D732,049 | S | | 6/2015 | Amin | |
| D732,062 | S | * | 6/2015 | Kwon | D14/487 |
| D733,737 | S | | 7/2015 | Omiya | |
| D735,737 | S | | 8/2015 | Lee | |
| D735,741 | S | | 8/2015 | Kim | |
| D736,247 | S | | 8/2015 | Chen et al. | |
| D736,248 | S | | 8/2015 | Chen et al. | |
| D737,278 | S | | 8/2015 | Shin et al. | |
| D737,279 | S | | 8/2015 | Taniuchi et al. | |
| D738,891 | S | | 9/2015 | Bae et al. | |
| D740,845 | S | | 10/2015 | Karunamuni et al. | |
| D741,356 | S | | 10/2015 | Park et al. | |
| D741,896 | S | | 10/2015 | Park et al. | |
| D741,912 | S | | 10/2015 | Gomez | |
| D743,429 | S | | 11/2015 | Herold et al. | |
| D743,983 | S | | 11/2015 | Seo et al. | |
| D743,988 | S | | 11/2015 | Inose et al. | |
| D746,866 | S | | 1/2016 | Memoria et al. | |
| D749,631 | S | | 2/2016 | Goldenberg et al. | |
| D750,113 | S | | 2/2016 | Kettner et al. | |
| D752,615 | S | | 3/2016 | Huang et al. | |
| D752,618 | S | | 3/2016 | Lee et al. | |
| D754,169 | S | | 4/2016 | Kaplan | |
| D754,682 | S | | 4/2016 | Lee et al. | |
| D754,689 | S | | 4/2016 | Lee | |
| D754,719 | S | | 4/2016 | Zha | |
| D755,217 | S | | 5/2016 | Park et al. | |
| D755,819 | S | | 5/2016 | Gao et al. | |
| D756,396 | S | | 5/2016 | Anzures et al. | |
| D757,067 | S | | 5/2016 | Kim et al. | |
| D759,666 | S | | 6/2016 | Kuhn et al. | |
| D760,275 | S | * | 6/2016 | Zhang | D14/488 |
| D760,291 | S | | 6/2016 | Cho et al. | |
| D760,292 | S | | 6/2016 | Cho et al. | |
| D760,770 | S | | 7/2016 | Zhu | |
| D762,671 | S | | 8/2016 | Chan et al. | |
| D763,904 | S | * | 8/2016 | Knapp | D14/488 |
| D764,516 | S | | 8/2016 | Lamparelli | |
| D764,532 | S | | 8/2016 | Patel | |
| D765,101 | S | | 8/2016 | Park et al. | |
| D765,124 | S | | 8/2016 | Minks-Brown et al. | |
| D765,125 | S | | 8/2016 | Minks-Brown et al. | |
| D765,687 | S | | 9/2016 | Capela et al. | |
| D766,269 | S | | 9/2016 | Gandhi et al. | |
| D766,278 | S | | 9/2016 | Andre et al. | |
| D766,308 | S | | 9/2016 | Park et al. | |
| D766,952 | S | * | 9/2016 | Gedrich | D14/486 |
| D769,295 | S | | 10/2016 | Han et al. | |
| D771,078 | S | | 11/2016 | Nadiadi et al. | |
| D771,080 | S | | 11/2016 | Kang | |
| D772,909 | S | | 11/2016 | Chen | |
| D772,924 | S | | 11/2016 | Begin et al. | |
| D774,051 | S | | 12/2016 | Hart et al. | |
| D774,515 | S | | 12/2016 | Kim et al. | |
| D775,631 | S | | 1/2017 | Lee | |
| D775,649 | S | | 1/2017 | Anzures et al. | |
| D776,139 | S | | 1/2017 | Okumura et al. | |
| D777,759 | S | | 1/2017 | LaBorde | |
| D778,943 | S | | 2/2017 | Patil et al. | |
| D778,944 | S | | 2/2017 | Kim | |
| D781,299 | S | | 3/2017 | Yun et al. | |
| D781,323 | S | | 3/2017 | Green et al. | |
| D781,880 | S | | 3/2017 | Jeon et al. | |
| D782,495 | S | | 3/2017 | Laska et al. | |
| D782,502 | S | | 3/2017 | Wu | |
| D782,504 | S | | 3/2017 | Lee et al. | |
| D782,513 | S | | 3/2017 | Park et al. | |
| D783,650 | S | | 4/2017 | Caporal et al. | |
| D784,374 | S | | 4/2017 | Hao | |
| D785,025 | S | | 4/2017 | Zimmerman et al. | |
| D785,641 | S | | 5/2017 | Jon et al. | |
| D789,954 | S | | 6/2017 | Gedrich et al. | |
| D789,960 | S | | 6/2017 | Alonso Ruiz et al. | |
| D789,985 | S | | 6/2017 | Naour et al. | |
| D790,581 | S | | 6/2017 | Chaudhri et al. | |
| D791,169 | S | | 7/2017 | Sun | |
| D791,173 | S | | 7/2017 | Hart et al. | |
| D791,174 | S | | 7/2017 | Hart et al. | |
| D792,426 | S | | 7/2017 | Theodore et al. | |
| D792,439 | S | * | 7/2017 | Lee | D14/486 |
| D792,446 | S | | 7/2017 | Sun | |
| D792,903 | S | | 7/2017 | Park et al. | |
| D793,412 | S | | 8/2017 | Chaudhri et al. | |
| D793,419 | S | | 8/2017 | Gedrich et al. | |
| D793,424 | S | | 8/2017 | Bao et al. | |
| D793,426 | S | | 8/2017 | Sun | |
| D794,044 | S | | 8/2017 | Sung et al. | |
| D795,918 | S | | 8/2017 | Bischoff et al. | |
| D796,520 | S | | 9/2017 | Klar et al. | |
| D796,528 | S | | 9/2017 | Lee et al. | |
| D797,132 | S | | 9/2017 | Rhodes et al. | |
| D797,765 | S | | 9/2017 | Su et al. | |
| D797,766 | S | * | 9/2017 | Ibsies | D14/485 |
| D797,795 | S | | 9/2017 | Park et al. | |
| D798,320 | S | | 9/2017 | Gouvernel et al. | |
| D798,333 | S | | 9/2017 | Dascola et al. | |
| D800,748 | S | | 10/2017 | Jungmann et al. | |
| D800,754 | S | | 10/2017 | De Cock et al. | |
| D800,759 | S | | 10/2017 | Perekoty et al. | |
| D800,765 | S | | 10/2017 | Stoksik | |
| D801,376 | S | | 10/2017 | Paulik | |
| D802,620 | S | | 11/2017 | Bae et al. | |
| D803,250 | S | | 11/2017 | Lee et al. | |
| D805,527 | S | | 12/2017 | Ternoey | |
| D807,902 | S | * | 1/2018 | Cong | D14/486 |
| D808,417 | S | | 1/2018 | Mander et al. | |
| D808,974 | S | | 1/2018 | Chiappone et al. | |
| D808,975 | S | | 1/2018 | Park et al. | |
| D811,433 | S | | 2/2018 | Dye et al. | |
| D815,109 | S | | 4/2018 | Weaver et al. | |
| D816,686 | S | | 5/2018 | Rapp et al. | |
| D817,972 | S | | 5/2018 | Karunamuni et al. | |
| D817,987 | S | | 5/2018 | Broughton et al. | |
| D822,677 | S | | 7/2018 | Weaver et al. | |
| D826,243 | S | | 8/2018 | Broughton et al. | |
| D828,370 | S | | 9/2018 | Lee et al. | |
| D829,219 | S | | 9/2018 | Bae et al. | |
| D830,385 | S | | 10/2018 | Lepine et al. | |
| D830,386 | S | | 10/2018 | Lepine et al. | |
| D835,666 | S | * | 12/2018 | Saleh | D14/488 |
| D839,884 | S | * | 2/2019 | Mussinov | D14/485 |
| D854,549 | S | * | 7/2019 | Clifford | D14/485 |
| D861,710 | S | * | 10/2019 | Frackelton | D14/486 |

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|---|---|---|---|---|---|
| D869,492 | S | * | 12/2019 | Adler | D14/486 |
| D870,739 | S | * | 12/2019 | Van Guilder | D14/485 |
| D870,760 | S | * | 12/2019 | Li | D14/486 |
| D872,749 | S | * | 1/2020 | Cheng | D14/485 |
| D874,484 | S | * | 2/2020 | Gaiser | D14/485 |
| D874,489 | S | * | 2/2020 | Ofstad | G09B 29/106 D14/486 |
| D875,112 | S | * | 2/2020 | Clediere | D14/485 |
| D875,746 | S | * | 2/2020 | Iida | D14/485 |
| D875,747 | S | * | 2/2020 | Iida | D14/485 |
| D876,451 | S | * | 2/2020 | Rawohl | D14/485 |
| D876,452 | S | * | 2/2020 | Rawohl | D14/485 |
| D876,466 | S | * | 2/2020 | Kobayashi | D14/486 |
| D877,169 | S | * | 3/2020 | Brinker | D14/486 |
| D877,755 | S | * | 3/2020 | Iida | D14/485 |
| D877,766 | S | * | 3/2020 | Li | D14/486 |
| D878,418 | S | * | 3/2020 | Kano | D14/493 |

OTHER PUBLICATIONS

Stryker Corporation, "The Complete Guide to SONOPET", 2016, 12 pages.
Stryker Corporation, "Operating Instructions for Core Console User Preferences", 2016, 10 pages.
Soma Technology, Inc., "The Stryker MultigGen Radiofrequency Generator", Apr. 16, 2014, 2 pages.
Design U.S. Appl. No. 29/602,196, filed Apr. 28, 2017.
Youtube, "9100001425 Sonopet Setup Video", https://www.youtube.com/watch?v=xkAoohGdjuY, Dec. 20, 2013, 3 pages.
Youtube, "Stryker Core Powered Instrument Driver", https://www.youtube.com/watch?v=CroEOeQbXs8, Sep. 5, 2014, 3 pages.
Youtube, "Stryker CORE w/Sumex Hand Piece", https://www.youtube.com/watch?v=0kEbMx6NA3M, May 13, 2016, 3 pages.
Youtube, "Multi-Gen Monopolar Procedure Animation", https://www.youtube.com/watch?v=TuIVN_O-xDk, Sep. 28, 2009, 3 pages.

* cited by examiner


Comfort Parameters
Main
Pollutant 1
Pollutant 2