



US00D892175S

(12) **United States Design Patent** (10) **Patent No.:** **US D892,175 S**
Leeb (45) **Date of Patent:** **** Aug. 4, 2020**

(54) **AGRICULTURAL MACHINE** 6,708,631 B1 * 3/2004 McQuinn A01C 7/081
111/174
(71) Applicant: **HORSCH LEEB Application Systems** 7,063,273 B2 * 6/2006 Hahn A01M 7/0064
GmbH, Oberpörling (DE) 239/159
D566,138 S * 4/2008 Forkert D15/27
(72) Inventor: **Theodor Leeb, Oberpörling (DE)** D717,345 S * 11/2014 Budde D15/26
D797,813 S * 9/2017 Budde D15/26
9,832,925 B2 12/2017 Leeb
(73) Assignee: **HORSCH LEEB Application Systems** D813,914 S * 3/2018 Horsch D15/27
GmbH, Oberpörling (DE) D813,915 S * 3/2018 Horsch D15/27
D838,295 S * 1/2019 Schwalbe D15/26
(**) Term: **15 Years** 10,238,098 B2 * 3/2019 Leeb A01M 7/0089
10,244,747 B2 4/2019 Leeb et al.
10,244,748 B2 4/2019 Leeb
10,470,361 B2 11/2019 Leeb et al.
(21) Appl. No.: **29/723,408** 2006/0144970 A1 * 7/2006 Hagie A01C 23/008
239/664

(22) Filed: **Feb. 6, 2020**

(51) **LOC (12) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/26**

(58) **Field of Classification Search**
USPC D15/10-12, 22-26, 28; 56/14.5-14.7,
56/16.6, 122-125; 296/190, 191;
460/83, 119; 180/89.1, 89.12
CPC A01B 73/00; A01D 75/00; A01D 41/06;
A01D 41/1208; A01D 41/00; A01D
67/00; A01D 45/00; A01D 45/02; A01D
45/021; A01D 43/081
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,610,076 A * 9/1952 Walsh A01M 7/0053
403/91
3,887,132 A * 6/1975 Widmer A01M 7/00
239/166
4,011,914 A * 3/1977 Elmer A01B 69/024
172/126
D245,331 S * 8/1977 Tangeman D15/13
4,886,208 A * 12/1989 Strand A01C 15/04
239/77
D309,738 S * 8/1990 Schober D15/26
D355,919 S * 2/1995 Larson D15/13

(Continued)

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — Erickson Kernell IP,
LLC


(57) **CLAIM**

The ornamental design for an agricultural machine, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an agricultural machine with
spray booms, each in a folded, transport position;
FIG. 2 is a left side elevational view of the agricultural
machine as in FIG. 1;
FIG. 3 is a right side elevational view of the agricultural
machine as in FIG. 1;
FIG. 4 is a front elevational view of the agricultural machine
as in FIG. 1;
FIG. 5 is a rear elevational view of the agricultural machine
as in FIG. 1;
FIG. 6 is a top plan view of the agricultural machine as in
FIG. 1; and,
FIG. 7 is a bottom plan view of the agricultural machine as
in FIG. 1.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0147497 A1* 6/2011 Hiddema A01C 23/008
239/722

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D892,175 S
APPLICATION NO. : 29/723408
DATED : August 4, 2020
INVENTOR(S) : Theodor Leeb

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Under item (22) Filed: Feb. 6, 2020, please insert:

--(30) Foreign Application Priority Data

Oct. 25, 2019 (EM) 007108253-0002--.

Signed and Sealed this
Nineteenth Day of April, 2022


Katherine Kelly Vidal
Director of the United States Patent and Trademark Office