



US00D892392S

(12) **United States Design Patent**
Howard

(10) **Patent No.:** **US D892,392 S**
(45) **Date of Patent:** **** Aug. 4, 2020**

(54) **LIGHT UNIT CLUSTER BLOCK**

(71) Applicant: **T. Dashon Howard**, Chicago, IL (US)

(72) Inventor: **T. Dashon Howard**, Chicago, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/645,583**

(22) Filed: **Apr. 27, 2018**

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**

USPC D19/51, 59, 60; D21/372, 373, 386, 388,
D21/389, 468, 478, 479, 834; D26/5, 24,
D26/26, 27, 51, 56, 72, 85, 88, 89, 93,
D26/94, 96, 104, 106, 110, 112, 113, 118,
D26/128

CPC A63H 33/00; A63H 33/04; A63H 33/042;
A63H 33/046; A63H 33/06; A63H 33/08;
A63H 33/082; A63H 33/084; A63H
33/10; A63H 33/102; A63H 33/105;
A63H 33/12; A63H 33/16; A63H 33/40;
G09B 19/00; G01N 33/26; G01N 33/32;
B21D 5/00; B21D 11/00; B21D 11/20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D23,086 S * 2/1894 Porter D21/493
D191,678 S * 10/1961 Kaufmann D26/131
4,492,723 A * 1/1985 Chadwick, II A63H 33/16
428/11
D538,962 S * 3/2007 Elliott D26/118
D604,451 S * 11/2009 Smith D26/118
D672,495 S * 12/2012 Roxbury D26/118
D679,850 S * 4/2013 Smith D26/118
D679,852 S * 4/2013 Smith D26/118
D693,957 S * 11/2013 Laviani D26/118
D696,450 S * 12/2013 Coury D26/118
D741,537 S * 10/2015 Bakker D26/118

9,427,676 B2 * 8/2016 Howard A63H 33/04
D779,611 S * 2/2017 Seddon D21/834
D818,183 S * 5/2018 Nishimoto D26/118
D825,095 S * 8/2018 Wu D26/118

(Continued)

FOREIGN PATENT DOCUMENTS

CN 305039162 * 2/2019

OTHER PUBLICATIONS

Terrence Howard Twitter Crystalline Adrian sculpture <https://twitter.com/terrencehoward/status/676840632858447873> Dec. 15, 2015 (Year: 2015).*

Primary Examiner — Leanne Was-Englehart

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.



(57) **CLAIM**

The ornamental design for a light unit cluster block, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light unit cluster block, showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a back elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a right side elevation view thereof;
FIG. 8 is a perspective view of another embodiment of the light unit cluster block, showing our new design;
FIG. 9 is a top plan view thereof;
FIG. 10 is a bottom plan view thereof;
FIG. 11 is a front elevation view thereof;
FIG. 12 is a back elevation view thereof;
FIG. 13 is a left side elevation view thereof; and,
FIG. 14 is a right side elevation view thereof.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D837,902 S *	1/2019	Howard	D21/503
D841,221 S *	2/2019	Power	D26/88
D841,872 S *	2/2019	Howard	D26/106
D842,385 S *	3/2019	Howard	D21/503
D843,494 S *	3/2019	Howard	D21/505
D843,497 S *	3/2019	Howard	D21/505
2015/0079872 A1 *	3/2015	Howard	A63H 33/046 446/92
2016/0129361 A1 *	5/2016	Howard	A63H 33/04 446/92

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14