US00D892438S

# (12) United States Design Patent

Grillo

(10) Patent No.: US D892,438 S
(45) Date of Patent: ** Aug. 11, 2020

(54) **POCKET ADORNMENT**

(71) Applicant: **David J. Grillo**, Oxford, CT (US)

(72) Inventor: **David J. Grillo**, Oxford, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/639,791**

(22) Filed: **Mar. 8, 2018**

(51) **LOC (12) Cl.** ..... **02-02**

(52) **U.S. Cl.**
USPC ..... **D2/853**; D11/78.1

(58) **Field of Classification Search**
USPC ..... D2/853, 500; D11/78.1
CPC ..... A41D 27/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


| | | | | | |
|---|---|---|---|---|---|
| 2,241,530 | A * | 5/1941 | Veynar | A41D 27/20 | 2/247 |
| 2,415,132 | A * | 2/1947 | Greer | B43K 23/001 | 2/249 |
| 2,644,991 | A * | 7/1953 | Albro | A45F 5/022 | 24/10 R |
| 2,746,058 | A * | 5/1956 | Greer | A41D 27/207 | 2/249 |
| 2,849,722 | A * | 9/1958 | Cohen | A41B 15/02 | 2/279 |
| 3,175,317 | A * | 3/1965 | Slavsky | G09F 3/12 | 40/1.5 |
| 3,280,488 | A * | 10/1966 | Rubin | G09F 3/00 | 40/1.5 |
| 4,650,069 | A * | 3/1987 | Linton | B43K 23/001 | 206/37 |
| 5,504,976 | A * | 4/1996 | Reeves | A44C 3/001 | 24/3.1 |
| 6,446,372 | B1 * | 9/2002 | Reeves | A44C 3/001 | 24/303 |
| D600,890 | S * | 9/2009 | Groves | D2/860 | |
| D619,489 | S * | 7/2010 | Grillo | D11/78.1 | |
| 7,854,021 | B2 * | 12/2010 | Compton | G09F 21/02 | 2/243.1 |

(Continued)

OTHER PUBLICATIONS

10 Name Badge Magnets by Applied Magnets posted to amazon.com. Date available: Dec. 17, 2008 [site visited Apr. 13, 2020] Available: <https://www.amazon.com/Applied-Magnets-Name-Badge-Neodymium/dp/B001O20V8E/ref=sr_1_91?dchild=1&keywords=pocket+clip+name+tag&qid=1586797999&sr=8-91> (Year: 2008).*


*Primary Examiner* — Kevin K Rudzinski
(74) *Attorney, Agent, or Firm* — Quickpatents, LLC; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a pocket adornment, as shown and described.

**DESCRIPTION**

FIG. **1** is a front perspective view of a pocket adornment, showing a first embodiment of my new design;
FIG. **2** is a rear perspective view of FIG. **1**;
FIG. **3** is a front elevational view of FIG. **1**;
FIG. **4** is a rear elevational view of FIG. **1**;
FIG. **5** is a top plan view of FIG. **1**;
FIG. **6** is a bottom plan view of FIG. **1**;
FIG. **7** is a left-side elevational view of FIG. **1**, the right-side elevational view being a mirror image thereof;
FIG. **8** is a front perspective view of a second embodiment thereof;
FIG. **9** is a rear perspective view of FIG. **8**;
FIG. **10** is a front elevational view of FIG. **8**;
FIG. **11** is a rear elevational view of FIG. **8**;
FIG. **12** is a top plan view of FIG. **8**;
FIG. **13** is a bottom plan view of FIG. **8**; and,
FIG. **14** is a left-side elevational view of FIG. **8**, the right-side elevational view being a mirror image thereof.

**1 Claim, 6 Drawing Sheets**



(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---|---|---|---|---|
| 8,266,770 | B2 * | 9/2012 | Haas | G09F 3/16 24/3.12 |
| 9,615,608 | B2 * | 4/2017 | Adeniji | A41B 15/02 |
| 9,737,094 | B1 * | 8/2017 | Roeder | A44C 1/00 |
| 2009/0260395 | A1 * | 10/2009 | Coleman | A41B 15/02 63/20 |

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13

FIG. 14