



US00D892472S

(12) **United States Design Patent** (10) **Patent No.:** **US D892,472 S**
Palsbo (45) **Date of Patent:** **** *Aug. 11, 2020**

(54) **HAT BRIM**

(71) Applicant: **Susan Palsbo**, Eugene, OR (US)

(72) Inventor: **Susan Palsbo**, Eugene, OR (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/656,328**

(22) Filed: **Jul. 11, 2018**

(51) **LOC (12) Cl.** **02-03**

(52) **U.S. Cl.**
USPC **D2/893**

(58) **Field of Classification Search**

USPC D2/865, 866, 869, 872, 873, 876, 879,
D2/882, 886, 891, 892, 893; D16/310,
D16/311, 337, 340; D29/109, 122
CPC A42B 1/00; A42B 1/063; A42B 1/064;
A42B 1/065; A42B 3/00; A42B 3/22;
A42C 1/06; A61F 9/045
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,569,658 A * 1/1926 Levinson A42B 1/062
2/10
4,247,957 A * 2/1981 Rogers A61F 9/045
2/12
D377,108 S * 1/1997 Schulz D2/893
D417,770 S * 12/1999 Greenwood D2/882
D455,538 S * 4/2002 Rhoden D2/869
D551,827 S * 10/2007 Saveliev D2/893
D552,331 S * 10/2007 Saveliev D2/893

D712,635 S * 9/2014 Rivas D2/882
D806,366 S * 1/2018 Hamilton D2/893
D844,303 S * 4/2019 Romo D2/893

* cited by examiner

Primary Examiner — Jasmine Mlinarcik

(74) *Attorney, Agent, or Firm* — Klarquist Sparkman, LLP

(57) **CLAIM**

The ornamental design for a hat brim, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a hat brim illustrated in a flat configuration.

FIG. 2 is a bottom plan view of the hat brim of FIG. 1 illustrated in a flat configuration.

FIG. 3 is a right side elevation view of the hat brim of FIG. 1 illustrated in a flat configuration.

FIG. 4 is a left side elevation view of the hat brim of FIG. 1 illustrated in a flat configuration.

FIG. 5 is a front elevation view of the hat brim of FIG. 1 illustrated in a flat configuration.

FIG. 6 is a top plan view of a hat brim illustrated in a flat configuration according to an alternative implementation in which the design of FIG. 1 is reversed to provide a mirror-image implementation of the design of FIG. 1.

FIG. 7 is a bottom plan view of the hat brim of FIG. 6 illustrated in a flat configuration.


FIG. 8 is a right side elevation view of the hat brim of FIG. 6 illustrated in a flat configuration.

FIG. 9 is a left side elevation view of the hat brim of FIG. 6 illustrated in a flat configuration; and,

FIG. 10 is a front elevation view of the hat brim of FIG. 6 illustrated in a flat configuration.

The hat illustrated by broken lines depicts the environment of the hat brim and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10