

US00D892501S

(12) **United States Design Patent**
Whitaker

(10) **Patent No.: US D892,501 S**

(45) **Date of Patent: ** Aug. 11, 2020**

(54) **CARRIER**
(71) Applicant: **Bobby Whitaker**, Hollywood, FL (US)
(72) Inventor: **Bobby Whitaker**, Hollywood, FL (US)
(**) Term: **15 Years**

6,901,635 B1 * 6/2005 Scola A45F 5/1026
16/114.1
D510,703 S * 10/2005 Bozlee D9/433
7,232,169 B2 * 6/2007 Porter A45F 5/1026
294/137
D854,261 S * 7/2019 Dunkle D30/199
2017/0325575 A1 11/2017 Gazibara

(21) Appl. No.: **29/643,309**
(22) Filed: **Apr. 6, 2018**
(51) **LOC (12) Cl. 03-03**
(52) **U.S. Cl.**
USPC **D3/315**
(58) **Field of Classification Search**
USPC D3/315
CPC A45C 7/009; A45C 7/0077; A45C 3/04;
A45F 5/00; A45F 5/10
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

GB 2352619 A 2/2001

* cited by examiner

Primary Examiner — Charles D Hanson
(74) *Attorney, Agent, or Firm* — Laurence A. Greenberg;
Werner H. Stemer; Ralph E. Locher

(57) **CLAIM**

The ornamental design for a carrier, as shown and described.

DESCRIPTION


FIG. 1 is a top plan view of the carrier, showing my new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a top plan view thereof, where the carrier has been folded in half; and,
FIG. 4 is a left side elevation view thereof; the right side being a mirror image view thereof.
The circularly arranged broken lines in the center of the carrier depict a button clasp and do not form a part of the claim. The longer dashed lines near the interior and exterior edges of the article depict stitching.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,590,640 A * 5/1986 Enersen A45F 5/1046
16/411
5,306,063 A 4/1994 Higgins et al.
5,356,190 A * 10/1994 Torres A45F 5/1046
294/166
D380,382 S * 7/1997 Rhone D9/434
5,735,019 A * 4/1998 Kerr A45C 13/26
16/425
5,881,432 A 3/1999 Good
6,378,925 B1 4/2002 Greenlee
D487,972 S * 4/2004 Mirharooni D3/318

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3