

US00D892502S

(12) **United States Design Patent** (10) **Patent No.:** **US D892,502 S**
Storms et al. (45) **Date of Patent:** **** *Aug. 11, 2020**

(54) **ATTACHMENT ARRAY ELEMENT FOR A BELT**

(71) Applicant: **Sentry Solutions Products Group LLC**, Virginia Beach, VA (US)

(72) Inventors: **Frederick W. Storms**, Virginia Beach, VA (US); **Eric M. Yeates**, Virginia Beach, VA (US)

(73) Assignee: **Sentry Solutions Products Group LLC**, Virginia Beach, VA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/682,200**

(22) Filed: **Mar. 3, 2019**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/677,414, filed on Jan. 20, 2019.

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/318; D3/327**

(58) **Field of Classification Search**
USPC **D3/327, 318**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D488,287 S * 4/2004 Berger D2/624
D518,961 S * 4/2006 Armstrong D3/327

(Continued)

Primary Examiner — Holly H Baynham

(74) *Attorney, Agent, or Firm* — Shaddock Law Group, PC

(57) **CLAIM**


The ornamental design for an attachment array element for a belt, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an attachment array element for a belt showing our new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is an enlarged, partial front elevational view of an end portion shown broken away for ease and clarity of illustration;
 FIG. 4 is a front elevational view of an opposite end portion shown broken away for clarity and ease of illustration;
 FIG. 5 is a side view thereof;
 FIG. 6 is an opposite side view thereof;
 FIG. 7 is a cross-sectional, end view of the present invention, taken along line 7-7 of FIG. 3;
 FIG. 8 is a cross-sectional, end view of the present invention, taken along line 8-8 of FIG. 3;
 FIG. 9 is a cross-sectional, end view of the present invention, taken along line 9-9 of FIG. 4;
 FIG. 10 is a partially enlarged front elevation view of the top end shown broken away for ease and clarity of illustration;
 FIG. 11 is a partial, enlarged front elevation view of the bottom end shown broken away for ease and clarity of illustration;
 FIG. 12 is a partial, enlarged end shown broken away for clarity and ease of illustration;
 FIG. 13 is a partial, enlarged opposite end shown broken away for clarity and ease of illustration;
 FIG. 14 is a top view thereof; and,
 FIG. 15 is a bottom view thereof.

The broken lines shown throughout the various figures depict additional environmental structures and/or subject matter for illustrative purposes only and form no part of the claimed design. The broken lines shown on the surface of the attachment array element for a belt are understood to represent stitching.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**

CPC A45F 5/10; A45F 5/14; A45F 3/04; A45F
3/005; A63B 55/00; A45C 11/00; A45C
2005/142

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D783,207 S * 4/2017 Lindsey D29/101.1
D846,372 S * 4/2019 Wu D8/373
D850,757 S * 6/2019 Jackson D2/628

* cited by examiner




FIG. 1




FIG. 2




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 12




FIG. 13



FIG. 14



FIG. 15