



US00D892615S

(12) **United States Design Patent** (10) **Patent No.:** **US D892,615 S**
Ruhnau et al. (45) **Date of Patent:** **** Aug. 11, 2020**

(54) **DOSING CLOSURE**

(71) Applicants: **Harald Ruhnau**, Hamm (DE); **Axel Finkler**, Hamm (DE)

(72) Inventors: **Harald Ruhnau**, Hamm (DE); **Axel Finkler**, Hamm (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/636,768**

(22) Filed: **Feb. 12, 2018**

(30) **Foreign Application Priority Data**

Aug. 11, 2017 (EM) 004143600-0001

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/447**

(58) **Field of Classification Search**

USPC D3/202; D6/515, 528, 534, 535, 542, D6/544; D7/509, 523, 528, 553.6, 554.1, D7/566, 600.1, 601, 602, 619.1, 624.1, D7/624.2, 387, 391, 396.1, 396, 396.2, 6, D7/24.1; D9/686, 688, 690, 730, 503, D9/504, 523, 524, 529, 530, 537, 547, D9/549, 551, 564, 424, 428, 434, 435, D9/436, 443, 447, 448, 449, 454, 455, D9/691, 692, 718, 724; D23/208, 209, D23/259, 260, 261, 387; D24/121, 127, D24/129, 216, 224; D27/100, 135, 167, D27/172; D30/121, 122, 132, 133; D28/91.1

CPC B65D 81/32; B65D 81/3205; B65D 81/3211; B65D 23/13; B65D 23/001; B65D 51/28; B65D 50/00; B65D 50/041; B65D 50/04; B65D 2215/00; B65D 2215/02; B65D 41/02; B65D 41/18; B65D 21/0223; B65D 47/08; B65D 47/32; A01K 7/00; A47G 19/2222; A47G 19/2266; A47G 19/2272; A47G 19/2294

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D22,664 S * 8/1893 Button D9/503
2,171,302 A 8/1939 Conner

(Continued)

FOREIGN PATENT DOCUMENTS

DE 3220693 A1 12/1983
DE 202004016982 U1 10/2005

(Continued)

OTHER PUBLICATIONS

International preliminary report on patentability for application No. PCT/EP2015/051585 dated Aug. 2, 2016.

(Continued)

Primary Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Bachman and Lapointe PC; George Coury

(57) **CLAIM**

The ornamental design for a dosing closure, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a dosing closure showing our new design;

FIG. 2 is a front perspective view thereof;

FIG. 3 is a side view thereof;

FIG. 4 is a side view, opposite FIG. 3, thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines are shown for the purpose of illustrating parts of the article that form no part of the claim.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D120,797 S * 5/1940 Boe D9/503
 2,372,281 A 3/1945 Jordan
 2,661,870 A 12/1953 Huenergardt
 2,947,453 A 8/1960 Parish, Jr. et al.
 3,059,816 A 10/1962 Goldstein
 3,206,074 A 9/1965 Hoffmann
 D206,244 S * 11/1966 Coy D9/523
 D231,087 S * 4/1974 Edwards D9/503
 4,730,381 A 3/1988 Dirksing
 D630,949 S * 1/2011 Lim D9/690
 D650,280 S * 12/2011 de Peyerimhoff D9/454
 D768,494 S * 10/2016 Li D9/504
 9,469,451 B2 * 10/2016 Dunn A47G 19/02
 D827,769 S * 9/2018 Brill D23/209
 D835,264 S * 12/2018 Mozzicato D24/121
 D835,778 S * 12/2018 Mozzicato D24/121
 D835,779 S * 12/2018 Mozzicato D24/121
 2009/0184083 A1 7/2009 Cho
 2010/0001018 A1 1/2010 Puma
 2013/0146592 A1 * 6/2013 Kalaouze B65D 81/3211
 220/23.83

2015/0223632 A1* 8/2015 Hall A47J 31/44
 99/295
 2016/0060004 A1* 3/2016 Dunn A47G 19/02
 222/144.5
 2016/0325912 A1* 11/2016 Ruhnau B65D 81/3211
 2017/0318993 A1* 11/2017 Young B65D 47/248
 2018/0044069 A1* 2/2018 Perez B65D 51/28
 2019/0038008 A1* 2/2019 Lee A45F 3/18
 2019/0077581 A1* 3/2019 Abfall B05B 11/0037

FOREIGN PATENT DOCUMENTS

DE 202008008018 U1 9/2008
 DE 102012110833 B3 12/2013
 GB 2259241 A 3/1993
 WO 92/02434 A1 2/1992
 WO 2006/047795 A1 5/2006
 WO 2011/003048 A1 1/2011

OTHER PUBLICATIONS

European Office action dated Jul. 14, 2017 for European Patent Application No. 15705213.5.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7