



US00D892616S

(12) **United States Design Patent**
Neputy et al.

(10) **Patent No.:** **US D892,616 S**

(45) **Date of Patent:** **** Aug. 11, 2020**

(54) **CLOSURE**

(71) Applicant: **Silgan White Cap LLC**, Downers Grove, IL (US)

(72) Inventors: **Darren Neputy**, Palos Hills, IL (US);
Gary Berge, Crystal Lake, IL (US)

(73) Assignee: **Silgan White Cap LLC**, Downers Grove, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/612,640**

(22) Filed: **Aug. 2, 2017**

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/452**

(58) **Field of Classification Search**
USPC D3/10, 17, 29, 200, 202, 203.1, 207;
D7/387, 391, 392, 392.1, 393, 396.1,
D7/396.2, 398, 900; D8/300, 303, 321;
D9/425, 428, 434, 435, 439, 445, 446,
D9/447, 448, 449, 452, 453, 454, 442,
D9/500-505, 516, 529, 530, 537, 538,
D9/541, 546, 549, 566, 569, 570,
D9/692-699, 7, 694, 2-715, 723-729,
D9/745, 746, 774, 724, 726, 727;
D12/197, 200, 212; D19/96, 162, 163,
D19/187, 194; D23/259, 260, 261;
D24/111, 112, 127, 196, 197, 199, 224;
D28/76, 84
CPC B65D 75/5883; B65D 41/3414;
B65D 41/00; B65D 41/3447; B65D
2101/0023; B65D 2101/0046; B65D
2213/00; B65D 81/3272; B65D 85/12;
B65D 23/065; B65D 47/066; A45D
2200/05; A45D 2200/051; A45D 34/00;
A45D 34/02; A45D 40/00; A45D 40/40;
A45D 40/0068; A45D

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D124,384 S * 12/1940 Ehrlich D9/453
D145,010 S * 6/1946 Derham D9/453

(Continued)

OTHER PUBLICATIONS

Carafe Closure: Announced Jan. 21, 2019 [online]. Site Visited [Sep. 18, 2019]. Available from Internet URL: <https://www.bevinindustry.com/articles/91774-consumer-trends-influence-caps-closures-market>.*

(Continued)

Primary Examiner — Jennifer Rivard

Assistant Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Reinhart Boerner Van Deuren s.c.



(57) **CLAIM**

We claim the ornamental design for a closure, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the claimed design;
FIG. 2 is a bottom perspective view of FIG. 1;
FIG. 3 is a front view of FIG. 1, the right, back, and left views being largely the same;
FIG. 4 is a top view of FIG. 1;
FIG. 5 is a bottom view of FIG. 1;
FIG. 6 is a top perspective view of another embodiment of the claimed design;
FIG. 7 is a bottom perspective view of FIG. 6;
FIG. 8 is a front view of FIG. 6, the right, back, and left views being largely the same;
FIG. 9 is a top view of FIG. 6; and,
FIG. 10 is a bottom view of FIG. 6.

(Continued)



The evenly broken lines are shown for the purpose of illustrating parts of the article that form no part of the claim. The dot-dash lines represent the boundaries of the claim and form no part of the claim.

1 Claim, 10 Drawing Sheets

(58) Field of Classification Search

CPC . 40/0073; A45D 2034/007; A45F 3/16; A47G 19/2266; A47G 19/2272

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

4,388,334	A *	6/1983	Deveaux	B65D 85/72 426/112
D442,089	S *	5/2001	Sadeghi	D9/452
D515,923	S *	2/2006	Pitman	D9/453
D631,349	S *	1/2011	Arnell	D9/452

D673,046	S *	12/2012	Clark	D9/452
D678,771	S *	3/2013	Kawamura	D9/452
D679,185	S *	4/2013	Brown	D9/452
D708,950	S *	7/2014	Zeid	D9/453
D711,227	S *	8/2014	Sheikh	D9/435
D756,221	S *	5/2016	Koop	D9/453
D793,154	S *	8/2017	Sorensen	D7/392.1
D799,962	S *	10/2017	Steel	D9/453
D806,544	S *	1/2018	Williams	D9/445
D813,671	S *	3/2018	Arthur, IV	D9/452
9,938,050	B2 *	4/2018	Berge	B65D 41/3428
9,981,785	B2 *	5/2018	Berge	B65D 47/12
2015/0129533	A1 *	5/2015	Taber	B65D 75/5883 215/252
2015/0232237	A1 *	8/2015	Berge	B65D 41/3438 222/153.06

OTHER PUBLICATIONS

Carafe Closure: Announced 2018 [online]. Site Visited [Sep. 18, 2019]. Available from Internet URL: <https://silgancls.com/sproduct/carafe-closures/>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10