

US00D892659S

(12) **United States Design Patent** (10) **Patent No.:** **US D892,659 S**
Carlson et al. (45) **Date of Patent:** **** Aug. 11, 2020**

(54) **SENSOR**
(71) Applicant: **1010210 B.C. Ltd.**, Surrey (CA)
(72) Inventors: **Justin Carlson**, Surrey (CA); **Julian Carlson**, Surrey (CA)
(73) Assignee: **1010210 B.C. Ltd.**, Surrey (CA)
(**) Term: **15 Years**

D764,335 S * 8/2016 Thornton D10/106.6
D778,184 S * 2/2017 Kikstra D10/106.6
D782,349 S * 3/2017 Konotopskyi D10/106.6
D783,542 S * 4/2017 Marsden H01R 13/447
D13/156
D788,610 S * 6/2017 Venth D10/65
D788,625 S * 6/2017 Hsieh D10/106.6
D796,975 S * 9/2017 Jou D10/106.6
9,927,301 B2 * 3/2018 Peterson G01J 5/0022
D826,941 S * 8/2018 Zhou D14/420
10,072,985 B2 * 9/2018 Peterson G08B 13/19
(Continued)

(21) Appl. No.: **29/658,812**
(22) Filed: **Aug. 2, 2018**

(30) **Foreign Application Priority Data**
Feb. 2, 2018 (CA) 179472
(51) **LOC (12) Cl.** **10-50**
(52) **U.S. Cl.**
USPC **D10/106.6**
(58) **Field of Classification Search**
USPC D10/104, 106.1, 106.6, 104.1, 104.2,
D10/106.7, 106.8, 106.9, 106.92, 106.95,
D10/114.1, 118, 118.2, 121; 340/500,
340/506, 540, 541, 545, 573, 574, 575,
340/576, 577, 578, 589, 600, 693
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D354,925 S * 1/1995 Eggers D10/106.6
D383,078 S * 9/1997 Carmi D10/106.6
D417,165 S * 11/1999 Takeda D10/106.6
D429,696 S * 8/2000 Taylor D10/106.1
D434,387 S * 11/2000 Taylor D10/106.1
D561,058 S * 2/2008 Taylor D10/106.1
D708,976 S * 7/2014 Moeller D10/106.7
D713,277 S * 9/2014 Hasegawa D10/106.6
D744,883 S * 12/2015 Roberts D10/104.1

OTHER PUBLICATIONS

“ISC West 2019” available Apr. 17, 2019, [online], [site visited Jan. 2, 2020]. Retrieved from Internet, URL: <https://www.youtube.com/watch?v=U20ki9sfQAE> (Year: 2019).*

Primary Examiner — Michael C Stout
Assistant Examiner — Katrina N Gonzalez
(74) *Attorney, Agent, or Firm* — Oyen Wiggs Green Mutala LLP


(57) **CLAIM**

The ornamental design for a sensor, as shown and described.

DESCRIPTION

FIG. 1 is a front, side perspective view of our design; FIG. 2 is a rear, side perspective view thereof; FIG. 3 is a side elevational view thereof; FIG. 4 is a side elevational view from the side opposite to that of FIG. 3; FIG. 5 is a front elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is an end view thereof; and, FIG. 8 is an end view of the end opposite to that of FIG. 7. The broken lines illustrate portions of the sensor that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D841,504 S *	2/2019	Alvarado	D10/103
10,249,161 B2 *	4/2019	Carlson	G08B 13/2491
D848,293 S *	5/2019	Laurans	D10/70
D852,071 S *	6/2019	Laurans	D10/70
D852,074 S *	6/2019	Laurans	D10/80

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8