



US00D892727S

(12) **United States Design Patent**
Gan et al.

(10) **Patent No.:** **US D892,727 S**

(45) **Date of Patent:** **** Aug. 11, 2020**

(54) **JUMP STARTER**

(71) Applicant: **Shenzhen Valuelink E-Commerce Co., Ltd.**, Shenzhen (CN)

(72) Inventors: **Qing-Cao Gan**, Shenzhen (CN);
Yue-Fei Liao, Shenzhen (CN)

(73) Assignee: **Shenzhen Valuelink E-Commerce Co., Ltd.**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/642,523**

(22) Filed: **Mar. 30, 2018**

(30) **Foreign Application Priority Data**

Oct. 27, 2017 (CN) 2017 3 0518055

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107; D13/103**

(58) **Field of Classification Search**

USPC D13/106-110, 118, 184; D14/356, 432
CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M
2/0207; H01M 2/0212; H01M 2/1061;
H01M 2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/20; H01M
2/204; H01M 2/206; H01M 10/44; H01M
10/46; H01M 10/465; H01M 10/482;
H01M 2200/30; H01M 2250/30; H01M
2250/40; H02J 7/00; H02J 7/0003; H02J
7/0011; H02J 7/0013; H02J 7/0054; H02J
7/0055; H02J 7/0057; H02J 7/0034; H02J
7/1423; H02J 2007/0062; H02J 2001/006;
Y02T 10/7005; Y02T 10/705; Y02T
10/7088

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,584 S *	11/2007	Feldman	D13/110
D742,822 S *	11/2015	Ju	D13/103
D786,192 S *	5/2017	Liu	D13/107
D803,151 S *	11/2017	Zhou	D13/107
D809,454 S *	2/2018	Zhou	D13/103
D814,408 S *	4/2018	Yang	D13/107
D816,024 S *	4/2018	Yang	D13/107
D817,866 S *	5/2018	Liu	D13/102
D818,953 S *	5/2018	Xu	D13/110
D821,306 S *	6/2018	Liu	D13/107
D851,586 S *	6/2019	Liu	D13/108

(Continued)

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.


(57) **CLAIM**

The ornamental design for a jump starter, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a jump starter showing the our new design;
FIG. 2 is a rear perspective view of FIG. 1;
FIG. 3 is a front elevational view of the jump starter of FIG. 1;
FIG. 4 is a rear elevational view of the jump starter of FIG. 1;
FIG. 5 is a left side elevational view of the jump starter of FIG. 1;
FIG. 6 is a right side elevational view of the jump starter of FIG. 1;
FIG. 7 is a top plan view of the jump starter of FIG. 1; and,
FIG. 8 is a bottom plan view of the jump starter of FIG. 1.
The broken lines in the drawings depict portions of the jump starter that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D856,956 S * 8/2019 Liu D14/138 R
2016/0359352 A1 * 12/2016 Chiu H02J 7/0047

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8