



US00D892922S

(12) **United States Design Patent**
Naruhn et al.

(10) **Patent No.:** **US D892,922 S**

(45) **Date of Patent:** **** Aug. 11, 2020**

(54) **PRINTER DEVICE**

(71) Applicant: **DI SUPPORT GMBH**, Eschborn (DE)

(72) Inventors: **Ralph Naruhn**, Dreieich (DE); **Gordon Schaub**, Oberursel (DE)

(73) Assignee: **DI SUPPORT GMBH**, Eschborn (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/657,109**

(22) Filed: **Jul. 19, 2018**

(30) **Foreign Application Priority Data**

Jan. 24, 2018 (EM) 004678050-0003

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D18/50**

(58) **Field of Classification Search**
USPC D18/50, 53, 54, 55, 56, 59, 36, 37, 38,
D18/39, 40, 41, 45; D14/301, 307, 121
CPC H04N 1/00204; H04N 1/00249; H04N
1/00278; G06K 15/12; G06K 15/14; B41J
3/00; B41J 3/28; B41J 3/445; B41J 3/46
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,106,215 A * 4/1992 Kitahara B41J 29/02
400/120.16
- 5,174,667 A * 12/1992 Sugimoto B41J 17/02
400/196.1
- 5,180,236 A * 1/1993 Kitahara B41J 17/22
400/120.16
- 5,238,314 A * 8/1993 Kitahara B41J 17/22
400/208
- D363,734 S * 10/1995 Bianco D18/50
- D682,927 S * 5/2013 Azegami D18/50
- D728,013 S * 4/2015 Nanno D18/50
- D761,903 S * 7/2016 Matsumoto D18/50

- D770,545 S * 11/2016 Olive D15/122
- D799,588 S * 10/2017 Nanno D18/19
- D822,757 S * 7/2018 Landa D18/18

(Continued)

FOREIGN PATENT DOCUMENTS

- EM 001094288-0001 * 3/2011
- WO D089239-001 * 8/2016

OTHER PUBLICATIONS

Di support GmbH. Link: https://di-support.com/en/printcube_rd/.
visited Jul. 8, 2019. PrintCube. (Year: 2019).*

Primary Examiner — Lauren D McVey

(74) *Attorney, Agent, or Firm* — Greenblum & Bernstein,
P.L.C.



(57) **CLAIM**

We claim the ornamental design for a printer device, as
shown and described.

DESCRIPTION

FIG. 1 is a top, right side perspective view of a printer device;
FIG. 2 is a front elevation view of the printer device of FIG. 1;
FIG. 3 is a rear elevation view of the printer device of FIG. 1;
FIG. 4 is a right side elevation view of the printer device of FIG. 1 with the left side elevation view being a mirror image thereof;
FIG. 5 is a bottom plan view of the printer device of FIG. 1; and,
FIG. 6 is a top plan view of the printer device of FIG. 1.
The broken lines immediately adjacent to the shaded areas depict the bounds of the claimed design, while all other broken lines are directed to environment. The broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D826,296 S * 8/2018 Noorazar D15/122
D842,925 S * 3/2019 Nagano D18/39

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6