



US00D892961S

(12) **United States Design Patent** (10) **Patent No.:** **US D892,961 S**
Sugg (45) **Date of Patent:** **** Aug. 11, 2020**

(54) **AMBIDEXTROUS BOLT CATCH**

(71) Applicant: **Edward Sugg**, South Riding, VA (US)

(72) Inventor: **Edward Sugg**, South Riding, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/634,489**

(22) Filed: **Jan. 22, 2018**

(51) **LOC (12) Cl.** **22-01**

(52) **U.S. Cl.**

USPC **D22/108**

(58) **Field of Classification Search**

USPC D22/103, 107-111, 199; D21/571-575

CPC F41A 3/64; F41A 3/66; F41A 3/68; F41A 3/72; F41A 35/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,139	S	*	2/1981	Behlert	42/70.01
D652,468	S	*	1/2012	Burt	D22/108
D760,862	S	*	7/2016	Wang	D22/108
9,541,339	B2	*	1/2017	Orne, III	F41A 3/72
D784,478	S	*	4/2017	Therrell	D22/108
9,651,328	B1	*	5/2017	Oglesby	F41A 35/06
D797,878	S	*	9/2017	Wang	D22/108
D805,155	S	*	12/2017	Geissele	D22/108
D816,180	S	*	4/2018	Farris	D22/108
10,030,924	B1	*	7/2018	Smith	F41A 17/36
10,180,298	B2	*	1/2019	Noonan	F41A 17/36
10,234,226	B1	*	3/2019	Copeland	F41A 17/38
D859,567	S	*	9/2019	Geissele	D22/108
D859,568	S	*	9/2019	Geissele	D22/108
D859,569	S	*	9/2019	Geissele	D22/108
D876,576	S	*	2/2020	Gerlings	D22/108
D877,282	S	*	3/2020	Gerlings	D22/108
2010/0251591	A1	*	10/2010	Burt	F41A 17/42
						42/70.01

(Continued)

FOREIGN PATENT DOCUMENTS

CA	2962313	A1	*	9/2017	F41A 3/66
WO	WO-2017106857	A1	*	6/2017	F41A 3/66

OTHER PUBLICATIONS

Teal Blue Bravo PDQ Ambi-Bolt Release for Aero Precision Ambi Lowers, posted at Primary Arms, reviewed Aug. 17, 2016. Site visited Sep. 25, 2019. URL: <https://www.primaryarms.com/teal-blue-bravo-pdq-ambi-bolt-release-for-aero-precision-ambi-lowers-aprh100012> (Year: 2016).*

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Kathleen L Jones

(74) *Attorney, Agent, or Firm* — Arent Fox LLP

(57) **CLAIM**

The ornamental design for an ambidextrous bolt catch, as shown and described.

DESCRIPTION

FIG. 1 is a top left rear perspective view of a design for an ambidextrous bolt catch;

FIG. 2 is a top left front perspective view thereof;

FIG. 3 is a bottom left front perspective view thereof;

FIG. 4 is a bottom left rear perspective thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a right side view thereof;


FIG. 8 is a front view thereof;

FIG. 9 is a top view thereof; and,

FIG. 10 is a bottom view thereof.

The figures include broken, solid and dash-dot-dash lines. The features shown in broken lines depict portions of the ambidextrous bolt catch and form no part of the claimed design. The areas within the solid lines and inside the dash-dot-dash lines form the claimed design. The dash-dot-dash lines illustrate a boundary of the claimed design and form no part thereof.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0275485 A1* 11/2010 Findlay F41A 17/36
42/16
2011/0056107 A1* 3/2011 Underwood F41A 9/59
42/18
2011/0283580 A1* 11/2011 Esch F41A 17/42
42/14
2016/0076842 A1* 3/2016 Faxon F41A 17/22
42/69.01
2016/0258696 A1* 9/2016 Fluhr F41A 17/36
2017/0045324 A1* 2/2017 Zeman F41A 17/36
2018/0100714 A1* 4/2018 Borders F41A 3/72
2018/0266778 A1* 9/2018 Noonan F41A 3/66

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10