



US00D893071S

(12) **United States Design Patent** (10) **Patent No.:** **US D893,071 S**  
**Lou** (45) **Date of Patent:** **\*\* Aug. 11, 2020**

(54) **COMBINED LIGHT AND SPEAKER**  
(71) Applicant: **Xiamen Laiken Lighting Technology Co., Ltd., Fujian (CN)**  
(72) Inventor: **Jinyue Lou, Fujian (CN)**  
(73) Assignee: **XIAMEN LAIKEN LIGHTING TECHNOLOGY CO., LTD., Xiamen (Fujian) (CN)**

D732,710 S \* 6/2015 Anderson ..... D26/2  
D734,883 S \* 7/2015 Yu ..... D26/2  
D741,517 S \* 10/2015 Hwang ..... D26/2  
D765,294 S \* 8/2016 Li ..... D26/37  
D775,746 S \* 1/2017 Zolotykh ..... D26/2  
D822,856 S \* 7/2018 Liao ..... D26/2  
D833,048 S \* 11/2018 Chen ..... D26/41  
D839,473 S \* 1/2019 Dai ..... D26/138  
D842,514 S \* 3/2019 Wu ..... D26/41  
D850,668 S \* 6/2019 Okumura ..... D26/2  
D850,682 S \* 6/2019 DeBrunner ..... D26/40

(Continued)

(\*\*) Term: **15 Years**

**OTHER PUBLICATIONS**

(21) Appl. No.: **29/644,150**  
(22) Filed: **Apr. 16, 2018**  
(51) **LOC (12) Cl.** ..... **26-05**  
(52) **U.S. Cl.**  
USPC ..... **D26/51**  
(58) **Field of Classification Search**  
USPC .... D26/37-51, 67, 93, 52, 2; D14/216, 204,  
D14/221; D13/179  
CPC ..... F21L 2003/00; F21L 4/00; F21L 4/005;  
F21L 4/02; F21L 4/025; F21L 4/027;  
F21L 4/04; F21L 4/08; F21L 2005/00;  
F21L 7/00; F21L 11/00; F21L 13/00;  
F21L 13/04; F21L 13/08; F21L 14/02;  
F21L 17/00; F21L 19/00; F21L 25/00  
See application file for complete search history.

Ameriluck Bluetooth Speaker LED Lightbulb, [online] site visited Feb. 13, 2020, available from the internet <URL:https://www.amazon.com/AmeriLuck-Bluetooth-Omni-Directional-Lighting-Equilizer/dp/B07BPKJSZS/ref=sr\_1\_14?keywords=speaker%2Blight%2Bbulb&qid=1581627855&sr=8-14&th=1> 5 pages (Year: 2019).\*

*Primary Examiner* — Lakiya G Rogers  
*Assistant Examiner* — Carissa C Fitts  
(74) *Attorney, Agent, or Firm* — Wayne & Ken, LLC;  
Tony Hom

(57) **CLAIM**

The ornamental design for a combined light and speaker, as shown and described.

**DESCRIPTION**


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D634,870 S \* 3/2011 Shen ..... D14/204  
D643,949 S \* 8/2011 Yamamoto ..... D26/2  
D644,351 S \* 8/2011 Hasse ..... D26/2  
D646,412 S \* 10/2011 Taiga ..... D26/41  
D648,870 S \* 11/2011 Kim ..... D26/2  
D660,467 S \* 5/2012 Yamamoto ..... D26/2  
D664,271 S \* 7/2012 Kim ..... D26/2  
D691,745 S \* 10/2013 Wang ..... D26/2  
D714,973 S \* 10/2014 Ye ..... D26/2  
D720,478 S \* 12/2014 Zeng ..... D26/2

FIG. 1 is a front elevational view of a combined light and speaker showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side view in enlarge scale thereof;  
FIG. 4 is a right side view in enlarge scale thereof;  
FIG. 5 is a top plan view in enlarge scale thereof;  
FIG. 6 is a bottom plan view in enlarge scale thereof; and,  
FIG. 7 is a perspective view thereof.  
The broken lines shown in combined light and speaker form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D853,603 S \* 7/2019 Yao ..... D26/2  
D854,196 S \* 7/2019 Mishin ..... D26/2  
D860,946 S \* 9/2019 Wang ..... D13/134  
D862,745 S \* 10/2019 Jin ..... D26/2  
D862,747 S \* 10/2019 Alexander ..... D26/2

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7