



US00D893090S

(12) **United States Design Patent** (10) **Patent No.:** **US D893,090 S**
McClow et al. (45) **Date of Patent:** **** Aug. 11, 2020**

(54) **LIGHTING FIXTURE**

(71) Applicant: **Hubbell Incorporated**, Shelton, CT (US)

(72) Inventors: **Jeff McClow**, Greer, SC (US); **Jason Edward Duckworth**, Simpsonville, SC (US); **Tomi Lin**, Irvine, CA (US); **Russell Weston**, Greer, SC (US)

(73) Assignee: **Hubbell Incorporated**, Shelton, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/651,941**

(22) Filed: **Sep. 17, 2019**

Related U.S. Application Data

(62) Division of application No. 29/646,478, filed on May 4, 2018, now Pat. No. Des. 861,232.

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/120**

(58) **Field of Classification Search**
USPC D26/1, 24, 60-67, 71, 72, 85, 93, 118, D26/119, 120, 128; D10/114.2; D16/135, 136, 239, 241, 250
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D272,656 S 2/1984 Parker
D473,667 S 4/2003 Fromm
(Continued)

Primary Examiner — Wan Laymon
Assistant Examiner — Clint A Samuel
(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich, LLP

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture according to an example embodiment of the design;
FIG. 2 is a top view of a lighting fixture according to an example embodiment of the design;
FIG. 3 is a bottom view of a lighting fixture according to an example embodiment of the design;
FIG. 4 is a front view of a lighting fixture according to an example embodiment of the design;
FIG. 5 is a back view of a lighting fixture according to an example embodiment of the design;
FIG. 6 is a side view of a lighting fixture according to an example embodiment of the design;
FIG. 7 is another side view of a lighting fixture according to an example embodiment of the design;
FIG. 8 is a perspective view of a lighting fixture according to an example embodiment of the design;
FIG. 9 is a top view of a lighting fixture according to an example embodiment of the design;
FIG. 10 is a bottom view of a lighting fixture according to an example embodiment of the design;
FIG. 11 is a front view of a lighting fixture according to an example embodiment of the design;
FIG. 12 is a back view of a lighting fixture according to an example embodiment of the design;
FIG. 13 is a side view of a lighting fixture according to an example embodiment of the design;
FIG. 14 is another side view of a lighting fixture according to an example embodiment of the design;
FIG. 15 is a perspective view of a lighting fixture according to an example embodiment of the design;
FIG. 16 is a top view of a lighting fixture according to an example embodiment of the design;
FIG. 17 is a bottom view of a lighting fixture according to an example embodiment of the design;
FIG. 18 is a front view of a lighting fixture according to an example embodiment of the design;

(Continued)




FIG. 19 is a back view of a lighting fixture according to an example embodiment of the design;
 FIG. 20 is a side view of a lighting fixture according to an example embodiment of the design;
 FIG. 21 is another side view of a lighting fixture according to an example embodiment of the design;
 FIG. 22 is a perspective view of a lighting fixture according to an example embodiment of the design;
 FIG. 23 is a top view of a lighting fixture according to an example embodiment of the design;
 FIG. 24 is a bottom view of a lighting fixture according to an example embodiment of the design;
 FIG. 25 is a front view of a lighting fixture according to an example embodiment of the design;
 FIG. 26 is a back view of a lighting fixture according to an example embodiment of the design;
 FIG. 27 is a side view of a lighting fixture according to an example embodiment of the design; and,
 FIG. 28 is another side view of a lighting fixture according to an example embodiment of the design.
 The dash-dot-dash broken lines immediately adjacent to the shaded areas define the bounds of the claimed design and form no part thereof. All other broken lines represent environmental structure and form no part of the claimed design.

1 Claim, 20 Drawing Sheets

(58) **Field of Classification Search**

CPC F21L 4/00; F21L 4/02; F21L 4/04; F21L 14/00; F21L 14/02; F21V 5/00; F21V 5/007; F21V 5/008; F21V 7/00; F21V 7/0025; F21V 7/0083; F21V 11/06; F21V 15/01; F21V 15/012

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D547,477 S	7/2007	Guercio	
D565,772 S	4/2008	Guercio	
D567,980 S	4/2008	Guercio	
D607,143 S	12/2009	Sugishita	
D615,240 S	5/2010	Sugishita	
D632,416 S	2/2011	Wright	
D645,594 S	9/2011	Grawe	
D650,109 S	12/2011	Maxik	
D668,808 S	10/2012	Hoover	
D723,727 S	3/2015	Moeller	
D759,291 S	6/2016	Chen	
9,618,187 B2	4/2017	Thomas	
D788,966 S	6/2017	Gan	
D789,582 S	6/2017	Peard	
9,759,407 B2	9/2017	Boyer	
D819,859 S	6/2018	Zou	
D822,261 S	7/2018	Demuynck	
D827,173 S	8/2018	Van Berkel	
D836,230 S	12/2018	Guercio	
D841,223 S	2/2019	Duckworth	
D843,022 S	3/2019	Li	
D848,654 S	5/2019	Zhu	
D855,856 S *	8/2019	Du	D26/63
D861,232 S *	9/2019	McClow	D26/120
D861,971 S *	10/2019	Duckworth	D26/120
D870,948 S *	12/2019	He	D26/71
2013/0188352 A1	7/2013	Boyer	
2014/0029260 A1	1/2014	Liu	
2014/0240844 A1	8/2014	Scherrer	
2016/0003464 A1	1/2016	Thomas	
2016/0077243 A1	3/2016	Ohta	
2019/0063723 A1	2/2019	Yamada	
2020/0088398 A1 *	3/2020	Wang	F21V 29/763

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28