



US00D893106S

(12) **United States Design Patent** (10) **Patent No.:** **US D893,106 S**
Bastman et al. (45) **Date of Patent:** **** *Aug. 11, 2020**

(54) **WELDING HELMET**

D793,007 S * 7/2017 Yang D29/110
D835,353 S * 12/2018 Berggren D29/122
D841,893 S * 2/2019 Bastman D29/110

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(Continued)

(72) Inventors: **Linus P. Bastman**, Orsa (SE); **Emil R. Eriksson**, Falun (SE); **Johan M. P. Hansson**, Borlänge (SE); **Erik Oskar Juhlin**, Gustavsberg (SE)

FOREIGN PATENT DOCUMENTS

AU 201616589 12/2016
WO WO 2018-089327 5/2018

(Continued)

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

Primary Examiner — Robert A Delehanty

(74) *Attorney, Agent, or Firm* — Johannes P. M. Kusters

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a welding helmet, as shown and described.

(21) Appl. No.: **29/668,008**

(22) Filed: **Oct. 26, 2018**

DESCRIPTION

(51) **LOC (12) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/110**

(58) **Field of Classification Search**
USPC D29/105–107, 110, 122;
D24/110.1–110.3

See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

6,260,197 B1 * 7/2001 Hoogewind A61F 9/061
2/8.3
D565,800 S * 4/2008 Wang D29/110
D584,003 S * 12/2008 Juhlin D29/110
D585,604 S * 1/2009 Martin D29/110
D589,654 S * 3/2009 Juhlin D29/122
D592,811 S * 5/2009 Juhlin D29/122
D654,224 S * 2/2012 Wu D29/110
D674,150 S * 1/2013 Juhlin D29/122
8,584,265 B2 * 11/2013 Lilenthal A42B 3/14
2/417
D789,614 S * 6/2017 Huh D29/110

FIG. 1 is a perspective view showing an embodiment of the new design for a welding helmet;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view showing another embodiment of the new design for a welding helmet;
FIG. 9 is a front view thereof;
FIG. 10 is a rear view thereof;
FIG. 11 is a right side view thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a top view thereof; and,
FIG. 14 is a bottom view thereof.

The broken line showing forms no part of the claimed design, and the shading is provided to illustrate contour only and is not an indication of texture, gloss, etc.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D853,044 S * 7/2019 Rosca D29/110
2007/0245467 A1* 10/2007 Lilenthal A42B 3/225
2/416
2013/0191976 A1* 8/2013 Pizzi A42B 3/223
2/424
2014/0013479 A1 1/2014 Magnusson
2015/0342282 A1* 12/2015 Daniels A61F 9/06
2/8.2
2016/0074230 A1* 3/2016 Sernfalt A61F 9/061
2/8.3
2017/0367891 A1 12/2017 Magnusson
2019/0262178 A1* 8/2019 Hansson A61F 9/06

FOREIGN PATENT DOCUMENTS

WO WO 2018-089415 5/2018
WO WO 2018-229688 12/2018
WO WO 2019-053537 3/2019

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14