

US00D893125S

(12) **United States Design Patent** (10) **Patent No.:** **US D893,125 S**  
**Vakili** (45) **Date of Patent:** **\*\* Aug. 11, 2020**

(54) **SAFE**  
(71) Applicant: **Valerie M. Vakili**, Boca Raton, FL (US)  
(72) Inventor: **Valerie M. Vakili**, Boca Raton, FL (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/687,247**  
(22) Filed: **Apr. 11, 2019**  
(51) **LOC (12) Cl.** ..... **99-00**  
(52) **U.S. Cl.**  
USPC ..... **D99/28**  
(58) **Field of Classification Search**  
USPC ..... D99/28, 34, 35, 36, 43, 99; 109/1 R, 109/1 V, 2, 45; 902/9, 30; 235/100; 206/0.8, 0.815, 0.82; 312/400, 409; D18/3.1, 3.3, 12.1; D3/201, 272, 273  
CPC ..... F42B 39/24; E05B 65/0075; E05G 1/00; E05G 1/005; E05G 1/024; E05G 5/00; E05G 5/02; E05G 2700/00; E05G 2700/02; E05G 2700/04; G07D 11/0006; G07D 11/0009; G07D 11/009; G07D 9/002; G07D 9/004; G07D 9/008; G07F 9/06; G07F 9/003; G07F 17/10; G07F 17/12; B65D 1/00; B65D 1/22; B65D 7/00; B65D 7/06; A47B 43/00  
See application file for complete search history.

2,088,459 A \* 7/1937 Bennett ..... E05G 5/006 70/77  
D118,366 S \* 1/1940 Davis ..... D99/28  
D308,279 S \* 5/1990 Hill ..... D99/28  
D314,406 S \* 2/1991 Lerch ..... D21/519  
D347,926 S \* 6/1994 Jackson, Jr. .... D99/28  
D487,835 S \* 3/2004 Lynch ..... D99/28  
D493,270 S \* 7/2004 Lynch ..... D99/28  
D498,895 S \* 11/2004 Lynch ..... D99/28  
D620,675 S \* 7/2010 Doettling ..... D99/28  
D728,189 S \* 4/2015 Suggs ..... D99/28  
D744,715 S \* 12/2015 Suggs ..... D99/28  
D774,272 S \* 12/2016 Suggs ..... D99/28  
D799,148 S \* 10/2017 Crosby ..... D99/28  
D799,782 S \* 10/2017 Crosby ..... D99/28  
D802,872 S \* 11/2017 Frisher ..... D99/28  
D802,873 S \* 11/2017 Crosby ..... D99/28  
D811,686 S \* 2/2018 Crosby ..... D99/28  
D814,139 S \* 3/2018 Newcomb ..... D99/28

\* cited by examiner

*Primary Examiner* — Elizabeth J Oswecki

(57) **CLAIM**


The ornamental design for a safe, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a safe showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a left side view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is another perspective view thereof.  
The broken lines shown in the drawings represent portions of the safe that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D3,772 S \* 11/1869 Marvin ..... D99/28  
D87,772 S \* 9/1932 Wolters ..... D99/28  
D103,629 S \* 3/1937 Davis ..... D99/28  
2,086,018 A \* 7/1937 Dyer ..... F25D 23/12 312/204






FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG.7




FIG.8