



US00D893322S

(12) **United States Design Patent** (10) **Patent No.:** **US D893,322 S**
Xiao (45) **Date of Patent:** **** Aug. 18, 2020**

(54) **WEARABLE TRACKER**

(71) Applicant: **Xujia Xiao**, Hubei (CN)

(72) Inventor: **Xujia Xiao**, Hubei (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/652,023**

(22) Filed: **Apr. 3, 2019**

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/70; D10/38**

(58) **Field of Classification Search**

USPC D10/30–39, 70, 78, 97, 98; D11/3;
D14/138 R, 203.5, 203.6, 203.7, 341,
D14/344; D24/167, 186

CPC A44C 5/00–5/16; A44C 5/02; A44C 5/14;
G04B 37/00–37/228; G04B 45/0069;

G04B 47/04; G04B 19/00–19/34; G04B
21/12; G04B 23/12; G04B 47/00–47/068;

G04B 37/1486; G04B 47/065; G04B
47/066; G01C 17/00; G01C

21/00–21/3697; G01C 22/00–22/025;

G01C 23/00–23/005; G01C 21/16; G06F
19/3481; G06F 3/00–3/027; G06F 1/163;

G06F 3/038; G06F 3/03547; G01P

1/00–1/26; G01P 15/00–15/18; A63B

24/00–2024/0096; A63B 2213/00; A63B

69/0028; A63B 2071/0658–2071/0666;

A63B 2220/00–2220/89; A63B 2225/02;

A63B 71/06; A63B 26/00; A63B

24/0075; A63B 2071/0663; A63B

71/0686; A63B 24/0062; A63B 24/0084;

A63B 2024/0068; A63B 2024/0078;

A63B 2024/0056; A63B 2071/0625;

A63B 2071/003; A63B 2071/0065; A63B

2071/0063; A63B 2071/065; A63B

2071/068; A63B 2071/0675; A63B

2220/40; A63B 2220/803; A63B 2220/12;

A63B 2220/20; A63B 2220/22; A63B

2220/30; A63B 2225/50; A63B 2225/06;

A63B 2230/75; A63B 2024/0065; A63B

2024/0081; A63B 2220/51; A63B

2220/60; A63B 2220/62; A63B 2220/836;

A61B 5/0537; A61B 5/4872; A61B

5/6831; A61B 5/4869; A61B 5/0858;
A61B 5/1075; A61B 5/107; A61B
5/4875; A61B 5/4878; A61B 5/4881;
A61B 5/61–5/6898; A61B 2019/446;
A61B 71/06; A61B 71/00; A61B
5/02416; A61B 5/1118; A61B 2/721;
A61B 5/002; A61B 5/112; A61B 5/1122;
A61B 5/746; A61B 5/6823; A61B 5/72;
A61B 5/7445; A61B 5/0022; A61B
5/14532; A61B 19/44; A63C 11/02;
G04R 20/02; G04C 10/00; G04C 10/02;
G08B 21/0269; G08B 21/0272; G08B
21/0286; G08B 21/0288; G08B 21/0291;
G08B 21/04–21/2454; G01S 19/00–19/55;
G04G 9/0064; G04G

(Continued)

(56)

References Cited

U.S. PATENT DOCUMENTS

D844,458 S * 4/2019 Lillquist D10/30
D865,543 S * 11/2019 Lumme D10/70
D881,875 S * 4/2020 Ke D14/344

* cited by examiner

Primary Examiner — Antoine Duval Davis

(57)


CLAIM

The ornamental design for wearable tracker, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view thereof;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a stereogram view 1 thereof; and,
FIG. 8 is a stereogram view 2 thereof.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC 9/0005; G04G 17/00; G04G 17/08; G04G
17/04; G04G 21/02; G04G 21/00; G04G
21/08; A41D 1/02; G09F 3/005; G06Q
10/00; G06Q 50/00; G09B 9/00; G09B
19/00; G04F 10/00

See application file for complete search history.




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8