



US00D893323S

(12) **United States Design Patent**
Xiao

(10) **Patent No.:** **US D893,323 S**
(45) **Date of Patent:** **** Aug. 18, 2020**

(54) **WEARABLE TRACKER**

(71) Applicant: **Xujia Xiao**, Hubei (CN)

(72) Inventor: **Xujia Xiao**, Hubei (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/652,024**

(22) Filed: **Apr. 3, 2019**

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/70**; D10/38

(58) **Field of Classification Search**

USPC D10/30-39, 70, 78, 97, 98; D11/3;
D14/138 R, 203.5, 203.6, 203.7, 341,
D14/344; D24/167, 186

CPC .. A44C 5/00-5/16; A44C 5/0015; A44C 5/02;
A44C 5/14; G04B 37/00-37/228; G04B
45/0069; G04B 47/04; G04B
19/00-19/34; G04B 21/12; G04B 23/12;
G04B 47/00-47/068; G04B 47/066;
G04B 37/1486; G01C 17/00; G01C
21/00-21/3697; G01C 22/00-22/025;
G01C 23/00-23/005; G01C 21/16; G01P
1/00-1/26; G01P 15/00-15/18; A63B
24/00-2024/0096; A63B 2213/00; A63B
69/0028; A63B 2071/0658-2071/0666;
A63B 2220/00-2220/89; A63B 2225/02;
A63B 71/06; A63B 26/00; A63B
24/0075; A63B 2071/0663; A63B
71/0686; A63B 24/0062; A63B 24/0084;
A63B 2024/0068; A63B 2024/0078;
A63B 2024/0056; A63B 2071/0625;
A63B 2071/003; A63B 2071/063; A63B
2071/065; A63B 2071/068; A63B
2071/0675; A63B 2220/40; A63B
2220/803; A63B 2220/12; A63B 2220/20;
A63B 2220/22; A63B 2220/30; A63B
2225/50; A63B 2225/06; A63B 2230/075;
A63B 2024/0065; A63B 2024/0081;
A63B 2220/51; A63B 2220/62; A63B
2220/836; A63C 11/02; A61B 5/0537;

A61B 5/4872; A61B 5/6831; A61B
5/4869; A61B 5/0858; A61B 5/1075;
A61B 5/107; A61B 5/4875; A61B
5/4878; A61B 5/4881; A61B
5/61-5/6898; A61B 19/44; A61B
2019/446; A61B 71/00; A61B 5/02416;
A61B 5/1118; A61B 2/721; A61B 5/002;
A61B 5/112; A61B 5/1122; A61B 5/746;
A61B 5/6823; A61B 5/72; A61B 5/7445;
A61B 5/0022; A61B 5/14532; G04R
20/02; G04C 10/00; G04C 10/02; G08B
21/0269; G08B 21/0272; G08B 21/0286;
G08B 21/0288; G08B 21/0291; G08B
21/04-21/2454; G01S 19/00-19/55;
G04G 9/0064; G04G 9/0005; G04G
17/00; G04G 17/08; G04G 17/04; G04G
21/02; G04G 21/00; G04G 21/08; G06F
1/163; G06F 3/038; G06F

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D769,869 S * 10/2016 Zhou D10/38
D841,005 S * 2/2019 Lin D14/344

(Continued)

Primary Examiner — Antoine Duval Davis


(57) **CLAIM**

The ornamental design for wearable tracker, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view thereof;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a stereogram view thereof.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC ... 3/03547; G06F 19/3481; G06F 3/00-3/027;
A41D 1/02; G09F 3/005; G06Q 10/00;
G06Q 50/00; G09B 9/00; G09B 19/00;
G04F 10/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|---------------------|---------|
| D842,855 S * | 3/2019 | Akana | D14/344 |
| D843,864 S * | 3/2019 | Vandenbussche | D10/70 |
| D866,350 S * | 11/2019 | Park | D10/38 |
| D867,179 S * | 11/2019 | Akana | D10/70 |
| D879,628 S * | 3/2020 | Akana | D10/70 |
| D881,185 S * | 4/2020 | He | D14/344 |

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7