

US00D893408S

(12) **United States Design Patent**  
**Kawagoe**

(10) **Patent No.:** **US D893,408 S**

(45) **Date of Patent:** **\*\* Aug. 18, 2020**

(54) **TIRE FOR AUTOMOBILE**  
(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Hyogo (JP)  
(72) Inventor: **Yoshifumi Kawagoe**, Kobe (JP)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **35/507,106**  
(22) Filed: **Jan. 17, 2019**  
(80) **Hague Agreement Data**  
Int. Filing Date: **Jan. 17, 2019**  
Int. Reg. No.: **DM/200354**  
Int. Reg. Date: **Jan. 17, 2019**  
Int. Reg. Pub. Date: **Jul. 19, 2019**

(51) **LOC (12) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/605**  
(58) **Field of Classification Search**  
USPC ..... D12/500-501, 506, 534-538, 569-573,  
D12/604-605, 900; D5/30; D7/396.4,  
D7/396.5  
CPC ..... B06C 1/00; B06C 13/00  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D87,418 S \* 7/1932 Smith ..... D12/535  
D87,419 S \* 7/1932 Smith ..... D12/535  
D380,713 S \* 7/1997 Attinello ..... D12/601  
D452,203 S \* 12/2001 Kajikawa ..... D12/605  
D517,003 S \* 3/2006 Shondel ..... D12/605

D569,337 S \* 5/2008 Iwabuchi ..... D12/605  
D584,682 S \* 1/2009 Tanaka ..... D12/605  
D649,111 S \* 11/2011 Tokizaki ..... D12/605  
D671,066 S \* 11/2012 Morito ..... D12/605  
D683,695 S \* 6/2013 Takeshima ..... D12/605  
D695,211 S \* 12/2013 Yasunaga ..... D12/605  
D700,886 S \* 3/2014 Matsumoto ..... D12/605  
D711,816 S \* 8/2014 Iwabuchi ..... D12/605  
D739,344 S \* 9/2015 Kuwano ..... D12/605  
D740,747 S \* 10/2015 Sato ..... D12/605  
D773,987 S \* 12/2016 Ishikawa ..... D12/605  
D777,656 S \* 1/2017 Maxwell ..... D12/605  
D791,068 S \* 7/2017 Ishikawa ..... D12/605  
D792,842 S \* 7/2017 Itoi ..... D12/605  
D800,646 S \* 10/2017 Sato ..... D12/605  
D802,526 S \* 11/2017 Ishikawa ..... D12/605  
D830,960 S \* 10/2018 Sato ..... D12/605

\* cited by examiner

*Primary Examiner* — Darlington Ly


(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.


**DESCRIPTION**

1. Tire for automobile  
1.1 is a front elevation view of a tire for automobile showing my new design;  
1.2 is a rear elevation view thereof;  
1.3 is a right side elevation view thereof;  
1.4 is a left side elevation view thereof;  
1.5 is a top plan view thereof; and  
1.6 is a bottom plan thereof.  
The broken lines in the drawings illustrate portions of the tire for automobile that form no part of the claimed design.


**1 Claim, 6 Drawing Sheets**




1.1




1.2



1.3



1.4





**1.5**



1.6

