



US00D893524S

(12) **United States Design Patent**
Sabourenkov

(10) **Patent No.:** **US D893,524 S**

(45) **Date of Patent:** **** Aug. 18, 2020**

(54) **DISPLAY SCREEN WITH GRAPHICAL USER INTERFACE**

(71) Applicant: **DoseMe Pty Ltd**, Taringa Queensland (AU)

(72) Inventor: **Paul Sabourenkov**, Taringa (AU)

(73) Assignee: **DoseMe Pty Ltd**, Taringa Queensland (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/643,059**

(22) Filed: **Apr. 4, 2018**

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**

(58) **Field of Classification Search**
USPC D14/485-495
CPC G06F 3/048; G06F 3/0481; G06F 3/04817;
G06F 3/0482; G06F 3/0483; G06F 3/04842; G06F 3/0485; G06F 3/04855;
G06F 3/0486; G06F 3/0488; G06F 3/04886; G06F 9/4443; G06F 17/211;
G06F 17/212

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,295,242 A * 3/1994 Mashruwala G06F 3/0481 715/853
- 5,390,005 A * 2/1995 Kimoto G03G 15/5016 345/173
- D598,929 S * 8/2009 Bhat D14/486
- D603,416 S * 11/2009 Poling D14/485
- 8,595,649 B2 * 11/2013 Sherrard G06F 3/0481 715/834
- D699,260 S * 2/2014 Lindmark D14/487

- 8,712,893 B1 * 4/2014 Brandmaier G06F 16/51 705/35
- D709,082 S * 7/2014 Meegan D14/486
- D709,904 S * 7/2014 Wong D14/486
- D714,339 S * 9/2014 Hendrickson D14/487
- D719,964 S * 12/2014 Hobbs D14/486
- 9,055,870 B2 * 6/2015 Meador A61B 5/0205
- D737,306 S * 8/2015 Scazafavo D14/486
- D755,217 S * 5/2016 Park D14/486
- D757,068 S * 5/2016 Lewis D14/486
- D757,769 S * 5/2016 Wang H04N 21/44204 D14/486
- D759,673 S * 6/2016 Looney D14/485
- D761,828 S * 7/2016 Koeten D14/486
- D765,124 S * 8/2016 Minks-Brown D14/487
- D772,272 S * 11/2016 Lee D14/486

(Continued)

OTHER PUBLICATIONS

Wathan, Adam and Schoger, Steve, "7 Practical Tips for Cheating at Design" Feb. 20, 2018, Medium, site visited Dec. 17, 2019: <https://medium.com/refactoring-ui/7-practical-tips-for-cheating-at-design-40c736799886> (Year: 2018).*

(Continued)

Primary Examiner — Jack Reickel

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **CLAIM**

The ornamental design for the display screen with graphical user interface, as shown and described.

DESCRIPTION

The FIGURE is a front view of a display screen with a graphical user interface, or a portion thereof, showing my new design.

The broken line showing of a graphical user interface is included for the purpose of illustrating portions of the article and forms no part of the claimed design.

1 Claim, 1 Drawing Sheet

Choice of Dose Calculation

<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> Individualised Target ☑ </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> 25mg (historical) for 4 days only </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 50%;">Target</td><td style="width: 50%;">AUC6: 4600 ug.h/L</td></tr> <tr><td>Predicted</td><td>AUC6: 4628.4 ug.h/L</td></tr> </table> </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 50%;">Peak</td><td style="width: 50%;">943.9 ug/L</td></tr> <tr><td>Trough</td><td>0.9 ug/L</td></tr> <tr><td>AUC6</td><td>4628.4 ug.h/L</td></tr> </table> </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> Historical Report 📄 Dose date in past </div> <div style="border: 1px solid black; padding: 2px; text-align: center; margin-top: 5px;"> Selected </div>	Target	AUC6: 4600 ug.h/L	Predicted	AUC6: 4628.4 ug.h/L	Peak	943.9 ug/L	Trough	0.9 ug/L	AUC6	4628.4 ug.h/L	<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> Guideline Dose ○ </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> 30mg Twice daily for 3 doses </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 50%;">Peak</td><td style="width: 50%;">939.1 ug/L</td></tr> <tr><td>Trough</td><td>1.4 ug/L</td></tr> <tr><td>AUC6</td><td>4342.1 ug.h/L</td></tr> </table> </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> Historical Report 📄 Dose date in past </div> <div style="border: 1px solid black; padding: 2px; text-align: center; margin-top: 5px;"> Select </div>	Peak	939.1 ug/L	Trough	1.4 ug/L	AUC6	4342.1 ug.h/L	<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> Label Dose ○ </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> 20mg Twice daily for 3 doses </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 50%;">Peak</td><td style="width: 50%;">749.3 ug/L</td></tr> <tr><td>Trough</td><td>0.9 ug/L</td></tr> <tr><td>AUC6</td><td>4152.8 ug.h/L</td></tr> </table> </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> Historical Report 📄 Dose date in past </div> <div style="border: 1px dashed black; padding: 2px; margin-bottom: 2px;"> Weight Warning 📄 Dose is less than 10mg/kg </div> <div style="border: 1px solid black; padding: 2px; text-align: center; margin-top: 5px;"> Select </div>	Peak	749.3 ug/L	Trough	0.9 ug/L	AUC6	4152.8 ug.h/L
Target	AUC6: 4600 ug.h/L																							
Predicted	AUC6: 4628.4 ug.h/L																							
Peak	943.9 ug/L																							
Trough	0.9 ug/L																							
AUC6	4628.4 ug.h/L																							
Peak	939.1 ug/L																							
Trough	1.4 ug/L																							
AUC6	4342.1 ug.h/L																							
Peak	749.3 ug/L																							
Trough	0.9 ug/L																							
AUC6	4152.8 ug.h/L																							

(56)

References Cited

U.S. PATENT DOCUMENTS

D775,142 S * 12/2016 Leise D14/485
D781,323 S * 3/2017 Green D14/486
D781,897 S * 3/2017 Umezawa D14/486
D787,531 S * 5/2017 Wada D14/485
D788,128 S * 5/2017 Wada D14/485
D800,765 S * 10/2017 Stoksik D14/488
D801,366 S * 10/2017 Lindmark D14/486
D805,525 S * 12/2017 Dascola D14/485
D807,900 S * 1/2018 Raji D14/485
D820,292 S * 6/2018 Mander D14/486
D821,421 S * 6/2018 Piguet D14/486
D823,326 S * 7/2018 Pinzon Garcia D14/486
D844,649 S * 4/2019 Bessette D14/486
D854,030 S * 7/2019 Dascola D14/485
D856,345 S * 8/2019 Clifford D14/485
2009/0199120 A1 * 8/2009 Baxter G06F 3/0482
715/765
2010/0205567 A1 * 8/2010 Haire G06F 8/38
715/840
2014/0233719 A1 * 8/2014 Vymenets H04M 3/5183
379/265.03
2015/0379455 A1 * 12/2015 Munzer G06Q 10/063114
705/7.15

OTHER PUBLICATIONS

Erbas, Ugur, "Mobile Shopping Components—2" Jan. 24, 2016, dribbble, site visited Mar. 26, 2020: <https://dribbble.com/shots/2478428-Mobile-Shopping-Components-2> (Year: 2016).*

* cited by examiner

Choice of Dose Calculation

<p>Individualised Target <input checked="" type="radio"/></p>	<p>Guideline Dose <input type="radio"/></p>	<p>Label Dose <input type="radio"/></p>
<p>25mg (historical) for 4 days only</p>	<p>30mg Twice daily for 3 doses</p>	<p>20mg Twice daily for 3 doses</p>
<p>Target AUC₀₋₈: 4600 ug.h/L Predicted AUC₀₋₈: 4628.4 ug.h/L</p>	<p>Peak 939.1 ug/L Trough 1.4 ug/L AUC₀₋₈ 4342.1 ug.h/L</p>	<p>Peak 749.3 ug/L Trough 0.9 ug/L AUC₀₋₈ 4152.8 ug.h/L</p>
<p>Peak 943.9 ug/L Trough 0.9 ug/L AUC₀₋₈ 4628.4 ug.h/L</p>	<p>Historical Report Dose date in past</p>	<p>Historical Report Dose date in past</p>
<p>Historical Report Dose date in past</p>	<p>Weight Warning Dose is less than 10mg/kg</p>	<p>Weight Warning Dose is less than 10mg/kg</p>
<p>Selected</p>	<p>Select</p>	<p>Select</p>