



US00D893902S

(12) **United States Design Patent**  
**Carter et al.**

(10) **Patent No.:** **US D893,902 S**

(45) **Date of Patent:** **\*\* Aug. 25, 2020**

(54) **VEHICLE SEAT**

(71) Applicant: **GRAMMER AG**, Amberg (DE)

(72) Inventors: **Raymond Carter**, Marina del Rey, CA (US); **Richard Ott**, Kuemmersbruck (DE)

(73) Assignee: **GRAMMER AG**, Amberg (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/666,781**

(22) Filed: **Oct. 16, 2018**

(30) **Foreign Application Priority Data**

Apr. 20, 2018 (EP) ..... 005243284-0002

Apr. 23, 2018 (EP) ..... 005244910-0002

(51) **LOC (12) Cl.** ..... **06-01**

(52) **U.S. Cl.**

USPC ..... **D6/356**

(58) **Field of Classification Search**

USPC ..... D6/334-336, 356, 367, 368, 374, 376,  
D6/379, 380, 716, 716.1, 716.2, 716.3,  
D6/716.4

CPC . B60N 2/20; B60N 2/206; B60N 2/22; B60N  
2/68; B60N 2/99; A47C 7/40; A47C 7/16;  
B63B 29/04

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,707,027 A \* 11/1987 Horvath ..... B60N 2/99  
297/284.6

D358,262 S \* 5/1995 Smoczynski ..... D6/334

D362,126 S *	9/1995	Carter	.....	D6/356
D371,008 S *	6/1996	Stulik	.....	D6/356
D428,719 S *	8/2000	Fick	.....	D6/356
D482,880 S *	12/2003	Murphy	.....	D6/356
D504,784 S *	5/2005	Hahn	.....	D6/356
D516,327 S *	3/2006	Murphy	.....	D6/356
D534,731 S *	1/2007	Fretschner	.....	D6/356
D577,921 S *	10/2008	Tanaka	.....	D6/356
D738,127 S *	9/2015	Nishida	.....	D6/356
D773,840 S *	12/2016	Tse	.....	D6/356
D819,991 S *	6/2018	Ott	.....	D6/356

\* cited by examiner

*Primary Examiner* — Mimosa De

(74) *Attorney, Agent, or Firm* — Von Rohrscheidt Patents

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

**DESCRIPTION**

FIG. 1 illustrates a front perspective view of the vehicle seat showing the new design.

FIG. 2 illustrates a rear perspective view of the vehicle seat in FIG. 1.

FIG. 3 illustrates a bottom view of the vehicle seat in FIG. 1.

FIG. 4 illustrates a rear view of the vehicle seat in FIG. 1.

FIG. 5 illustrates a left side view of the vehicle seat in FIG. 1.

FIG. 6 illustrates a right side view of the vehicle seat in FIG. 1; and,

FIG. 7 illustrates a top view of the vehicle seat in FIG. 1.

**1 Claim, 7 Drawing Sheets**







FIG. 1





FIG. 2






FIG. 3






FIG. 4





FIG. 5





FIG. 6





FIG. 7