



US00D894018S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,018 S**
Dominion et al. (45) **Date of Patent:** **** *Aug. 25, 2020**

(54) **CONTAINER**
(71) Applicant: **D6 Inc.**, Portland, OR (US)
(72) Inventors: **Ed Dominion**, Portland, OR (US);
Martin Troutd, Wood Village, OR
(US); **Ben McGregor**, Portland, OR
(US)
(73) Assignee: **D6 Inc.**, Portland, OR (US)
(*) Notice: This patent is subject to a terminal dis-
claimer.
(**) Term: **15 Years**
(21) Appl. No.: **29/605,997**
(22) Filed: **May 31, 2017**
(51) **LOC (12) Cl.** **09-03**
(52) **U.S. Cl.**
USPC **D9/737; D7/553.3**
(58) **Field of Classification Search**
USPC D9/341, 347, 414-432, 440, 444, 447,
D9/449, 450-454, 503, 504, 737, 759,
D9/761; D7/672, 601, 550.1, 551.1,
D7/551.2, 551.3, 552.1, 552.2, 553.1,
D7/553.2, 553.3, 553.4, 553.5, 553.7,
D7/553.8, 554.1, 554.3, 555, 557, 602,
D7/629, 630, 538-542, 612-615, 584,
D7/586, 587, 709, 502, 608, 622, 701,
D7/703, 543-549, 317-319, 391, 392,
D7/392.1, 396.2, 510, 511; D3/273,
D3/201-206, 276, 283, 284, 295, 274,
D3/302; D11/143; 249/126, 134;
206/216, 217, 541-550, 518, 557, 558,
206/561, 564, 223, 467; 220/669-673,
220/675, 574-575, 573.1, 4.21, 660, 326,
220/236, 780-806, 4.24, 288, 260, 266,
220/306, 352, 356, 523, 23.8, 23.2, 23.83,
220/23.4, 662, 700, 701, 703, 711,
220/713-715, 719; 426/106; 229/107,
229/406, 120, 125.17; 215/211, 200, 224,
215/243

CPC B65D 1/36; B65D 2543/00194; B65D
2543/00296; B65D 2543/00555; B65D
2581/3425; B65D 25/04; B65D 43/0218;
B65D 2543/00083; B65D 2543/00268;
B65D 2543/00277; B65D 2543/00351;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,026,457 A * 5/1977 Schubert B65D 1/36
229/406
5,497,885 A * 3/1996 Sussman A47G 19/065
206/217

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/605,996, filed May 31, 2017, 13 pages.

(Continued)

Primary Examiner — W. A. Teddy Falloway

(74) *Attorney, Agent, or Firm* — Stoel Rives LLP


(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a front, top isometric view of a container according to an embodiment of our new design;
FIG. 2 is a front elevational view of the container of FIG. 1, the rear elevation view being identical thereto;
FIG. 3 is a right elevational view of the container of FIG. 1, the left elevational view being identical thereto;
FIG. 4 is a top plan view of the container of FIG. 1;
FIG. 5 is a bottom plan view of the container of FIG. 1;
FIG. 6 is a bottom isometric view of the container of FIG. 1; and,
FIG. 7 is a top isometric view of the container of FIG. 1.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7